

Terminal V17

Functional, flexible, robust



Terminal V17

Flexible checkout and ticket terminal

- > Functional structure of all payment processes
- > 17" full HD touch screen
- > Robust design for use in covered outdoor areas







Varied payment options

Debit/credit card terminal with PIN pad, coin and banknote intake, NFC and prepaid function.



Operation

The integrated touch screen and ergonomically positioned components ensure simple and intuitive operation.



Terminal V17

■ The flexible Terminal V17 provides your customers with simple, intuitive and user-friendly operation. It is always available for use, meaning staff are free for other tasks.

Standard equipment:

Electropolished steel housing with integrated heating. 17" touch screen. Patented locking system on the machine provides maximum security. Integrated graphics enabled ticket/receipt printer. LAN interface for data exchange. Remote access, ETISS ERP software.

Areas of use

Canteens, swimming pools, hospitals, leisure parks, golf courses, museums, arenas, tourist cards, cable cars, cinemas, indoor leisure facilities, loyalty cards, visitor management

Payment system variant


- · Banknote reader with/without change function
- · Coin slot including change function
- · Cashless payment system incl. NFC
- NFC
- · Lockable cash box
- Token

Ticket and printing system variant

- RFID paper ticket issue
- · RFID reader
- · Barcode and QR reader
- · Paper wristband printer
- · Receipt printer
- Ticket printer


Accessories

- Canopy
- Customised painting of housing
- · Customised stickers
- Thermal paper rolls (80mmx110m); Leporello for paper tickets; Leporello custom formats (on orders)
- · RFID ID cards (Mifare)
- · Cleaning cards for banknote readers
- Expansion of POS system (manual checkout) and online shop



Technical details	
Nominal mains supply	230 V ~, 50 Hz, 4 A
Nominal performance/fusing required on mains side	Max. 1050 W
Required network connection	LAN (2 separate connections in the case of credit card functions)
Protection class	I (protective earthing) in accordance with EN 61140 (VDE 0140–1)
Protection class according to EN 60529	IP 20
Installation site	Indoors + canopied outdoor areas (-20°C to +45°C)
Display	17" touch screen
Assembly	On FFL with heavy-duty anchor
Empty weight (without coins)	Approx. 200 kg

Terminal V17	
Steel, coloured plastic powder coating	Upon request
Currency	All national currencies
Change given	In coins
Automatic sorting	C
Remote access	C
Optional: Credit card acceptance	C
Optional: Banknote acceptance/return	C
Optional: ERP inventory and analysis software	C LAN required



GERMANY Wanzl GmbH & Co. KGaA Rudolf-Wanzl-Straße 4 89340 Leipheim

Phone +49(0)8221/729-0 info@wanzl.com www.wanzl.com GREAT BRITAIN
Wanzl Ltd.
Europa House
Heathcote Lane
Warwick CV34 6SP
Phone +44 (0) 1926/451951

enquiries@wanzl.co.uk www.wanzl.com AUSTRALIA Wanzl Australia Pty Ltd 3 Haymer Ct, Braeside VIC 3195

YouTube Linkedin

Phone +61 (0)3/98082299 info.au@wanzl.com www.wanzl.com