

AIRPORT | AIRPORT

Airport Solutions

First class travel starts here







Contents

CONTENTS	3		
FIRST CLASS TRAVEL SERVICE	5		
QUALITY_MADE BY WANZL	7	03 TROLLEY MANAGEMENT	44
LUGGAGE TROLLEYS	8	⁰¹ Vending Unit NG	46
TROLLEY MANAGEMENT	9	⁰² Change Dispenser	48
AIRPORT CART SERVICE (ACS)	10	⁰³ Maintenance & Inventory	49
SECURITY SOLUTIONS	11	⁰⁴ Airport Scooter	50
WANZL QUALITY HIGHLIGHTS	12	⁰⁵ Scooter M-1000	51
SPECIFICATION	13	⁰⁶ Guide Rails	52
01 LUGGAGE TROLLEYS – LANDSIDE	16	04 PORTER TROLLEYS	54
⁰¹ Voyager 3000/Voyager 3000 EX	18	⁰¹ Porter Trolley 2000 NG	56
⁰² Voyager 4000/Voyager 4000 EX	20	⁰² GS-Lobby	57
⁰³ Travel 300 BL	22	⁰³ GS-Group	58
⁰⁴ Travel 300	24	⁰⁴ GS-Compact	59
⁰⁵ Travel 400/Travel 400 EX	26		
⁰⁶ Eurosprinter	28	05 SECURITY SOLUTIONS	60
⁰⁷ Aera 300 L	30		
⁰⁸ Customised Solutions	32	⁰¹ Galaxy Gate	62
		⁰² Galaxy Port	66
02 LUGGAGE TROLLEYS – AIRSIDE	34	⁰³ Part Line 2000	68
		⁰⁴ Part Line 2000	69
⁰¹ Easy 400	36	⁰⁵ Sonic Gate	69
⁰² Airport Shopper NG	37		
⁰³ Airport Shopper ES	38	06 SERVICE PRODUCTS	70
⁰⁴ Aera 300 A	39		
⁰⁵ Fun Mobil 80	40	⁰¹ MBW Secure	72
⁰⁶ Kiddo [®]	41	⁰² Serving trolley EU 300/EG 200	73
⁰⁷ OV17/KOWA OV17	42	⁰³ Newspaper Dispenser	74
⁰⁸ GT®26 eco/KOWA ST	43	04RC/N2 Mobile Containers	75







First Class Travel Service

Experience since the early '70s



WANZL LUGGAGE TROLLEYS

Model for Deutsche Bundesbahn

At Wanzl, we know what people will want tomorrow. As a world market leader for shopping trolleys, we provide exactly the right answers when it comes to transporting luggage at airports, seaports, railway stations and hotels too. In the fast-paced world of international travel, passengers expect things to run quickly, smoothly and simply. That's precisely why many of the world's biggest airports now rely on the first-class equipment provided by world market leader Wanzl.



The Wanzl luggage trolley, a robust and extremely sturdy trolley for the railway stations of today, has been tried and tested for many years and has also defied extreme weather conditions. This forefather product's genetic legacy can be seen in today's modern trolley used in airports, seaports, railway stations and hotels.

■ Today, Wanzl employs more than 4,200 people at 11 production sites worldwide. The company's portfolio has been continually expanded and adapted in line with current requirements. A luggage trolley for an individual customer is just as important as trolley management. Wanzl assists passengers and staff in all areas – in service, safety and sales.







The world is changing. Take advantage of it!

■ Wanzl products are unique. Wanzl's specialist competence, consistency, reliability and innovative solutions and technologies ensure effective work processes. In addition to our luggage trolley systems, which are used and trusted the world over, we also offer a variety of customer-specific solutions to ensure complete passenger satisfaction.










Quality_MADE BY WANZL

Wanzl sets standards for quality and design







CONSIDERABLE MANUFACTURING DEPTH



EXCELLENT PRODUCT SYSTEMS

- The range of Wanzl luggage trolleys, trolley management systems, porter trolleys, turnstiles, entrance and exit systems and service products is always expanding. But all the models and systems have one thing in common a name that guarantees safety and quality: Wanzl.
- Planning is supported by Wanzl's experience and know-how. During production, Wanzl can rely on high-quality materials, perfect processing and considerable manufacturing depth in-house. This enables us to always meet our own high expectations for product quality, short delivery times and delivery readiness.
- Our high quality standards ensure long-term, virtually maintenance-free use and investment security. Modern test methods ensure fault-free functionality and durability.

Wanzl guarantees

■ In addition to the statutory warranty, Wanzl offers a reliable and flexible network of qualified service engineers who will be only too willing to help you if required.



Luggage Trolleys

The right trolley for your passengers







LUGGAGE TROLLEYS FOR ESCALATORS



LUGGAGE TROLLEYS - AIRSIDE

- Luggage trolleys for different requirements: Landside trolleys can transport large items of luggage long distances without any problems. They are easy to push even when heavily loaded and are also available in designs suitable for escalators if these are required due to the facilities at an airport. Airside trolleys are used to transport hand luggage or duty-free purchases.
- The high-quality craftsmanship in all Wanzl luggage trolleys is synonymous with our company. Our high-quality products also continue to function perfectly for years. We guarantee to provide Wanzl original spare parts quickly in the long term via our after-sales service.

Wanzl stands for:

■ A high level of safety during handling. Where it is necessary to heed restrictions on use or safety regulations, symbols indicate the correct procedure to be followed.



Trolley Management

Innovative investments that pay off







VENDING SOLUTIONS

TROLLEY MANAGEMENT

TROLLEY MAINTENANCE

- The constant availability of Wanzl luggage trolleys when required is essential for perfect trolley management. The well-organised supply of trolleys, the recirculation of trolleys via Wanzl collection points and the safe return of whole rows of trolleys to collection points using Wanzl airport scooters ensure that work processes are carried out efficiently.
- Maintenance for luggage trolleys and related equipment, so that everything functions perfectly. Wanzl supplies the required original spare parts to replace wear parts. The latest software and modern RFID technology make maintenance child's play and you can keep track of costs.

Wanzl provides:

■ **Safety in processes** with optimum system availability. This increases the level of passenger satisfaction considerably.




Airport Cart Service (ACS)

Services that we are happy to take over for you











PORTER SERVICE

- Services connected with luggage trolleys and related equipment. ACS takes over the whole range of services under concession including supplying ultra-modern luggage trolleys and innovative systems. All luggage trolley logistics, including cash management, staffing and continuous technical support, are then the responsibility of ACS Airport Cart Service GmbH.
- Services for passengers. ACS also offers other services on request. Passenger Assistance is a friendly, effective and above all professional service for persons with reduced mobility or children travelling alone, and for providing support with regard to using machines, valet parking or the porter service.

ACS acts for you.

ACS Airport Cart Service GmbH will look after all the needs and requirements of your passengers, leaving you to concentrate on your key tasks.



Security Solutions

Electronic guidance, monitoring and ticketing systems







ENTRANCE & EXIT SYSTEMS

ACCESS CONTROL SYSTEMS

PAID ACCESS SOLUTIONS

- Access authorisation and control in various areas with different requirements personnel access, boarding systems, ticketing systems for chargeable areas and more. Adaptable systems with readers, scanners or vending machines have been reliably used for many years.
- Reliable separation, simple processes and exemplary service are the objectives aimed for during the development of such systems. The introduction of chargeable areas has created the opportunity to generate increased revenue. Wanzl would be pleased to provide you with sample calculations for these.

Wanzl brings economic benefits

■ It is important for investments to pay off quickly. Today, modern technology automatically supports or takes over activities and functions in many areas. Entrances are monitored without personnel, monitoring systems accept barcodes and cashing up is carried out reliably in chargeable areas before or after use.



Wanzl Quality Highlights

Premium quality down to the finest detail

Materials and quality surfaces

- Wanzl uses only superior materials such as high-quality thick tubing
- Top-quality processing in-house and surface coating
- UV-resistant plastics for proprietary highly impact-resistant plastic parts

Extremely long product life spans – resulting in very low maintenance and repair costs (total cost of ownership).

High corrosion resistance due to multi-layered, extremely resistant surface coating.



EXEMPLARY FINISHES

Zinc and transparent powder layer

Zinc and transparent dip coating



Anti-bacterial handles

All coloured plastic powder-coated Wanzl handles have anti-bacterial powder coatings to maintain hygiene.



Quality brake system

- Perfect braking due to metallic brake shoe on the natural rubber surface of the castor
- Minimal wear as braking only occurs on the sides of the castor with no effect on the tread
- Brake adjusts itself to ensure a consistent braking force



Wanzl bonded-on quality castors

- Three-year warranty
- Natural rubber tread
- Minimal wear
- Non-chalking (leaves no residue)
- Double-sealed industrial ball bearing



Noise-damping plastic

Natural rubber tread, non-chalking



Specification


Luggage trolleys – a user-specific overview

No. del	Page	Length x width x height Dimensions (mm)	Steel	Alumin- ium	Stain- less	Dynamic load- ing capacity	Stacking depths (mm)	Weight (kg)	Advertising space (cm²)	Castor wheels	Automat- ic brake	for travela-
Model Landside	Paye	Differsions (min)	שנפו		steel	(kg)	(111111)			Castor wileers		tors
Voyager 3000	18-19	1020 x 675 x 1040		c		250	265	18	5830	2 fixed castors 1 swivel castor	c	c
Voyager 3000 EX	18-19	1155 x 675 x 1040		c		250	265	20	5430	2 fixed castors 1 swivel castor	c	c
Voyager 4000	20-21	1010 x 675 x 1040		c		250	265	19	4800	2 fixed castors 2 swivel castors	c	c
Voyager 4000 EX	20-21	1155 x 675 x 1040		c		250	265	21	4540	2 fixed castors 2 swivel castors	c	c
Travel 300 BL	22-23	980 x 640 x 1020	c		c	200	265	26	5480	2 fixed castors 1 swivel castor	c	c
Travel 300	26-27	950 x 640 x 1020	c		c	200	250	23	4557	2 fixed castors 1 swivel castor	c	c
Travel 400	28-29	1015 x 603 x 1020	c		c	250	335	26	4090	2 fixed castors 2 swivel castors	c	c
Travel 400 EX	28-29	1112 x 603 x 1020	c		c	250	335	27	4090	2 fixed castors 2 swivel castors	c	c
Eurosprinter	30-31	1160 x 720 x 1075	c		c	250	330	41	2025	2 fixed castors 1 double swivel castor	c	
Aera 300 L	32-33	1080 x 590 x 1035	c			120	320	14	2024	2 fixed castors 1 swivel castor		
Airside												
Easy 400	38	655 x 560 x 995	c		c	80	270	14	4420	2 fixed castors 2 swivel castors		c
Airport Shopper NG	39	695 x 530 x 1000	c			80	200	13	2200	4 swivel castors		
Airport Shopper ES	40	800 x 635 x 980	c			80	250	24	2655	2 fixed castors 1 travelator castor		c
Aera 300 A	41	832 x 590 x 1035	c			120	320	13	2024	2 fixed castors 1 swivel castor		c
FunMobil 80	42	1450 x 595 x 1002	c			80		34	234	4 swivel castors		
Kiddo®	43	750 x 594 x 1000	c			30	230	12	-	2 fixed castors 2 swivel castors		
OV17	44	436 x 275 x 202	c					1	-	-		
GT®26 eco	45	520 x 335 x 255						0.7	75/2.9	-		











01 Product Overview

01.01 - 01.02 Voyager



⁰¹ VOYAGER 3000 AND 3000 EX



01.03 - 01.05 Travel



⁰³TRAVEL 300 BL



⁰⁴TRAVEL 300



 05 TRAVEL 400 AND TRAVEL 400 EX

01.06 Eurosprinter



⁰⁶ EUROSPRINTER

01.07 Aera 300 L



01.08 Customised solutions



⁰⁸TRAVEL 400/3



01 Luggage Trolleys – Landside





01.01 Voyager 3000/3000 EX

Reliable technology and impressive design

- > Lightweight aluminium construction
- > Generous advertising spaces
- > Maintenance-free brake rod



@\$

Pat. pend.



01.01 Voyager 3000/3000 EX

■ The Voyager models are used all over the world on account of their impressive design and reliable technology. Airport operators and service providers appreciate their lightweight design, easy handling and generous advertising spaces.

PROMOBOX® PLUS

Ergonomic handle with generous advertising space.
Optional coin deposit system to ensure orderly trolley provision.



Maintenancefree brake rod



Large luggage rack

In standard and extended EX versions.



Brake shoe design prevents the castor tread from wearing.

	Voyager 3000	Voyager 3000 EX
225 585 645/775 10 Voyager 3000: 3405 mm 265 10 Voyager 3000: 25540 mm Can be nested to save space	465 x 127 mm 465 x 102 mm 524 x 348 mm 40 x 660 mm	465 x 127 mm ······ 465 x 102 mm ····· 524 x 310 mm ···· 40 x 660 mm
Prod. no.	05.48251.95	05.28477.95
Static/dynamic load capacity	400 kg/250 kg	400 kg/250 kg
Nesting depth	265 mm	265 mm
Weight	18 kg	20 kg
Advertising space	5830 cm ²	5430 cm²
Castor wheels	2 fixed castors, 1 swivel castor	2 fixed castors, 1 swivel castor
Castors Ø	180 mm	180 mm
Material	Anodised aluminium	Anodised aluminium
Basket	Electro-polished stainless steel	Electro-polished stainless steel
Use on travelator	C	C
Automatic brake	Self-adjusting	Self-adjusting
Accessories		
Adapter for vending unit	C	C
Coin deposit system	C	C
Travelator castor	C	C



01.02 Voyager 4000/4000 EX

Extended Voyager model with four castors

- > Lightweight aluminium construction
- > Four-castor design
- > Generous advertising spaces



20



01.02 Voyager 4000/4000 EX

■ Like the three-castor model, the new Voyager model with four castors is available in two convenient lengths, according to your individual requirements.

Anti-bacterial

Wanzl handles have anti-bacterial coloured plastic powder coating to maintain hygiene.



Maintenancefree brake rod




Large luggage rack

In the standard version and even more so in the extended EX version.





Brake shoe design prevents the castor tread from wearing.





01.03 Travel 300 BL

The premium model

- > Automatic braking upon nesting
- > Quick and safe manoeuvring of trolley clusters by service personnel
- > High-quality workmanship with well-thought-out details



Pat. pend.



01.03 Travel 300 BL

■ Premium technology packed into a timeless premium model. The Travel 300 BL sets itself apart with its well-thought-out details: high-quality workmanship, automatic braking upon nesting, castors in direct contact with the ground and much more besides. The result: satisfied passengers and a quick and secure way for service staff to move multiple nested trolleys.

Minimal turning circle

Extended stacking shoe guarantees a smaller turning circle.



Airport Scooter

Nested trolleys are easily pulled along by the Airport Scooter.



Safety


Operating instructions are on the handle and on the inside of the generous hand luggage basket.



Anti-bacterial

Wanzl handles have anti-bacterial coloured plastic powder coating to maintain hygiene.







01.04 Travel 300

The stylish all-rounder

- > Bestseller with shallow nesting depth
- > Maintenance-free, self-adjusting brake
- > Reliable companion for transporting luggage





01.04 Travel 300

■ A tried-and-tested design with stable luggage support, and an effective brake mechanism with a self-adjusting, maintenance-free brake and exemplary reliability make the Travel 300 a worldwide bestseller.

Articulated cap

Tight fit, easy to maintain and simply pleasant to handle.



Bumper

The all-round bumper rail protects interior décor against damage.



Safety


Operating instructions are on the handle and on the inside of the generous hand luggage basket.



Anti-bacterial

Wanzl handles have anti-bacterial coloured plastic powder coating to maintain hygiene.







01.05 Travel 400/400 EX

The classic from Wanzl

- > Automatic braking upon nesting
- > Four-castor design
- > Spacious luggage platform






01.05 Travel 400/400 EX

■ The four-castor design that has been tried and tested all over the world.

The Travel 400 series shows why: the robust, durable design with generous luggage platform and extreme stability when heavily loaded make this the perfect trolley, especially under extreme conditions.

Low wear

Minimal wear on castors when pushing or pulling nested trolleys, due to the brake release feature.



Folding bracket

Optional additional luggage restraint.



Optional

Version with three castors: Travel 400/3 and 400/3 EX with one swivel castor Ø 180 mm at the front.



Anti-bacterial

Wanzl handles have anti-bacterial coloured plastic powder coating to maintain hygiene.



		Travel 400	Travel 400 EX
230 575 575 770/865 1015/1112 603 Advertising space	10 Travel 400: 4030mm 335 10 Travel 400 EX: 4127mm	460 x 125 mm 490 x 300 mm	460 x 125 mm 490 x 300 mm
Prod. no.		05.02487.52	05.22940.52
Static/dynamic load capacity		400 kg/250 kg	400 kg/250 kg
Nesting depth		335 mm	335 mm
Weight		26 kg	27 kg
Advertising space		4090 cm ²	4090 cm²
Castor wheels		2 fixed castors, 2 swivel castors	2 fixed castors, 2 swivel castors
Castors Ø rear/front		180 mm/125 mm	180 mm/125 mm
Material		Steel	Steel
Finish		Galvanised, chrome-plated, transparent	t, polyester-coated
Alternative material		Electro-polished stainless steel	Electro-polished stainless steel
Use on travelator		C	C
Automatic brake		Self-adjusting	Self-adjusting
Accessories			
Adapter for vending unit		C	C
Coin deposit system		C	C
Travelator castor		C	C
Folding bracket		C	C



01.06 Eurosprinter

The safe way to transport luggage on escalators

- > Solid appearance, manoeuvrable
- > Maximum comfort when transporting on escalators
- > Automatic brake release upon nesting





Pat. pend.



01.06 Eurosprinter

■ Solid appearance, manoeuvrable and safe: these are the attributes of the Eurosprinter, offering passengers optimum convenience and safety as they transport their luggage on escalators.

Safety

Luggage is transported safely on a virtually horizontal loading area when using escalators.



Airport Scooter

Nested trolleys are easily pushed and pulled along.



Low wear

Minimal wear on castors when pushing or pulling nested trolleys, due to the brake release feature.

Adapter for vending unit


Coin deposit system



Plastic profiles

Provides additional protection against damage to interior décor.





C

C



01.07 Aera 300 L

Functional and sophisticated design

- > Elegantly curved design
- > Excellent manoeuvrability
- > Practical detailed solutions





01.07 Aera 300 L

■ With a clear geometry and elegantly curved lines: the Aera 300 L not only looks good, but is also sure to impress with its manoeuvrability and practical solutions for every detail.

High-quality castors

Large, high-quality castors guarantee easy handling.



Deflectors

Generous deflectors protect luggage against damage.



Bumper


The all-round bumper rail protects interior décor against damage.



Anti-bacterial

Wanzl handles have anti-bacterial coloured plastic powder coating to maintain hygiene.







01.08 Customised solutions

Special solutions

- > Designed according to individual needs
- > Designed for transporting special luggage (ski, golf bag...)
- > Designed based on special requirements (e.g. larger advertising spaces)



32



01.08 Customised solutions

■ In addition to our standard products which are proven around the world, we also develop many special solutions on request. Some contemporary examples of these are featured on this page.

Travel 400/3

Specially developed for ski and golf resorts with multiple features. With additional straps for snowboards, skiing equipment and golf bags, yet still leaving space for your other luggage.



Totally individual

Wanzl can offer luggage trolleys compatible with models by other manufacturers on request.



Voyager 3000

This luggage trolley model features larger advertising sections to help you secure greater revenue from advertising. The additional straps are able to secure bulky luggage such as ski and golf bags.





02 Product Overview

02.01 Easy 400



01 FASY 400

02.02-02.03 Airport Shopper







02 AIRPORT SHOPPER NG

03 AIRPORT SHOPPER ES

02.04 Aera 300 A



⁰⁴ AERA 300 A

02.05-02.06 Trolleys for kids





⁰⁵ FUN MOBIL 80

06 KIDDO®

02.07-02.08 Shopping baskets






⁰⁷ OV17

⁰⁸ GT®26 eco



02 Luggage Trolleys – Airside





02.01 Easy 400

Small but high-quality trolley for hand luggage

- > Compact design with anti-bacterial handle
- > Additional plastic profiles protect interiors against damage
- > High-quality swivel castors with quiet rubber tread



Compact, sturdy and space-saving.

Alternative castors, electrically conductive

The Easy 400 offers passengers sufficient space for hand luggage and shopping. With large advertising surfaces and four castors, it is a particularly attractive proposition.

Anti-bacterial

Antibacterial handle. Advertising can be printed on handle profile on request.



Plastic profiles

Generous plastic bumper profiles provided as standard to protect equipment.



Optional

Electrically conductive castors protect trolleys against static discharge.



Easy 400 384 x 146 mm 433 x 381 mm 10 Easy 400: 3085 mm ________ Advertising space Can be nested to save space Prod. no. Static/dynamic load capacity 150 kg/80 kg Nesting depth 270 mm Weight 14 kg Advertising space 4420 cm^2 Castor wheels 2 fixed castors, 2 swivel castors Castors Ø rear/front 200 mm/125 mm Material Steel Finish Galvanised, chrome-plated, transparent, polyester-coated Bottom tray Electro-polished stainless steel Alternative material



02.02 Airport Shopper NG

Attractive and timeless design

- > Two customisable advertising spaces
- > Large bumper rail
- > Bottom tray featured as standard



Quality castors

Original Wanzl swivel castors with rubber tread and plastic deflector rings guarantee easy handling.



Features

Remodelled bottom tray designed to prevent hand luggage from slipping.



33 3 ,

Airport Shopper NG

Elegant and fitted with a basket closed at the sides,

the Airport Shopper NG carries large amounts of shopping. The Wanzl swivel castors guarantee easy manoeuvrability, while a bumper rail made of high-quality plastic protects interiors from damage.

Optional

Optional folding child seat with plastic seat.



L-10 Airport-Shopper NG: 2485 Advertising space Can be nested to save space Prod. no. With child seat 05.73452.52 Without child seat 05.73451.52 Static/dynamic load capacity 180 kg/80 kg Nesting depth 200 mm Weight 15 kg 2200 cm² Advertising space Castor wheels 4 swivel castors Castors Ø Material/surface Steel/galvanised chrome-plated, transparent, polyester-coated Bottom tray



02.03 Airport Shopper ES


Special model for escalators

- > Safe luggage transport even on escalators
- > Convenient and safe manoeuvrability
- > Generous advertising spaces



Security

Luggage is transported safely on a virtually horizontal loading area when using escalators.



Safe engaging

The Wanzl type 5 travelator castor engages reliably on escalators.



A unique, special model worldwide

for escalators. With this model, customers are able to move safely from one airport level to another with ease. The proven Airport Shopper ES is available exclusively from Wanzl.

Features

Belt for securing hand luggage provided as standard.



Airport Shopper ES



Advertising space	Can be nested to save space	
Prod. no.		05.27234.52
Static/dynamic load capacity		150 kg/80 kg
Nesting depth		250 mm
Weight		24 kg
Advertising space		2655 cm ²
Castor wheels		2 fixed castors, 1 travelator castor
Castors Ø		160 mm
Material		Steel
Finish		Galvanised, chrome-plated, transparent, polyester-coated
Load on escalators		20 kg/30⁰
Bottom tray		C



02.04 Aera 300 A

Functional and sophisticated design

- > Elegantly curved design
- > Excellent manoeuvrability
- > Practical detailed solutions



AERA 300 A

Airside luggage trolleys

Design pend.

■ Slimline design, with clear geometry and elegantly curved lines: The Aera 300 L not only looks good, but is also sure to impress with its manoeuvrability and practical solutions for every detail.

Comfort

Generous plastic powder-coated basket for small items of hand luggage or duty-free purchases.



High-quality castors


With attractive spoke design and rubber tread to guarantee easy handling. Deflectors to protect your luggage.



Generous

The generous loading area with all-round bumper can even accommodate large items of hand luggage.







02.05 Fun Mobil 80

Making shopping fun for the family

- > Family-friendly offering
- > Attractive, robust plastic chassis
- > With child seat in the basket space for two children



Integrated safety belt

With snap closure as standard.



Design pend.

It's easy to make shopping fun for the family.

The easy-to-manoeuvre Fun Mobil 80 family trolley has room for two children and ensures a relaxed, stressfree shopping experience in duty free.

Features

Four original Wanzl swivel castors Ø 125 mm, incl. one with brake. Fifth castor Ø 100 mm, with rubber tread.







Advertising space	
Prod. no.	05.31753.95
Weight	34 kg
Advertising space	234 cm ²
Castor wheels	4 swivel castors
Castors Ø	125 mm
Material (car undersection and roof)	Plastic
Material (oval tube chassis and basket)	Steel
Finish (oval tube chassis and basket)	Plastic powder coating
Advertising handle	C
Child seat/goods shelf	C
Safety belt for child seat	C



02.06 Kiddo®

A certified and robust push chair to keep your little one safe

- > Heavy-duty design for many years of use
- > Washable seat upholstery
- > Comes fitted with locking brake as standard



кірро® Design pend.

Pat. pend.

Kiddo®

A comfortable trolley with safety certification in accordance with DIN EN 1888:2012. This trolley steers very easily and glides effortlessly over a range of surfaces, really taking the pressure off parents during trips to shopping malls or when on the move for a long time at airports.

Safety belt

Individually adjustable 5-point belt for strapping children in.



Brake

Foot-operated locking brake as per the required security specifications.



Optional

Flagpole for improved visibility, with flag which can be printed in the customer's own design.



220 220 220 240 10 Kiddo: 2953 mm Can be nested to save space	
Prod. no.	05.76276.76
Total load capacity / seat / carrier net / bottom tray (where available)	30 kg / 25 kg / 3 kg / 2 kg
Nesting depth	240 mm
Weight	14.5 kg
Castors	4 swivel castors, 2 with a brake
Castors Ø	125 mm
Material	Steel
Finish	Plastic powder coating
Coin deposit system	Optional
Net pocket with bracket	Optional
Flagpole	Optional



02.07 OV17

Stylish design with comfortable handle

- > Classic design
- > Stackable wire basket with tightly meshed base
- > Optional tray for small items



OV17 SHOPPING BASKET

available with an optional tray

Finish

KOWA OV17

Material Finish

Small item tray, grey

■ This stylish alternative to the trolley for small shopping trips holds 17 litres of goods and is comfortable to hold thanks to its wide handle.

The ideal companion for duty-free shopping!

Ergonomic

Handle and basket have a pleasant ergonomic design.



Practical

Optional: small item tray.



KOWA OV17 with push bar

High-gloss chrome-plated

High-gloss chrome-plated

Optional

02.02600.10

For storing and collecting stackable shopping baskets.



OV17 shopping basket Prod. no. 02.02713.10-9006 Weight 1 kg Material Steel



02.08 GT[®]26 eco

The elegant shopping basket

- > Basket made from 100% recycled materials
- > Ergonomic design
- > Attractive colour options



SHOPPING BASKET GT®26

Shopping basket GT®26 eco

Design pend.

■ The ideal companion for airside shopping.

The GT®26 eco basket is made entirely from environmentally-friendly recycled material. The handle is available in 4 selected colours and has a pleasing ergonomic design.

Ergonomic

The semicircular design allows the basket to be carried close to the body to lighten the load.



Even more individual

In addition to the standard designs, you can also customise the labelling and handle colour.



KOWA ST with push bar

For storing stacked shopping baskets neatly and compactly.



520 335 Advertising space 410 - 220 -	75 cm ²
Prod. no.	02.55823.07
Weight	0.7 kg
Material	Plastic
Advertising space	75 cm ²
Handle colour Blue/Magenta/Orange/Green	02.55823.07-0001/-0002/-0003/-0004
Accessories	
Kowa ST	02.03907.10
Material	Steel
Finish	High-gloss chrome-plated



03 Product Overview

03.01 Vending Unit NG



⁰¹ VENDING UNIT NG

03.02 Change Dispenser



02 CHANGE DISPENSER

03.03 Maintenance & Inventory



⁰³ MAINTENANCE & INVENTORY

03.04-03.05 Airport Scooter





⁰⁴ AIRPORT SCOOTER

⁰⁵ SCOOTER M-1000

03.06 Guide Rails





03 Trolley Management





03.01 Vending Unit NG

Paying trolley release systems

- > Trolley guidance through the new rail profile and new trolley adapter
- > Trolleys can be provided in one or several rows
- > Versatile payment options and use as a coin deposit system



VENDING UNIT NGPat. pend.

ETISS Software & Service

The "ETISS" application (electronic secure transaction infrastructure software and services) manages vending ticket machines. The layout of the intelligent screen elements can be fully adapted to the corporate design of your company. Data is transferred between the machine and the application exclusively in encoded form. The incorporated security

options enable a direct connection from the ticketing system to the Internet and so offer flexible management of components. Remote maintenance, central software distribution and an adapted alarm system are also included in the delivery of the software.




03.01 Vending Unit NG

■ Coin acceptance with automatic sorting, integrated alarm system, mechanical cash container locking, anti-theft multiple locking, graphics-enabled ticket/receipt printer and LAN interface for data exchange make the NG vending unit truly versatile.



Trolley guide made of aluminium profile

Rail profile and trolley adapter ensure reliable trolley guidance. Multiple tracks can be controlled with one unit.



Trolley adapter

Narrow plastic adapter in sturdy design with guide rollers.



Highlight


Illuminated signage for better visibility (optional, in the customer's own design).



7" Touch Screen

Operation is both easy and intuitive via the integrated touch display.







03.02 Change Dispenser

The sturdy change dispenser

- > Reinforced locking mechanism
- > New safety devices against breaking open and drilling out
- > ccTalk protocol



CHANGE DISPENSER

■ The change dispenser is available in two different designs. The coloured plastic powder-coated steel housing is easily wall-mounted or used as a standing unit with base. The change dispenser recognises up to five banknotes in a currency and converts these into coins in the same currency. The procedure is shown on a display. The housing offers space for two coin hoppers. These can be expanded if necessary, if a higher coin capacity is needed.



CHANGE DISPENSER ON A STAND

Change dispenser	
Prod. no.	On request
Dimensions	400 x 805 x 409 mm/400 x 1,620 x 409 mm
Weight	43 kg / 60 kg
Material	Steel
Finish	Plastic powder coating
Electricity supply/power	230 V AC / 50 Hz / max. 60 W
Hopper	2 units
· · · · · · · · · · · · · · · · · · ·	



03.03 Maintenance & Inventory

Detailed maintenance check with RFID

- > Full documentation of service tasks that have been performed
- > Evaluation of service costs for specific periods
- > Overview of available trolleys



Regular maintenance checks increase the cost-effectiveness of luggage transport trolleys. Each trolley is identified with a passive transponder and all maintenance work is analysed in detail.

Transponder

Luggage trolley identification via the transponder built into the handle cap.



Trolley history I

The workshop visits of each individual trolley and the costs incurred are recorded chronologically in the database.



Trolley history II

List and overview of all defects that have occurred in accordance with defined categories, and frequency with overview of costs.



Maintenance & inventory







Hardware requirements	
Wanzl scanner	USB interface V24
CD drive	
Processor	Min. 200 MHz
RAM	64 MB
Graphics card	16 MB
Accessories	
Scanner	98.73797.00-0000
Mobile scanner	98.74836.00-0000
Maintenance software incl. scanner	00.48997.95-0001
Inventory software	98.74034.00-0000

New visit to workshop

Documentation of the maintenance work performed. Recording of staff and material costs.



Trolley inventory

Displays all recorded luggage trolleys fitted with transponders.

Charac			Date 2011-001	
O Received data Nec (i) Mining data Nec				
Today	See	hee	Year of production	Last date of reading
1 ::	WE 00001/07	Yishige 3000	2007 09-01	
1	WE 00000/07	Wanger 2000 Ex	2007-09-01	
1	ME 00000/07	Field 600	2007 ON 81	
4	ME 00004/07	Corex 200	2007-09-01	
8.	ME 00005/07	Fre-el 300 nel Adapter	2007-09-01	
6	WE 00006-07	French 300 and Adapter	3007-09-01	
7	WE 00007/07	French 300 and Adapter	3007-09-01	
	WE 00000/07	Easy 400	3007 09-01	
10	ME-00010/07	Asport Napar ES	2007-09-01	
99	ME GROVE SEC	Alapan Shapper	2007-09-01	



03.04 Airport Scooter

Efficient and cost-effective

- > For transporting and collecting trolleys
- > Push and pull mode
- > Pushing version can be remote controlled



The Airport Scooter transports and collects luggage trolleys efficiently and cost-effectively. The trolleys can be shunted with a pushing or pulling motion using a special adapter.

be shunted with a pushing or pulling motion using a special adapter. Airport scooter

1400 285 760	
Prod. no.	05.40002.95
Weight	380 kg
Motor with permanent magnetic brake	1,000 W, 24 V DC
Top speed	6 km/h
Batteries	4 x 6 V/180 Ah
Charger	24 V / 30 A
Charge voltage	220 V
Paint	As requested

Remote control

The scooter can be efficiently remotely controlled when pushing luggage trolleys.



Additional equipment	
Standard equipment for pushing	
Pushing adapter	C
Standard equipment for pulling	
Pulling adapter	C

03.05 Scooter M-1000

Effective and flexible







■ This is the ideal trolley management aid with impressive features including two freely programmable speeds, an electric brake, a battery management system with charging indicator and a height-adjustable backrest and steering column.



SCOOTER M-1000 with pulling adapter, incl. cable winch

Pushing adapter

Suitable for the relevant luggage trolley. Individual adapters enable use of the pushing function.




Pulling adapter

Suitable for the relevant luggage trolley. Individual adapters enable the use of the pulling function.



Scooter M-1000





Prod. no.	05.70061.95
Weight incl. 2 lithium ion batteries	92 kg
Wheels	3 wheels, solid rubber tread
Wheels Ø	250 mm
Chassis material	Steel
Finish	Powder-coated
DC motor	24 V, 420 W
2 speeds in km/h	Up to max. 9.5 (standard: 4 and 6)
Standard equipment	
2 lithium ion batteries	36 Ah
Horn/warning lamp/emergency stop facility	C/C/C

Replacement battery

The replacement battery is easy to remove and can be carried at all times. This means that the battery can be changed quickly and the scooter can be used almost continuously.



Additional equipment		
Standard equipment for pu	shing	
Pushing adapter	C	
Remote control	C	
Standard equipment for pu	lling	
Pulling adapter	C	
Rope winch 15 m, rear	C	
Accessories		
Lighting front/rear	C	
External charging station (for up to 5 batteries)	C	
Rope winch 15 m, front	C	



03.06 Guide Rails

Modular system for luggage trolley collection points

- > High-gloss stainless steel electro-polished finish
- > Can be extended to any length
- > Extensive advertising options



GUIDE RAILS



03.06 Guide Rails

■ Sturdily constructed from stainless steel

and suitable for interior or exterior use, these guide rails ensure that luggage trolleys are compactly stored and ready for use. The system can be adapted in length to match customer specifications and can be installed in single or multiple rows.

Coin deposit system

Different coin deposit systems can be fitted to suit the type of trolley.



Acrylic glass

Optionally available with dimensions of 1,378 x 638 mm or 678 x 638 mm.



High quality

The guide rails are made from high-quality stainless steel tubing. Lateral trolley guidance provided by hardwearing plastic profile.




Advertising panels

Adhesive advertising panels are optionally available with dimensions of 1,378 x 638 mm or 678 x 638 mm.



Guide rails





Prod. no.	On request
Material	Stainless steel
Finish	Electro-polished
Length	Individual
Accessories	
Large acrylic advertising panel with clip holder	C
Small acrylic advertising panel with clip holder	C
Coin deposit system with row docking station	C



04 Product Overview

04.01 Porter Trolleys



⁰¹ PORTER TROLLEY 2000 NG

04.02-04.04 Luggage Collection Trolleys








02 GS-LOBBY

 $^{04}\,\mathrm{GS\text{-}COMPACT}$ 600 A AND 800 R



04 Porter Trolleys





04.01 Porter Trolley 2000 NG

The high-capacity luggage collection trolley

- > Large loading capacity for travel group luggage
- > Sophisticated technical details, generous advertising spaces
- > Optional locking brake



Practical

Small items can also be placed into the integrated basket where they are always within reach.



Easy manoeuvrability

Thanks to the handles on both sides and the 5th wheel, the trolley can be easily manoeuvred even when fully loaded.



■ The Wanzl model for transporting luggage for people travelling in tour groups

has a large capacity for luggage of varying sizes and formats. In addition, the sophisticated technical features also mean that they are still very convenient to push and steer.





04.02 **GS-Lobby**

The VIP luggage collection trolley

- > Elegant design with high-quality finishes
- > Attractive, durable carpet lining
- > Optional locking brake



GS-LOBBY

Electro-polished stainless steel optional locking brake



■ **First impressions count!** A porter trolley used specially for the luggage of VIP passengers.

Quality

Stainless steel, surface electro-polished or gold-plated. Platform with carpet and deflectors on the corners.



Features

Wanzl bonded-on castors, castors Ø 160 mm, rubber tread. 2 fixed castors, 2 swivel castors as standard.




Prevents the trolley accidentally rolling away

Optional brake. When applied, two castors are locked simultaneously.



Prod. no. Load capacity Weight Castor wheels Castors Ø Tread Material Finish Carpet With locking brake Protection D5.65428.31-V007 200 kg 200 kg 2 swivel, 2 fixed castors 160 mm Rubber, low-noise Stainless steel Electro-polished Anthracite Optional Platform with all-round bumper	GS-Lobby	
Load capacity Weight Castor wheels Castors Ø Tread Material Finish Carpet With locking brake 200 kg 52 kg 160 mm Rubber, 2 fixed castors 160 mm Rubber, low-noise Stainless steel Electro-polished Anthracite Optional	1915 263 17794 17794	
Weight 52 kg Castor wheels 2 swivel, 2 fixed castors Castors Ø 160 mm Tread Rubber, low-noise Material Stainless steel Finish Electro-polished Carpet Anthracite With locking brake Optional	Prod. no.	05.65428.31-V007
Castor wheels 2 swivel, 2 fixed castors Castors Ø 160 mm Tread Rubber, low-noise Material Stainless steel Finish Electro-polished Carpet Anthracite With locking brake Optional	Load capacity	200 kg
Castors Ø 160 mm Tread Rubber, low-noise Material Stainless steel Finish Electro-polished Carpet Anthracite With locking brake Optional	Weight	52 kg
Tread Rubber, low-noise Material Stainless steel Finish Electro-polished Carpet Anthracite With locking brake Optional	Castor wheels	2 swivel, 2 fixed castors
MaterialStainless steelFinishElectro-polishedCarpetAnthraciteWith locking brakeOptional	Castors Ø	160 mm
Finish Electro-polished Carpet Anthracite With locking brake Optional	Tread	Rubber, low-noise
Carpet Anthracite With locking brake Optional	Material	Stainless steel
With locking brake Optional	Finish	Electro-polished
	Carpet	Anthracite
Protection Platform with all-round bumper	With locking brake	Optional
	Protection	Platform with all-round bumper





04.03 GS-Group

The luggage collection trolley for group luggage

- > Generous, sturdy luggage storage area
- > Plastic profiles on the sides to protect interior decor
- > Coat rail as standard, can be removed as required



Luggage collection trolleys

■ **Keeps everything together.** The flexible and compact solution for group luggage – with generously dimensioned case storage area and practical coat rail.

Clothes rail featured as standard

Can be removed if necessary: a thoroughly practical detail, it can be flexibly adjusted to match the type and amount of luggage.



Plastic profiles

Plastic profiles are fitted to the uprights to protect interior décor.



GS-Group	
1130 -485 -	
Prod. no.	04.02148.10-0000
Load capacity	200 kg
Weight	28 kg
Castor wheels	2 fixed castors, 2 swivel castors
Castors Ø	125 mm
Tread	Rubber, low-noise
Design	Round tube, flat oval tube
Material	Steel
Finish	High-gloss chrome-plated
Protection	Laterally mounted plastic profiles



04.04 GS-Compact

The practical luggage collection trolley

- > Saves and provides a great deal of space with a hinged loading area
- > Available with a choice of short or long loading areas
- > Large pneumatic castors (250 mm) for extremely smooth running



GS-COMPACT 600 A

Luggage collection trolleys

GS-COMPACT 800 R

Luggage collection trolleys

Folding luggage collection trolley.

A tried and tested, agile means of transport that your service staff will love to use.

It really does not get any more practical!

Stands firmly when loading and has an ergonomic parking position.



Practical

Loading area covered with tough, non-slip carpet. Hinged platform can be raised if required for space-saving storage.



GS-Compact 600	
1282 315 06 27 27 27 27 27 27 27 27 27 27	
Prod. no.	See carpet colour
Carpet red	05.26782.31-V003
Carpet anthracite	05.26782.31-V002
Load capacity	100 kg
Weight	19.6 kg
Castor wheels	2 pneumatic wheels
Castors Ø	260 mm
Tread	Black, smooth running
Design	Round tube
Material	Stainless steel





05 Product Overview

05.01 Galaxy Gate®



⁰¹ GALAXY GATE

05.02 Galaxy Port



 02 Galaxy port

05.03 Part Line 2000



⁰³ PART LINE 2000

05.04 Part Flex 2000




05.05 Sonic Gate





05 Security Solutions





05.01 Galaxy Gate®

GERMAN DESIGN AWARD SPECIAL 2016

State-of-the-art access control and monitoring technology

- > Side glazing and swivel arms made of premium ESG safety glass
- > Closed stainless steel housing with covered screws
- > ESG safety glass units with LED lighting



Standby
Figure: basic and tandem unit. Access
for disabled people and suppliers is
on the left-hand side, and the righthand side is for standard passage



Access blocked: red. Access free: green





Galaxy Gate®


■ Fast-opening swivel arms made of ESG safety glass, combined with a smart sensor system, ensure immediate and reliable identity checking. Access authorisation to public areas is reliably controlled and sensitive areas are effectively protected against intrusion.

Design

Stainless steel housing and swivel mechanism. Swivel arms and side glazing made of ESG safety glass; with LED lighting options. The ESG safety glass swivel arms are opened using state-of-the-art microprocessor-controlled drive technology with opening periods that can be programmed on a variable basis. Automatic closing function, or impulse-controlled. Dynamically programmable entry and exit. Standard equipment with integrated alarm system, individual voice output (MP3) and programmable WEAC control with WEB server option for control via a smart phone. Release across all established access control systems and peripheral devices that are usual for the market (optional). For example, card readers, barcode scanners, RFID readers, various biometric scanners and much more can be integrated.







Matt black coloured plastic powder-coated housing

Accessories

- LED operating status indicator
- LED swivel arm lighting
- LED side glazing lighting
- Footfall frequency measurement (WCC)
- LCD colour display (for virtual function support)
- Integration of various reader units
- Climb-over/crawl-under alarm
- WEB control panel
- Standard control panel
- Control program for the external PC
- Difference counting and random generator
- Base support
- Integration of various peripheral devices
- Tube hooms

Galaxy Gate®		
Basic layout	Basic unit	Tandem unit
Consists of:		
- Stainless steel housing with ESG safety glass side glazing - Electromotor swivel unit - Adjustable motor speed - Integrated alarm system - LAN interface - Software monitoring - Swivel arms made of ESG safety glass (please order separately)		
Finish	Prod. no.	Prod. no.
Stainless steel	23.00400.09-0000	23.00600.09-0000
On request: Coloured plactic powder-coated casing, coloured plactic	nowder-coated or laminated covers	



05.01 Galaxy Gate®

With high-reaching swivel arms

- > Swivel arm and side glazing lighting
- > Access widths of up to 1125 mm
- > High-reaching ESG safety glass for maximum climbing guard





GALAXY GATE®

Standby Figure: basic unit with swivel arms that are 1,250 mm in height.





Galaxy Gate® with high-reaching swivel arms

■ ESG safety glass swivel arms in high-reaching design efficiently prevent anyone from climbing over the system. Depending on the height, access widths of up to 1125 mm are possible. The smart sensor system ensures immediate and reliable identity checking.

Design

Stainless steel housing and swivel mechanism. High-reaching swivel arms and side glazing made of ESG safety glass; with LED lighting options. The ESG safety glass swivel arms are opened using state-of-the-art micro-processor-controlled drive technology with opening periods that can be programmed on a variable basis. Automatic closing function, or impulse-controlled. Dynamically programmable entry and exit. Standard equipment with integrated alarm system, individual voice output (MP3) and programmable WEAC control with WEB server option for control via a smart phone. Release across all established access control systems and peripheral devices that are usual for the market (optional). For example, card readers, barcode scanners, RFID readers, various biometric scanners and much more can be integrated.





GALAXY GATE

Housing covers laminated in a carbon look; swivel arms 1000 mm in height

Accessories

- LED operating status indicator
- LED swivel arm lighting
- LED side glazing lighting
- Footfall frequency measurement (WCC)
- LCD colour display (for virtual function support)
- Integration of various reader units
- Climb-over/crawl-under alarm
- WEB control panel
- Standard control panel
- Control program for the external PC $\,$
- Difference counting and random generator
- Base support
- Integration of various peripheral devices
- Tube booms

Basic layout	Basic unit	Tandem unit
Consists of:		
Stainless steel housing with ESG safety glass side glazing Electromotor swivel unit Adjustable motor speed Integrated alarm system LAN interface Software monitoring High-reaching swivel arms made of ESG safety glass (please order separately)		
Finish	Prod.No.	Prod. no.
Stainlace ctaal	23 00500 00-0000	23 00700 00-0000

On request: Coloured plastic powder-coated casing, coloured plastic powder-coated or laminated covers



05.02 Galaxy Port

Dedicated access with a transparent ESG safety glass swivel arm

- > ESG safety glass swivel arm length up to 1,150 mm, LED-lit
- > LED glass dome with integrated RFID reader
- > Sensor-controlled direction detection, double-sided



GALAXY PORT

Standby

with high-reaching swivel arm





Galaxy Port

■ The Galaxy Port Dedicated Access opens in two directions by means of an RFID reader integrated into the glass dome. The integrated sensor system detects which direction the ESG safety glass swivel arm needs to open in.





Design

Stainless steel column design. The ESG safety glass swivel arm is opened using state-of-the-art microprocessor-controlled drive technology, adjustable opening period and impulse-controlled closing function. Integrated alarm system, programmable WEAC control with WEB server option for control via smartphone. LED operating status indicator integrated into the glass dome; LED swivel arm lighting. Can be released in two directions using various external readers, a control panel, or an integrated RFID reader.

Accessories

- Footfall frequency measurement (WCC)
- Climb-over alarm
- Crawl-under alarm
- Control panel
- Control program for the external PC
- WEB control panel
- Base support



GALAXY PORT

The operating status in both directions is signalled on the glass dome by means of the integrated LED lighting.

Galaxy Port		
	Low-reaching swivel arm	High-reaching swivel arm
Consists of: - Stainless steel housing - Electromotor swivel unit - Adjustable motor speed - Integrated alarm system - LAN interface - Software monitoring - Swivel arms made of ESG safety glass (please order separately)		
Finish	Prod. no.	Prod. no.
Electropolished stainless steel	On request	On request
Coloured plastic powder coating	On request	On request



05.03 Part Line 2000

One of the finest examples of guidance systems

- > Smooth elegance for every occasion
- > Discreet sectioning off of check-in and VIP area
- > With practical accessories: poster holder



PART LINE 2000

Guidance system

■ Stylish guidance system characterised by its slick elegance and flexibility. Guidance systems and the separation of certain areas can also be signalled visually using the matching poster holders.

Rope designs

Ropes are available in velvet or twisted polypropylene, both in red or black. Standard length two metres.



Practical

The ropes can also be fixed to the wall using wall mountings.



Accessories

The conical design (L) of Part Line 2000 can be used in conjunction with a poster holder (DIN A4 portrait or landscape).



Part Line 2000		Wall fixing bracket	Chrome finish	Brass finish
	7	Steel	04.07233.10-0000	04.07233.06-0000
	Rope – velvet, 2 m			
		Red, steel end pieces	77.38646.00-0001	77.38647.00-0001
		Black, steel end pieces	77.38646.00-0002	77.38647.00-0002
- 950 -		Rope – twisted polypr	opylene, 2 m	
		Red, steel end pieces	77.38645.00-0001	77.38648.00-0001
		Black, steel end pieces	77.38645.00-0002	77.38648.00-0002
		Poster holder		
320 32		DIN A4 portrait, aluminium	04.07124.00-0000	04.07126.00-0000
Model L Model (C Delivered unassembled	DIN A4 landscape, aluminium	04.07125.00-0000	04.07131.00-0000
Bases				
Design L with cone-shaped head, height 950 mm			04.07122.10-0001	04.07128.06-0000
╬ Head		Steel	✓	✓
Standpipe		Stainless steel	✓	✓
Base plate		Stainless steel	✓	✓
Design C with round head, heigh	nt 1010 mm		04.07120.10-0001	04.07127.06-0000
₱ Head		Steel	✓	✓
Standpipe		Stainless steel	✓	✓
Base plate		Stainless steel	✓	✓



05.04 Part Flex 2000


The flexible guidance system

- > A mobile and effective way to section off areas
- > Uprights made of steel tubing with integrated reel mechanism for pull-out bands
- > Triple docking option



■ The flexible guidance system. Suitable for use wherever passenger flows need to be guided or separated. You'll find the right solution for any task here!

Practical





Part Flex 2000	
Material	Steel tubing
Finish	High-gloss chrome-plated
Height	940 mm
Base plate Ø	340 mm
Upright with pull-out band, red	23.75100.10-0000
Upright with pull-out band, dark blue	23.75101.10-0000
Upright with pull-out band, grey	23.75102.10-0000
Length of pull-out band	2000 mm
4-way adapter	Triple docking facility
Wall clip	23.92892.09-0000
Printed pull-out band	On request


05.05 Sonic Gate

Upright for voice announcements on travelators and escalators

- > Activated by radar
- > Freely definable voice announcement
- > Preventive for increased security



■ Preventive for increased security. The signal is triggered by a radar control system with a freely adjustable radius of action. The upright is equipped with a PC interface for data exchange as a standard feature.





06 Product Overview

06.01 MBW Secure



⁰¹ MBW SECURE

06.02 Serving Trolleys EU 300 and EG 300





 $^{02}\,\mathrm{SERVING}$ TROLLEYS EU 300 AND EG 300

06.03 Newspaper Dispenser



03 NEWSPAPER DISPENSER

06.04 RC/N2 Mobile Containers



04 RC/N2 MOBILE CONTAINERS



06 Service Products





06.01 MBW Secure

Mobile catering or coffee station

- > With lockable plastic roll-down panel as standard
- > 5th castor allows it to turn on the spot
- > Transporting of bottles, cans and snacks



"PREMIUM" MBW-SECURE serving trolley

MBW-Secure



■ With clearly divided compartments for the safe storage or transportation of snacks and drinks. The MBW Secure leaves no desire unfulfilled.

Safety

With lockable roller door as standard. Protects against theft and damage to goods.



Compartment dividers

For reliable support. Bottles up to 31 cm high can be transported upright.



Practical

Integrated deflectors protect the trolley and equipment against damage.



925 505 08 1	
Prod. no.	04.03150.95-V
Load capacity	100 kg
Load capacity of drawer top/centre/bottom	15 kg/15 kg/20 kg
Weight	90 kg
Castor wheels	4 swivel castors
Castors Ø	200 mm
Tread	Polyamide (rubber optional)
Material	Steel
Finish	Powder-coated
Roller shutter	Lockable
Lockable cover	Optional

06.02 Serving Trolleys EU 300 and EG 300

Manoeuvrable serving trolleys

- > Safe transport
- > High edging
- > Two castors with brakes as standard



Quality

The EU 300 serving trolley has wire shelves fitted with wooden board bases.



EU 300 serving trolley


serving trolley

■ Versatile to use and extremely sturdy, the serving trolleys offer plenty of space to serve your passengers in the terminal.

Hygienic

The EG 300 serving trolley is made from hygienic stainless steel.









06.03 Newspaper Dispenser

The mobile dispenser for newspapers and magazines

- > Generous advertising spaces
- > Roller shutter with lock and handles
- > Deflector rings to protect the interior



■ This mobile and lockable dispenser offers newspapers and magazines to the passenger at the departure gates.



Practical

Roller shutter with lock and ergonomically fitted handles for easier locking and opening of the dispenser.



Secure

2 locking brakes ensure stability. Bumpers protect against damage.



Newspaper dispenser		
1000 — 450 —	2 x 7762 cm ²	
Prod. no.	On request	
Load capacity	240 kg	
Load capacity per shelf	60 kg	
Weight	128.5 kg	
Advertising space	20525 cm ²	
Castor wheels	4 swivel castors, 2 with brakes	
Castors Ø	125 mm	
Material	Steel	
Finish	Polyester coated	
Accessories		
Lockable roller shutter	On request	

06.04 RC/N2 Mobile Containers

Universally suitable for transporting materials of any type

- > Effortless collapsing and nesting facilitates storage
- > Two-part door, opened separately
- > With folding shelf and coat rail as standard



RC/N2 MOBILE CONTAINER

■ Mobile transport container ideal for many internal transport jobs. Fully enclosed and stackable to save space, it's the secure way to transport items from A to B.

Can be nested to save space

Space requirement in row
Per mobile container 200 mm
10 mobile containers 2655 mm
50 mobile containers 10655 mm



Practical


For all situations – the clothes rail supplied as standard ensures easy transportation and storage of clothing.




Identification

Metal panel for stickers, labelling, etc. Size 114 x 323 mm









GERMANY Wanzl Metallwarenfabrik GmbH Rudolf-Wanzl-Straße 4 89340 Leipheim

Telephone +49(0)8221/729-0 +49(0)8221/729-1000 Fax

airport@wanzl.de www.wanzl.com

1140/2017 · EN · 04/2018-PDF