

WANZL | RETAIL

Displays and sales equipment

Successful sales







Contents

A SUCCESS STORY	5		
QUALITY_MADE BY WANZL	7		
SERVICE	9		
OVERVIEW	10		
01 TABLES	12		
01 TABLES	12	Folding displays 13 AD 200 / AD 300	68
P system bargain tables		Promotion displays	
⁰¹ PS 12/8	14	¹⁴ Universal	70
⁰² P 12/8		¹⁵ YourDisplay	
⁰³ TA9 table top attachments		rodi Dispidy	
04 Wire attachments		03 BASKETS	74
Design 99 bargain tables			
⁰⁵ Design 99	22	Stacking baskets	
Presentation systems		⁰¹ STP	76
⁰⁶ YourTable	24	Shelf insert baskets	
⁰⁷ YourTable Cool	26	⁰² Shelf insert baskets	78
⁰⁸ YourTable Fresh	28	Hang-in basket system	
⁰⁹ YourTable Switch	30	03 L/S series hang-in basket systems	80
Promotion tables/baskets			
¹⁰ Promotion tables	32	04 PALLET SYSTEMS	82
¹¹ Sales promotion container	34		
¹² Bargain baskets/Quick Sell	36	Pallet boxes	
¹³ GVK sales baskets	38	⁰¹ PA-X	84
¹⁴ Basket display units	40	Pallet bars	
		⁰² Pallet bar type 1/type 2	86
02 SHELVES AND DISPLAY UNITS	42		
		05 DISPOSAL	8
⁰¹ wire tech 100	44		
Fresh produce display units		Disposal stations	
⁰² BakeOff 3.0		⁰¹ Service Centre	
⁰³ BakeOff 2.0 / 2.1		⁰² Service Table	91
⁰⁴ SideRack 2.0		Disposal containers	
⁰⁵ BakeOff display		⁰³ Box containers	
⁰⁶ Vitable		04 Waste trolleys	
⁰⁷ Flower stand module		⁰⁵ Disposal containers	95
⁰⁸ Vario flower display		OC CUCTOMIZED COLUTIONS	0-
09 Flower Island	60	06 CUSTOMIZED SOLUTIONS	9 /
Pallet displays	C 2		
¹⁰ Possibility			
11 Paletti			
¹² Product displays	<i>סס</i>		





Wanzl displays and sales equipment

Continuing a long success story







BLUMENKÖNIG 1970

EUROSTAR 1994

BAKEOFF 3.0 2020

- At Wanzl, we know what people will want tomorrow. As a global market leader for shopping trolleys, we also have the perfect solutions when it comes to displays and sales equipment. We do not think it enough to merely reflect current trends with our innovative retail products: we are always one step ahead of the times with our design and engineering.
- Today, Wanzl employs over 5,000 people at twelve production sites worldwide, working on new business areas and products, and on exceptional product designs with a consistently high quality and a vast production range.

 The aim: perfectly satisfied customers.

The world is changing. Take advantage of it!

■ Wanzl products are unique. Wanzl's specialist expertise, consistency, reliability and innovative solutions and technologies ensure effective work processes along with the competitiveness and business success of its partners.





QUALITY_MADE BY WANZL

Product quality as a result of process quality





EXPERTISE IN WIRE & TUBING

IN-HOUSE CAD DEVELOPMENT

Production

■ Wanzl sets the standards for production: in all areas of production, Wanzl's quality policy results in products made from the best materials, first-class workmanship and well-finished surfaces. This ensures long, low-maintenance use and investment security.

Quality

Only the best quality manufacturers are chosen to supply the 80,000 tonnes of steel processed a year. Only these materials comply with the requirements for surface quality, strength, weldability and bending properties.

Innovation

■ Wanzl sets the standards for innovation: from practical experience – for practical use. Using state-of-the-art production and design technology, we create innovative, future-oriented products – consistently setting new standards for handling and effectiveness. This allows us to streamline your processes and ensure that you have the best possible facilities for your store in the future too.





Service at any time and in any location

Professional installation, maintenance, repair, and genuine Wanzl spare parts








SERVICE FROM WANZL means faults are rectified quickly and smoothly.

- Installation, commissioning and training. Wanzl challenges its products in demanding endurance tests, because technical quality must be correct down to the finest detail. This is also true for installation. That's why installation is carried out only by authorised, qualified professional personnel from Wanzl. This ensures compliance with all legal and official regulations. Wanzl also provides support during commissioning and gives your employees professional and practical instruction in how to use the high-quality products efficiently and correctly, so that you benefit from lasting success.
- Maintenance and repair. To maintain the Wanzl quality, we recommend regular maintenance of all components. Ongoing maintenance ensures that the value of your assets is preserved. Ask for your own personalised maintenance plan.
- **Spare parts.** An experienced team of specialists offers short response times, a professional after-sales service and simple handling of all service requirements across the board. Tell us what we can do for you and we will be happy to help.
- Wanzl Hotline for virtually every situation practically all day long. If attempts to resolve a problem over the telephone do not lead to the required outcome, a member of our service team will arrange a visit to your site with you.


www.wanzl.com













01 Product overview

01.01 - 01.04 P system bargain tables









01.05 Design 99 bargain tables



⁰⁵ DESIGN 99

01.06 - 01.09 Presentation systems









01.10 - 01.14 Promotion tables/baskets







11 SALES PROMOTION CONTAINER



¹² BARGAIN BASKETS/QUICK SELL




¹³ GVK SALES BASKETS



14 BASKET DISPLAY UNITS



01 Tables





01.01 PS 12/8 bargain table

Powerful boost at point of sale

- > Assembled in a flash
- > Flexible to use with height-adjustable bottom grates
- > Stationary or mobile



Standard design

Table legs and frame made of square steel tubing. Bottom grate reinforced with flat plates and can be attached at different heights. Folding mechanism for space-saving storage of tables.

PS 12/8 bargain table: 1 bottom grate

PS 12/8 Duo bargain table: 1 divider, 2 bottom grates

Finish: high-gloss chrome-plated

Mobile version: 4 swivel castors, castor diameter 75 mm

with brakes, internal, attached on bottom frame.

Safe stacking

The stops

in the folding mechanism prevent slippage during transport with a low-lift truck.



Practical

Stationary or mobile


bargain tables can be stacked and transported on a low-lift truck.





01.01 PS 12/8 bargain table

■ The effective "PS" will help you achieve your goal in record time – whether you need to react quickly at the point of sale or are looking for flexible ways of displaying new products. This is because the "PS" bargain table can be assembled in next to no time without tools and takes up hardly any space in the warehouse when stacked.



1 TABLE LEGS AND FRAME

Made of square tubing. Wire side sections with locking mechanism

2 FOLDING MECHANISM

For compact storage of tables

DESIGN

As stationary or mobile version

4 "DUO" MODEL

With one divider and two adjustable insertable bottom grates

5 TABLE TOP ATTACHMENTS

See pages 18- 21



Bargain table	PS 12/8	PS 12/8 Duo
200 1200 1200 1200 1200 1200 1200 1200		
	Order no.	Order no.
Stationary	10.47460.10	10.50737.10
Mobile	10.55707.10	10.55713.10
Castor diameter (mm)	75	75
Weight (kg) stationary/mobile	31/32	32/34
Load capacity (kg)	150	150
Accessories*		
Divider 800 x 180 mm	27.52796.10	27.52796.10
Divider 800 x 380 mm	27.01470.10	27.01470.10
Divider 800 x 580 mm	27.03616.10	Standard equipment
Divider 1200 x 180 mm	27.00005.10	-
Divider 1200 x 580 mm	27.13222.10	-
Advertising panel set	21.28485.10	21.28486.10


^{*} For table top attachment and wire attachment accessories, see pages 18-21



01.02 P 12/8 bargain table

The classic design, proven over many years

- > High-quality table systems for a broad spectrum of product quantities
- > Flexible to use with height-adjustable bottom grates
- > Stationary or mobile



Standard design

Table legs and frame made of square steel tubing. Wire side sections with locking mechanism. Bottom grate reinforced with flat plates and can be attached at different heights.

P 12/8 bargain table: 1 bottom grate

P 12/8 Duo bargain table: 1 divider, 2 bottom grates

P 12/8 Duo Deep bargain table: 1 divider, 2 bottom grates with adjustable bars, 1 fold-down front grate.

Finish: high-gloss chrome-plated

Mobile version: 4 swivel castors, castor diameter 75 mm with brakes. Internal for Duo Deep, attached on bottom frame.

Stacked

If the P 12/8 Duo Deep bargain tables are not needed, they can be stacked compactly on top of each other.



Transport

Suitable for low-lift transport: quick and simple transport with or without products.





01.02 P 12/8 bargain table

■ Sales table with universal application for many branches and products.

The height-adjustable bottom grates enable optimum adjustment for different quantities of goods. Available as a stationary or mobile version.



1 TABLE LEGS AND FRAME

Made of square tubing. Wire side sections with locking mechanism. P12/8 Duo Deep feet with stacking pins for space-saving

COVERS WITH FILM POCKET

Suitable for P 12/8 Duo Deep. Additional insertion of alternating advertising.

As stationary or mobile version.


4 swivel castors, castor diameter 75 mm with brakes. Internal for Duo Deep, attached on

6 "DUO" MODEL

With one divider and two adjustable insertable bottom grates.

3 P 12/8 DUO DEEP FRONT

Folds down for filling



Bargain table	P 12/8	P 12/8 Duo	P 12/8 Duo Deep		
** Hanging with 1 bottom grates (duo)					
	Order no.	Order no.	Order no.		
Stationary	10.41815.10	10.05650.10	10.45652.10		
Mobile	10.02599.10	10.50963.10	10.61360.10		
Castor diameter (mm)	75	75	75		
Weight (kg) stationary/mobile	27/28	28/29	31/34		
Load capacity (kg)	150	150	150		
Accessories*	Accessories*				
Divider 800 x 180 mm	27.52796.10	27.52796.10	-		
Divider 800 x 380 mm	27.01470.10	Standard equipment	27.01470.10		
Divider 1200 x 180 mm	27.00005.10	-	-		
Divider 1200 x 580 mm	-	-	27.13222.10		
Cover with film pocket suitable for side 1200 mm	-	-	21.28477.10		
Cover with film pocket suitable for side 800 mm	-	-	21.28478.10		

^{*} For table top attachment and wire attachment accessories, see pages 18-21



01.03 TA9 table top attachments

For P and PS system bargain tables

- > In the customers' field of vision
- > Table top attachments increase your sales potential
- > Goods within easy reach of customers





with decorative bar accessory

TA9-800 P TABLE TOP ATTACHMENT

With goods support grid accessory

Standard design


Add-on table top attachments with fine-meshed basket. The table top attachments can be folded to save space during storage and transport.

Finish: high-gloss chrome-plated.

Space-saving

Collapsible.

Folding legs with lock.



Easy to add


The attachments have a fine-meshed basket and can be easily attached to P system bargain tables.





01.03 TA9 table top attachments

■ Increase your sales potential with table top attachments by putting your goods within easy reach of customers. The clever table top attachments fit on all bargain tables from the P and PS systems. Wanzl also supplies matching accessories.



(1) GOODS SUPPORT GRID

Accessory for table top attachments.

Attached on basket base with 4 spring

DECORATIVE BAR

Accessory for table top attachments, for attachment on end.

TA9-800 P TABLE TOP ATTACHMENT

With divider

Table	top attachments	TA9-440 P	TA9-665 P	TA9-800 P
Assembly examples For P and PS system bargain tables		Over 2 tables Over 1 table	Over 2 tables Over 1 table	Over 2 tables
Sizes (m	nm)	With decorative bars	1150	With goods support grids
		Order no.	Order no.	Order no.
W-:-k+	(1)	10.99405.10	10.99404.10	10.99403.10 10
Weight	(kg) pacity (kg)	6 8	0 14	18
	ssories	; U	17	: 10
	Goods support grid is attached to basket base with folding hooks	-	10.74453.10	10.74453.10
	Decorative bar Add-on attachment	10.83920.10	10.83920.10	10.83920.10
	Divider 235 x 90 mm For table top attachments with goods support grids	-	27.83923.10	-
	Divider 300 x 90 mm For table top attachments with goods support grids	-	-	27.83922.10
	Divider 410 x 95 mm For table top attachments with or without decorative bars	27.83921.10	-	-
	Divider 635 x 95 mm For table top attachments without goods support grids	-	27.83920.10	-
	Divider 770 x 95 mm For table top attachments without goods support grids	-	-	27.83919.10



01.04 Wire attachments

For P system bargain tables

- > Sales-boosting and decorative
- > Wire attachments for greater turnover
- > Additional space for goods





With divider accessory

WIRE ATTACHMENT 360 / 460

With divider accessory


Standard design

Fine-meshed baskets with clever quick attachment. Welded metal rail for self-adhesive scanner price

Finish: high-gloss chrome-plated.

Stable

The clever quick attachment guarantees non-tip assembly.



Stacking options


Each basket can be installed individually or in combination on the P system bargain tables.





01.04 Wire attachments

■ In the customers' field of vision: products on sales-boosting and decorative wire attachments in two sizes which provide additional space for goods.



Wire attachment	360	460
Assembly examples	Over 1 table	Over 1 table
Sizes (mm)	1200	1200
	Order no.	Order no.
	10.43051.10	10.43 065.10
Weight (kg)	7	9.5
Load capacity (kg)	25	25
Accessories		
Divider 414 x 305 mm	-	27.15256.10
Divider 313 x 155 mm	27.15369.10	-



01.05 Design 99 bargain tables

Sleek and robust

- > Clear design, high-quality workmanship
- > Space-saving arrangement or can be extended for storage
- > Stationary or mobile



Standard design

Table legs and frame made of square steel tubing, plastic powder-coated. Wooden table tops with robust Thermopal coating.

Wire side sections with double wire edges, high-gloss

chrome-plated, mesh width 30 mm. Divider high-gloss chrome-plated.

Mobile versions: with reinforcing frame at bottom and 4 swivel castors, incl. 2 with brakes.

Options

All models are available in a stationary or mobile design.



Transport

Suitable for low-lift transport: the tables are suitable for quick and simple low-lift transport, with or without products.






01.05 Design 99 bargain tables

■ Clear design, high-quality workmanship: the Design 99 bargain table. It boasts an impressively sleek look and robust nature. All attention is focused on the products. It is just a matter of setting out the goods and watching the sales roll in.



Table sizes

The Design 99 bargain tables are not just ideal for individual use – they can also be combined in rows as required.



Design 99	D 6/6 "	D 8/6 .	D 12/6	D 12/8
Dimensions: length x width (mm)	600 x 600	800 x 600	1200 x 600	1200 x 800
	### 600,800			
	Order no.	Order no.	Order no.	Order no.
Stationary	10.33200.95	10.33202.95	10.33204.95	10.33206.95
Mobile	10.33201.95	10.33203.95	10.33205.95	10.33207.95
Castor diameter (mm)	75	75	75	75
Weight (kg) stationary/mobile	15/19	18/22	22/27	24/30
Load capacity (kg) stationary/mobile	40	50	80	100
Accessories**				
Divider				
Length 600 mm	27.25692.10	27.25692.10	27.25692.10	-
Length 800 mm	-	27.07586.10	-	27.07586.10
Length 1200 mm	-	-	27.04309.10	27.04309.10

^{*} Stationary without bottom frame

^{**} For table top attachment accessories see pages 24-



01.06 YourTable®

Product presentation to boost the urge to buy.

- > Multifunctional presentation areas
- > Customised colours and finishes
- > Boost the urge to buy with product presentation



Creative and multifunctional

YourTable T.01 is the ultimate all-rounder for product presentation. The multitude of accessory elements enables the perfect presentation of your products in every sector. YourTable provides the appropriate look for your products and for your sales area with a range of colours and finishes.



Attractively arranged

The YourTable T.02 presentation system is a master of the art of combination.

There are two sizes which can be perfectly arranged with the complete YourTable range or anywhere in your available space. With YourTable T.O2, there is also a wide range of accessories to suit your requirements.





01.06 YourTable®

■ The multifunctional YourTable presentation system with three different models allows you to set the stage emotionally for every product range and to promote sales. All the components and accessories offer versatile usage and combination options. For you this means more design freedom in your product presentation – with minimal effort.

© T.02

For more information on this product, please see www.wanzl.com

1.01

The ultimate all-round option

2 T.02

Versatile combinations

€ T.03

Attractive sales platform

4 T.03

Individual displays

⑤ T.04

Individual displays


3 WOOD FINISHES

For all YourTable models. Bramberg spruce also available with water resistance 0375.

COLOURS

For table legs and frame made of square steel tubing, plastic powder-coated.





Other colours and finishes available on request.

The stage and the display

YourTable T.03 provides your products with an attractive presentation platform. The choice of colour and wood finishes give the furniture the desired special appearance.

The trestle subconstruction of the T.03 as an individual display unit is the perfect addition to the YourTable T.03 with the matching accessories.





Fits in nooks and crannies

YourTable T.04 is the T.01's little brother. The compact presentation table is perfect for situations where there is limited space.





01.07 YourTable®Cool

Cool presentation of convenience goods

- > Stylish presentation of fresh foods and convenience products
- > Increased product density and cross-selling with multifunctional product presentation accessories
- > 100% cooling capacity even when fully stocked easy to convert and easy to clean



Reversible shelves

Two options:

Available in classic design or with flat shelves



Classic design



Flat shelves

Extendible product display

With or without wooden shelf:

for storing boxes and baskets



With a shallow willow basket



With a shallow wooden box



01.07 YourTable®Cool

■ The true all-rounder for perfect product presentation at low temperatures.

YourTable Cool also features outstanding flexibility, with two models and a multitude of components and accessories throughout the range – depending on the space available and your selection of goods.

For more information on this product, please see www.wanzl.com



Hanging module

Quick and easy:

Hung on the side without any tools depending on the space needed and the quantity of goods on offer.



Round baskets, polyrattan beige



Hanging bar with double hook



865 and 1265 mm table extension

Graphic attachment

Graphic or blister pack hook attachment:

...larger presentation surface



Many presentation accessories



01.08 YourTable® Fresh

Enticing presentation of fresh produce

- > Sales and presentation area can be expanded
- > Easy to use attachments and mobile elements
- > Units tailored to the dimensions of IFCO containers





01.08 YourTable® Fresh

■ YourTable Fresh is a versatile presentation unit for fresh produce. The units can be customised with practical components to meet your store's requirements and product range.

The inclined shelves ensure convenient access and attractive presentation of products. Sliding elements below the table additionally expand the presentation area. YourTable Fresh provides optimal support in presenting crisp fresh fruit and vegetables, as if at a weekly market. Other product ranges can also be perfectly put in the spotlight with YourTable Fresh.

For more information on this product, please see www.wanzl.com



YOURTABLE FRESH
Inclined shelves for convenient access



YOURTABLE FRESHPractical accessories - tailored to the product range



YOURTABLE FRESH
Attractive product presentation in a compact space



01.09 YourTable®Switch

Enticing presentation of fresh produce

- > Table, shelf and tiered display stand
- > Flexible adaptation to different product groups
- > Mobile for fast repositioning







01.09 YourTable®Switch

Thanks to its ingenious construction, the YourTable Switch can be converted to the desired presentation system without the use of tools in next to no time in just a few steps. Thanks to the convenient tilting mechanism, your product presentation is always shown to its best advantage.

For more information on this product, please see www.wanzl.com




More individuality

High-quality surfaces, exciting combinations of materials and the many colour variations and finishes available for the YourTable Switch give you plenty of room for individuality.



Intelligent antitrapping function

The YourTable Switch is hand and finger safe. A smart anti-trapping mechanism provides the highest level of protection against injury.



Adjustable configurations

From wire or wicker baskets, wooden shelves to flower inserts, the YourTable Switch can be optimally adapted to your product category.



Fast repositioning

The YourTable Switch is fitted with smooth-running castors to make quick work of repositioning the unit elsewhere in the store. This saves valuable time.





01.10 Promotion tables

Versatile aids – ready for immediate use anywhere

- > Compact and mobile ready for immediate use
- > Custom printing on request
- > For many ranges of goods



Bargain table Mobile



Sales table Mobile

Brakes

To keep the promotion tables in place, the castor wheels are fitted with brakes.



Advertising

For special sales activities, all four sides can be individually designed.



Divider

Standard for sales table and bargain table. Separates the products and can be inserted in a variety of positions.





01.10 Promotion tables

■ **Versatile aids** that are ready for immediate use anywhere: promotion tables. Pure sales promotion to kick-start trade.



Bargain table

Design: steel table top, plastic powder-coated in pure white 9010. Integrated plastic corners, all-round sheet metal casing. Wire side sections and 1 divider, high-gloss chrome-plated. 4 swivel castors, incl. 2 with brake.

Sales table

Design: sheet metal casing with plastic powder coating in pure white 9010. All-round plastic bumper profile in blue 5090. Table top made of perforated sheet metal, can be adjusted to 5 heights within the casing. Wire side sections and 1 divider in high-gloss chrome-plated. 4 swivel castors, incl. 2 with brake.

Promotion tables	Bargain table	Sales table	
		# 550 # # 400 # †	
	Order no.	Order no.	
Mobile	10.49712.95	12.15481.95	
Width x depth x height (mm/in)	600 x 600 x 850	550 x 400 x 805	
Castor diameter (mm)	50	75	
Weight (kg)	25	18	
Load capacity (kg)	50	50	
Accessories			
Divider, additional	27.22110.10	00.69889.10	



01.11 Sales promotion container

Can be folded to save space

- > For sales-boosting promotional positioning
- > Easy to set up and quick to stow away
- > Adjustable bottom grate



Sales promotion container mobile, with advertising panels



Sales promotion container mobile, without advertising panels

Brakes

To keep promotion tables and containers in place, the castor wheels are fitted with brakes.



Advertising panels

For special sales activities, all four advertising panels can be individually designed.



Folding

If the sales promotion container is not needed, it can be folded to save space.



Bottom grate

To always show off your products to their best advantage, the bottom grate in the sales promotion container is height adjustable.





01.11 Sales promotion container

Lightweight sales promotion container made of wire with height-adjustable grates. Can be folded for storage and transport to save space.



1 STURDY DESIGN

made of wire.

BOTTOM GRATE

can be inserted in a variety of positions.

B DESIGN

4 swivel castors with brakes.

ADVERTISING PANELS

Customised design.

Standard design

Mobile sales promotion container made of wire, heightadjustable bottom grate. Can be folded for storage and transport to save space.

4 swivel castors with brakes.


Sales promotion container	
	8 8 8 75 1 1 - 615 - 1 - 650 - 1 1
	Order no.
Mobile	11.98170.50
Width x depth x height (mm)	615 x 650 x 860
Castor diameter (mm)	75
Weight (kg)	17
Load capacity (kg)	60
Accessories	
Advertising panel set	21.34805.50



01.12 Bargain baskets and Quick Sell

Foldable promotion baskets

- > Versatile and practical
- > Quick to assemble
- > Can be folded to save space



Bargain baskets

Design: lightweight wire sales baskets, bottom grate height-adjustable to 4 positions. Can be folded for storage and transport to save space.


Finish: high-gloss chrome-plated.

Quick Sell

Design: robust wire sales baskets with height-adjustable grates. Can be folded for storage and transport to save space. **Finish:** high-gloss chrome-plated.

Feet

The bargain basket is raised from the floor on sturdy adjustable feet. Can be transported with low-lift truck.



Robust construction


Despite the lightweight construction, bargain baskets and the Quick Sell provide outstanding support for your promotional goods.





01.12 Bargain baskets and Quick Sell

■ When you need to react quickly, the versatile and practical promotion baskets are ideally positioned – they are quick to assemble and can be folded for quick and compact storage.



1 BOTTOM GRATE


With 4 height adjustment options

FEET

4 feet for stability

BARGAIN BASKETS

Extremely easy assembly



1 BOTTOM GRATE


Reinforced with flat plates, can be inserted at intervals of 50 mm.

DESIGN


Can be folded for storage and transport to save space.

STURDY GRIDS

With mesh size of 50×50 mm, wire diameter 4.8 mm.



	Order no.	Order no.	Order no.
	12.03678.10	12.03679.10	12.03680.10
Weight (kg)	7.2	8.3	12.5
Load capacity (kg)	15	20	40
Mesh size (mm)	25 x 150	25 x 150	25 x 150





01.13 GVK sales baskets

The Wanzl classics

- > Ideal for special display locations and promotions
- > Compact and mobile ready for immediate use
- > Stationary or mobile





GVK 2 with stationary chassis

Standard design

Sturdy baskets and grates made of wire. All wire crossovers are spot-welded.

Finish: high-gloss chrome-plated.

No risk of injury

The ends of the wires are wrapped around the edging to prevent injury.



Variable volume

Grates can be hooked in at different heights.



Chassis


Chassis available as mobile or stationary version.





01.13 GVK sales baskets

■ Wanzl sales baskets bring your sales to life with strong positioning of your special offers to boost sales.



GVK shopping baskets	GVK 1	GVK 2	GVK 3
GVK 2. Side view	6 (20) (With mothle chesses 880)	(with mother chasses 788)	
	Order no.	Order no.	Order no.
Sales baskets with grate	12.03662.10	12.03665.10	12.03668.10
Weight	5.2	4.6	5.1
Load capacity (kg)	20	20	20
Accessories			
Chassis, stationary	26.03664.50	26.03667.50	26.03670.50
Chassis, mobile, 4 castor wheels, diameter 50 mm	26.03663.50	26.03666.50	26.03669.50



01.14 Basket presentation stands

Sales-boosting promotional and special positioning

- > Appealing presentation
- > Easy to assemble and disassemble
- > Natural materials



Standard design

Sturdy tube construction, welded. Floor-protecting feet with plastic caps.

Finish: plastic powder coating, Black metallic 7097. **Wicker loose items baskets:** woven wicker baskets with

handles made from natural materials. For easy insertion into the tubular construction.

Robust construction

Sturdy tube designCoated in Black metallic
7097



Stylish


Real wicker baskets simply insert into the tube construction.





01.14 Basket presentation stands

■ Fresh fruit and vegetables make for particularly strong sales when displayed in wicker baskets with basket presentation stands. Special and promotional placement is simple to achieve with these.



1 HANDLES

For easy insertion into the tubular construction.

2 STURDY TUBE DESIGN

Welded. Floor-protecting feet with plastic caps.

B DESIGN

Wicker loose items basket with sturdy

Basket presentation stands	
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
	Order no.
Height 450 mm	37.03843.73-7097
Height 650 mm	37.03842.73-7097
Weight (kg)	4.5
Load capacity (kg)	10
Accessories	
Wicker loose items basket Top diameter 500 x bottom diameter 320 x height 300 mm	12.38194.00



02 Product overview

02.01 - 02.09 Fresh produce display unit













01 WIRE TECH 100

02 BAKEOFF 3.0

03 BAKEOFF 2.0 / 2.1

04 SIDERACK 2.0

05 BAKEOFF DISPLAY







⁰⁷ FLOWER STAND MODULE

⁰⁸ VARIO FLOWER STAND

⁰⁹ FLOWER STAND

02.10 - 02.12 Pallet displays







¹⁰ POSSIBILITY

¹¹ PALETTI

12 PRODUCT DISPLAYS

02.13 Folding displays





¹³ AD 200

¹³ AD 300

02.14 - 02.15 Promotion displays







02 Shelving and displays





02.01 wire tech 100

Clean lines – simply more sales

- > The puristic shop solution with outstanding functionality
- > Superior hygiene thanks to jointless system design
- > Quick assembly and conversion without the need for tools






02.01 wire tech 100

■ The clean, practical design of the wire tech 100 system deliberately takes a back seat, ensuring the customer focuses on what is really important: your products. This increases product density and underpins the clean and tidy overall impression of your store.

For more information on this product, please see www.wanzl.com











WIRE TECH 100 Wall shelves

For a strong atmosphere

wire tech 100 presents goods with clean lines. The high-quality system provides the perfect basis for stores that are a cut above average: by ensuring an excellent overall experience, ambience, quick orientation and an enticing presentation of goods.

Your benefits with wire tech 100

The sophisticated system design offers crucial advantages: with one major benefit being the hygienic aspect. The jointless system design prevents the accumulation of dirt and makes cleaning a piece of cake. A further advantage is the rapid assembly and conversion without the need for tools, saving you considerable time and money.

Range of finishes and colours

With wire tech 100, the benefits are two-fold. The extensive range of finishes and colours ensures perfect integration into your design concept. Added to this is the exceptional quality of the coating, which combines a high degree of resistance, ease of cleaning and durability – this is quality MADE BY WANZL.

Effective combination of materials

wire tech 100 offers a large number of presentation options made from the highest quality materials. The wire tech 100 upright with its clean lines can be combined with wire, mesh, sheet metal and wooden back panels and with wire, glass, wooden and sheet metal shelves. And for individual requirements, there is of course always a customised solution with wire tech 100.



02.02 BakeOff® 3.0

Sell bakery products successfully

- > High product presence, resulting in product density
- > Soft-close system for added comfort and hygiene
- > Can be retrofitted and combined with BakeOff 2.0/2.1



BAKEOFF 3.0
The latest generation

Simple and safe to use

Tongs and disposable gloves make sure that produce is removed in a hygienic manner. Every item will end up safely in a paper bag.





Appealing colours and finishes



Module colours			
7021	7422	9261	
Black grey	Matt umbra grey	Matt iron shimmer	



02.02 BakeOff® 3.0

■ With the latest generation of BakeOff 3.0, your baked goods really are in the spotlight. Your produce is on clear display behind hygienic covers, generating maximum sales impact.



BAKED GOODS TOWER WITH COOLING

Service tower for presenting refrigerated goods on the top two levels. Beneath these, two levels for baked goods.
Stainless steel refrigeration element.
Constant cooling on both levels.

BAKED GOODS TOWER, BASIC MODULE

Sales tower for baked goods with open back panel for filling from the front and behind. With glass roof made from single-plate safety glass (ESG). Optional back panel in a wood finish.

BAKED GOODS LEVEL

Design without any internal moving parts. Minimal cleaning effort with maximum transparency.

4 CENTRAL CRUMB COLLECTION TRAY

Removable, central breadcrumb collection tray for cleanliness and hygiene underneath the modules.

SERVICE LEVEL

Service level perfectly suited to your needs. Choice of units:

③ ② ③ ② SERVICE MODULES

Convenient drawer system for disposable gloves and waste box, bags, vacuum cleaner.

III BREAD SLICING MACHINE

Separate tower with identical design for integration of bread slicing machine

Upgrade possible!

Convert your 2.0 / 2.1 BakeOff modules into the latest generation of BakeOff 3.0 units!



BAKEOFF 2.1Body wood finish Bardolino oak grey

Clean and hygienic

The baked goods are protected by silent hygienic covers.







Easy to stock

Items are filled from either the front or the back, depending on your sales area or processes.







02.03 BakeOff® 2.0 / 2.1

A system for the successful sale of baked goods

- > High product density and maximised filling volume
- > Best ergonomics for customers and store personnel
- > Modular system offering flexibility for product range design

Video clip BakeOff 2.0






BAKEOFF 2.0Body wood finish Bardolino oak grey

Modular design

Any number of towers can be put together in a row. Each baked goods shelf can be divided into 2 or 3 areas of the same size using a glass divider.



Appealing colours and finishes



	Body wood finishes	
H1146	H3734	H1555
Bardolino oak grey	Dijon walnut natural	Wenge



02.03 BakeOff® 2.0 / 2.1

■ With the Wanzl BakeOff 2.0, your range of baked goods will take centre stage and make your customers hungry for more. The system is highly flexible to accommodate your spatial conditions and processes. The modular design enables a flexible response to changes in a range, with minimal assembly work.





1 COOLING MODULE

Cooling unit can be integrated into existing design.

BREAD MODULE

Bread of different shapes and sizes can be easily removed.

8 BREAD ROLL MODULE

Design without any internal moving parts. Minimal cleaning effort with maximum transparency.

PASTRY MODULE FOR SWEET PASTRIES

Pastry replenishment is optimised by a special coating.

⑤ CRUMB TRAY

Removable, central crumb tray for maximum cleanliness beneath the modules. Integrated bumper rail for protection against damage.

⑤ ☑ ⑧ ⑤ SERVICE MODULES

Convenient drawer system for disposable gloves and waste box, bags, vacuum cleaner.

10 BREAD SLICING MACHINE

Separate tower with identical design for integration of bread slicing machine.

Upgrade: BakeOff 2.1

Increased transparency at the sides thanks to real glass panes instead of metal sheets on the baked goods shelf.



BAKEOFF 2.1Body wood finish Bardolino oak grey

Easy handling

Goods filling is tailored to your available space and can be carried out from the front as well as the back. For daily cleaning, an easily accessible vacuum cleaner is integrated into the service module.





Ideal for self-service

Customers can pick up goods effortlessly and with just one hand. The baked goods are pulled onto the removal shelf with a baked goods remover and then picked up using disposable gloves or bakery tongs.







02.04 SideRack 2.0

For the presentation and sale of baked goods

- > BakeOff extension module for the sale of packaged baked goods
- > Convenient removal of goods by the customer
- > Easy cleaning in just a few steps



Combination with BakeOff 2.0

The SideRack 2.0 sales unit for packaged baked goods forms an attractive island in your baked goods area with the BakeOff 2.0 / 2.1 baked goods sales system. Carefully selected finishes, coatings and materials ensure seamless integration. These give customers an appetite for more. Perfect and hygienic cleaning in just a few steps.



Basic unit with extension unit, combined with BakeOff 2.0 / 2.1 sales system



02.04 SideRack 2.0

■ Thanks to its modular design, the SideRack 2.0 extension unit for the BakeOff 2.0 / 2.1 sales system can be integrated seamlessly into your store.

SideRack 2.0 – suitable for BakeOff 2.0 / 2.1 / 3.0



SIDERACK 2.0
Basic unit with extension







1 BASIC UNIT

2 L-profile uprights with adjustable feet, 2 cross-pieces, plastic powder coating, base strut and wooden plinth basic unit

EXTENSION UNIT

L-profile upright with adjustable feet, 2 cross-pieces, plastic powder coating, base strut and wooden plinth extension unit

WIRE SHELF

Wire shelf, shelf brackets and front grate with plastic powder coating, transparent scanner rail 40 mm

WOODEN SHELF

Shelf brackets and front grate with plastic powder coating, transparent scanner rail 40 mm

BASKET


For base shelf, W 580 mm x D 500 mm x H at back 270 mm, H at front 160 mm


3 SIDE PANEL AND REAR PANEL

Wooden rear panel incl. rear panel holders
Wooden side panel incl. side panel

Wooden side panel incl. side panel holders







Certified safety

The electronic components, as well as stability and hygienic aspects have been tested and certified by TÜV SÜD.



DIN standards committee

Food hygiene

In order to keep up to date with the latest food hygiene standards, we are represented on the DIN standards committee "Baking stations in retail".





02.05 BakeOff®-Display

Attractive presentation and successful sale of baked goods

- > Transparent design for best product presentation
- > Convenient access to baked goods on all levels
- > Excellent product protection thanks to hygiene flaps



BAKEOFF DISPLAY

Baked goods display unit in combination with coffee station



02.05 BakeOff® display

For more information on this product, please see www.wanzl.com



BAKEOFF DISPLAY

Available with or without hygiene flaps

Attractive baked goods presentation

The Wanzl BakeOff display combines sophisticated design and sales-promoting features.

The modern design of the units blend harmoniously with the sales floor

Transparent design

The high level of transparency of the BakeOff display gives customers a good overview of the baked goods for sale. The integrated LED lighting saves energy and presents the baked goods in a pleasant light.

Features designed to promote sales

The angle of the shelves can be adjusted to make sure products easily slide towards the front, ensuring maximum visibility. This creates a high product density. The suspended graphic panels ensure that your baked goods attract optimum attention.

Clean and hygienic

In the BakeOff display all the baked goods are hygienically protected behind closed hygiene flaps. The sides of the sales units are also closed. Baked goods are removed either by means of tongs or disposable gloves.



02.06 Vitable®

Vitable® - see the freshness!

- > Ingenious simplicity and flexibility
- > Encourages purchasing
- > Outstanding hygiene concept




Standard design

With its modular design, the new Vitable offers a variety of configuration options. All Vitable units consist of the same shelf brackets in different depths. The Vitable is available as a gondola or wall unit, with an open or closed body.

In the closed version, the front section has an easy-to-open hygiene flap. All variants feature crate stoppers, which prevent the top fruit and vegetable crates from slipping when the lower section is being filled.

Flexible modular design


The basic Vitable elements are available in various depths and as a single, double or triple shelf system. Just what you need to make best use of your space.





02.06 Vitable®

■ Whether in a city-centre store or in a large space, as a gondola or wall shelving: the basic Vitable elements are available in various depths in bay widths of 1000 mm and 1250 mm and as a single, double or triple shelving system. Just what you need to make best use of your sales area.



Cleaner

Vitable boasts a unique hygiene concept. Any places where fruit juice and debris could collect are easy for staff to reach. The hygiene flap means that this is also the case even if the structure is closed.





Finishes

Wanzl offers a wide range of finishes to choose from for your new Vitable. Magnetic films with custom motifs are available for attaching to the hygiene flap and rear panel, with fast delivery and attractive terms.







02.07 Flower stand module

Island display for cut flowers, potted plants and accessories

- > Modular structure
- > Wall or gondola solution
- > Mobile, addition and expansion options



Standard design

Sturdy design made of square steel tubing with integrated bucket holders and fold-down display racks for potted plants. Height-adjustable price board holder. Flower stand modules can be linked with module connection.


Finish: high-gloss chrome-plated.

Mobile version: 4 swivel castors, castor diameter 75 mm with brakes.



02.07 Flower stand module

■ Promotes sales of cut flowers, potted flowers and plants, and accessories. Other possible uses in exposed areas, for example, for artificial flowers, decorations, seasonal items, etc.



Flower stand	End module 90°, left	Straight module	End module 90°, right
			10.3
	Order no.	Order no.	Order no.
Mobile	12.92082.10-0002	12.92080.10-0002	12.92081.10-0002
Castor diameter (mm)	75	75	75
Weight (kg)	26	43.5	26
Load capacity (kg) per shelf / total	10/15/50	20/60	10/15/50
Accessories			
Plastic bucket, black, 10 litres	12.20249.07	12.20249.07	12.20249.07



02.08 Vario flower display

Mobile turnover booster for flowers

- > For cut flowers, potted plants and accessories
- > Compact dimensions
- > Ideal for inside and outside



Standard design

Sturdy wire construction with six or nine bucket holders and three folding wire shelves.

Finish: high-gloss galvanised and chrome-plated. **Castors:** 4 swivel castors, incl. 2 with brake.

Wire shelf

Practical folding
As required for
watering cans, vases
or flower pots.





02.08 Vario flower display

■ The mobile Wanzl turnover booster: for cut flowers, potted plants and accessories. Compact dimensions, therefore ideal for special offers both indoors and out.



1 BUCKET HOLDER

Sturdy wire construction.

WIRE SHELVES

Practical folding as required, for horizontal surface.

© CASTOR WHEELS:

4 double swivel castors, incl. 2 with brakes.


Vario flower display	
	Order no.
Mobile	12.29606.50
Castor diameter (mm)	50
Weight (kg)	22
Load capacity (kg) per shelf / total	15/50
Accessories	
Plastic bucket, black, 10 litres	12.20249.07



02.09 Flower Island

The flower stand with new opportunities for success

- > High-quality product presentation for potted plants and cut flowers
- > Simple design products ideally placed in the foreground
- > Quick repositioning with low-lift truck




Standard design

Sturdy flat steel and square tubing construction with brackets for holding the support units for plastic trays or buckets.

Finish: plastic powder coating in RAL 7097 Black metallic.

Simple construction

Whether positioned against a wall or as a gondola solution selling potted plants or cut flowers, the Flower Island adapts perfectly to your space and product range. With support units for plastic trays or buckets and top signs, the expansion options are unlimited.





02.09 Flower Island

■ The **Flower Island impresses** with modular design and versatile design options for eye-catching displays of flowers and



PRICE LABELLING*

Clamp 3, with card holder

- **2 PRICE LABELLING***Rod length 400 mm / 600 mm
 With card holder
- **E PLASTIC TRAY** With felt mat

Flower Island	Flower Island 90°	Flower Island 180°
Bay width	715	690
Surface with plastic powder coating in Anthracite metallic 7097.	715 715	690 -715
Basic frame	Order no. 12.05991.73-7097	Order no. 12.05992.73-7097
Weight (kg)	16	16
Load capacity (kg)	50	50
Accessories		
Small plastic tray 90° segment, incl. support unit and felt mat for use at top	77.84409.07	-
Medium plastic tray 90° segment, incl. support unit and felt mat for use in middle	77.84410.07	-
Large plastic tray 90° segment, with felt mat for use at bottom, no support unit required	77.84411.07	-
Plastic tray 180° segment, incl. support unit and felt mat for use at top and in middle	-	77.84522.07
Plastic tray 180° segment, with felt mat for use at bottom, no support unit required	-	77.84606.07
Small support unit 90° segment, for 1 bucket, for use at top	12.06221.73	-
Medium support unit 90° segment, for 2 buckets, for use in middle	12.06222.73	-
Large support unit 90° segment, for 2 buckets for use at bottom	12.06223.73	-
Support unit 180º segment, for 2 buckets for use at top, in middle and at bottom	-	00.47179.73
Black plastic bucket, suitable for support unit	12.20249.07	12.20249.07
Top sign holder	-	12.06225.73
Top sign, white polystyrene, unprinted, for top sign holder	-	00.29438.07
Connecting bar	12.12323.50	12.12323.50
Small plastic tray 90° segment	12.04102.07	-
Medium plastic tray 90° segment	12.04101.07	-
Large plastic tray 90º segment	12.04100.07	-
Plastic tray 180º segment	-	00.13003.07-9005

^{*} Price labelling on request



02.10 Possibility®

The ultimate revenue driver at the point of sale

- > Presenting 1000 possibilities on Wanzl's metal pallet system
- > 5 attachment positions for side panels allow for a host of ground plan variants
- > Space requirement: 1 Euro pallet



Assembled according to example C with accessories




Standard design

Basic module made of metal pallet and 2 side panels. Metal pallet system made of square tubing, side panels made of round tubing frame with wire grate. Quick to assemble and disassemble, compact storage. Transport by low-lift truck is also possible when loaded with

products.

Dimensions (mm): W 1200 x D 800 x H 1850 (with crowner H 2150).

Finishes: all elements made of metal, plastic powder-coated in Titanium grey 7084.





02.10 Possibility®


Possibility has been specially designed for impulse buys and special offer

placement. The smart Wanzl metal pallet system in Euro pallet dimensions combines with wire and tubing elements to make up this extraordinarily versatile sales system.



Perfect branding enhances sales in line with your product designs. Printing available on request.






Possibility Load capacity max. 500 kg

Basic module

W 1200 x D 800 x H 1850 mm



1 metal pallet / 2 side panels 800





		Order no.
Base module = 1 metal pallet, 2 side panels 800	02	12.11900.73-7084
Version for metal pallets		
Pallet insert, grate	8	28.18194.73-7084
Pallet insert, wooden panel, coated grey		12.69609.78-0000
Pallet cover 800, coated metal	4	12.92809.73-7084
Pallet cover 1200, coated metal	6	12.92696.73-7084
Pallet cover 800, white plastic		12.11664.07-0000
Pallet cover 1200, white plastic		12.11663.07-0000
Side panel		
Side panel 800	2	12.69383.73-7084
Dividing walls	6	
Dividing wall 600, can also be used as a rear panel		12.11645.73-7084
Dividing wall 800, can also be used as a rear panel		12.11646.73-7084
Dividing wall 1000, can also be used as a rear panel		12.11647.73-7084
Dividing wall 1200, can also be used as a rear panel		12.11648.73-7084
Wing walls	7	
Wing wall 200, left		12.11761.73-7084
Wing wall 200, right		12.11760.73-7084
Wing wall 600, left		12.11763.73-7084
Wing wall 600, right		12.11762.73-7084
Wire shelves (assembled between side panels)	8	
Wire shelf 600, single-sided raised edge 40 mm		12.11754.73-7084
Wire shelf 800, single-sided raised edge 40 mm		12.11755.73-7084
Wire shelf 1000, single-sided raised edge 40 mm		12.11756.73-7084
Wire shelf 1200, single-sided raised edge 40 mm		12.11757.73-7084

	Order no.
Wing wire shelves	
For wing walls 200, single-sided raised edge 40 mm	12.11658.73-7084
For wing walls 600, single-sided raised edge 40 mm	12.11659.73-7084
Scanner price rails, transparent	
For wire shelf 600	21.06556.07-9095
For wire shelf 800	21.06557.07-9095
For wire shelf 1000	21.06558.07-9095
For wire shelf 1200	21.06559.07-9095
For wing wire shelves	21.21245.07-9095
Accessories	
Side basket, rectangular	12.69496.73-7084
Blister pack double hook 150 mm	24.02375.50-0000
Blister pack double hook 300 mm	24.02374.50-0000
Divider, inclined, for wire shelves	27.02939.73-7084
Divider, inclined, for wing wire shelves 200	27.02940.73-7084
Panel for wing wall, white plastic	12.11662.07-0000
Crowner	
Insertion connector for ground plan A	12.11651.73-7084
Insertion connector for ground plan B	12.11653.73-7084
Insertion connector for ground plan C	12.11652.73-7084
Insertion connector for ground plan D	12.11654.73-7084
Crowner 800, white plastic 15	12.11661.07-0000
Crowner 1200, white plastic 16	12.11660.07-0000
For further information please request our detailed brochure. Or also be happy to contact you.	ne of our specialists will




02.11 Paletti

Variable display of goods on Euro pallet

- > Faster, simpler more success for less!
- > Perfect presentations with an extensive range of accessories
- > Space requirement: 1 Euro pallet



Basic frame on Euro pallet with 4 wire shelves and pallet covers




Standard design

Basic frame (side sections and centre wall) made of sturdy wire, foldable, screws into a Euro pallet.

Dimensions (mm): W 1200 x D 800 x H 1650.

Finishes: high-gloss galvanised and chrome-plated. Coloured plastic powder-coated finish available on request. **Extensive range of accessories:** see table on right.







02.11 Paletti

■ An ordinary Euro pallet forms the base and is combined with wire elements to create this extraordinary sales system.










02.12 Product displays

Sales equipment for heavy loads with excellent options for variation

- > Enticing displays for food or non-food
- > Can be varied in conjunction with bargain table or Euro pallet





Standard design

Sturdy square tubing construction with folding bottom grate and locking hooks, mobile. 4 Wanzl swivel castors with brakes. Wire shelves with height and angle adjustment with optional edging wires.


Finish: high-gloss chrome-plated.

Compact For storage, the product displays can be stacked to save space. Sales combination also possible with bargain tables or Euro pallets.



02.12 Product displays

■ Whether as a stand-alone or gondola solution, the enticing product display reveals its strengths in everyday use. It can take on heavy loads with ease.



1 WIRE SHELVES

Wire shelf in different depths with raised edge for scanner price rail. Level or inclined attachment.

2 EDGING WIRE


Add-on edging wire for wire shelves to keep goods safe.

8 BOTTOM GRATE

Bottom grate can be folded up to the rear panel with locking device for secure locking.

SWIVEL CASTORS

4 swivel castors, castor diameter 75 mm with brake for secure positioning.






02.13 AD 200, AD 300

Promotion displays - marvellous space and time savings

- > Quickly assembled at the point of sale with no need for tools
- > Just as quick to fold for compact storage until the next special offer
- > Flexible and mobile, yet still strong



AD 200 6/4
Basic frame with accessories:
4 wire shelves

Space required = 1/4 or 1/2 Euro pallet



AD 300 D Mobile, chassis with accessories: 3 wire shelves

Design: solid, yet collapsible wire construction. Variableuse straight or inclined hook-in wire shelves. Easy to move with optional wooden pallet.

Finish: high-gloss galvanised and chrome-plated. Coloured plastic powder-coated available on request. **Design:** basic frame made of square tube with welded on wire mesh base. Side sections: AD 300 D made of wire, AD 300 R made of square tubing with wire grate. Back section made of wire grate.

Can be assembled completely without tools. Variable insertion of wire shelves. Stationary: 4 adjustable feet Mobile: 4 swivel castors, 2 with brakes.

Finish: high-gloss, galvanised, chrome-plated. Coloured plastic powder-coated available on request.



02.13 AD 200, AD 300

■ The day-to-day needs of retail staff are well known to

Wanzl as a partner to the retail industry. That is why we developed collapsible, space-saving special offer displays for successful product presentation.









AD 200 8/6

AD 300 D

AD 300 R

Promotion displays	AD 200		AD 300		
	AD 200 6/4	AD 200 8/6	AD 300 D AD 300 R		
	180 / 25 / 60 1	1800 - 1909 - 100	589 555 440	200 / 102 / 2,59 / 00 	
	Order no.	Order no.	Order no.	Order no.	
Stationary	12.67 236.50-0000	12.50 860.50-0000	06.03 053.50-0000	06.03 054.50-0000	
For pallet size (mm)	600 x 400	800 x 600	-	-	
Mobile	-	-	06.03 052.50-0000	06.03 055.50-0000	
Weight (kg)	10	10	24/26	28/30	
Load capacity (kg)	50	50	150	150	
Accessories	•	•			
Wooden pallet, incl. mounting materials	77.06 359.95-0000	77.06 358.95-0000	-	-	
Wire shelf	12.67 237.50-0000	12.06 133.50-0000	28.01 244.50-0000	28.01 244.50-0000	
Divider for wire shelves	27.15 708.50-0000	27.15 595.50-0000	-	-	
For top	-	-	-	-	
For bottom	-	-	-	-	
Top sign, semi-circular					
Unprinted, includes fixings	77.06 585.07-9010	77.06 472.07-9010	00.22 219.95-0000	00.22 219.95-0000	
Unprinted	-	-	-	-	
Top sign holder	-	-	-	-	
Blister pack hooks	Double hook	Double hook	Double hook	Double hook	
Length 150 mm	24.02 375.50-0000	24.02 375.50-0000	-	-	
Length 200 mm	-	-	24.01 018.50-0000	24.01 018.50-0000	
Length 250 mm	-	-	-	-	
Length 300 mm	24.02 374.50-0000	24.02 374.50-0000	-	-	



02.14 Universal

More scope for effective merchandising

- > With a comprehensive range of accessories
- > Single-sided and double-sided, mobile or stationary
- > Goods can be displayed with large advertising areas



UNIVERSAL

Basic frame single-sided,

UNIVERSAL

Basic frame, double-sided, mobile, with wire shelves, perforated sheet metal back panel, top sign and blister pack double hooks



Standard design

Two L-shaped side sections made of square tubing, option of single-sided or double-sided design. Rear panel made of wire grate, with connectors. Easy assembly and conversion without tools.

Castors: 4 swivel castors, diameter 50 mm, 2 with brakes.

Adjustable feet: 4 height-adjustable feet with plastic hottoms

Finishes: plastic powder coating in Titanium grey 7084. **Accessories:** wide variety of accessories such as shelves, blister pack hooks, price rails, etc.

Practical

Sturdy base metal sheet can also be used as a shelf for custom display of products.



Variable

Design with four castor wheels, including two with brakes, or available with adjustable feet.





02.14 Universal

■ Set the scene for product ranges. The Universal display is all about greater product variety in the same amount of space, and more sales in the same unit area.



1 STRONG BRANDING

Highly individual.

SHELF

Available as wire or sheet metal version, height-adjustable.

E DESIGN

Mobile with locking brake or stationary.

UNIVERSAL Double-sided design,

Basic frame Single-sided	В		e, single-sided, mobile e, single-sided, stationary sories Leg extension for double-sided design Leg cover, base metal sheet	Order no. 12.01133.73-7084 12.01135.73-7084 12.01135.73-7084
	В	Basic fram	e, single-sided, stationary Sories Leg extension for double-sided design	12.01134.73-7084
			Sories Leg extension for double-sided design	12.01135.73-7084
		Access	Leg extension for double-sided design	
1420	<		Leg cover, base metal sheet	12.01137.73-7084
24	•			
			Wire shelf with raised edge on one side, H 40 mm Hooks in level or indined	12.01139.73-7084
Leg extension	E	_	Scanner price rail for wire shelf, W 770 x H 40 mm, transparent 9095	21.29833.07-9095
846 - 578 - Single-sided - 545 -	3 =		Scanner price rail for sheet metal shelf, self-adhesive, W 770 x H 40 mm, white 9010	21.29834.07-9010
Double-sided 960	ſ		Divider, fits wire shelves with raised edge	27.02939.73-7084
	A	_	Blister pack double hook, L 150 mm	24.02375.50-0000
Dimensions (mm)	_	_	Blister pack double hook, L 300 mm	24.02374.50-0000
Basic frame, single-sided, mobile, W x D x H (mm) 846 x 545 x 150			Bilister pack double floor, E 500 film	21.0257 1.50 0000
Basic frame, single-sided, stationary, W x D x H (mm) 846 x 545 x 142 Basic frame. double-sided. mobile W x D x H (mm) 846 x 960 x 150			Top sign, rectangular, white plastic, unprinted	12.01141.07-9010
()	U	_	Incl. 2 fastening dips	
Basic frame, double-sided, stationary W x D x H (mm) Base cover W x H (mm) 800 x 445			Side panel set, white plastic, unprinted W 417 x H 1720 mm	77.41997.07-0000
		Ų	W 417 X 11 1720 [[[[[]]	
Perforated sheet metal back panel W x H (mm) 800 x 500 Wire shelf W x D (mm) 800 x 365			Holder pair, single-sided version	77.41996.73-7084
Sheet metal shelf W x D (mm) 800 x 350		- 15		
Top sign W x H (mm) 800 x 300		200	Holder pair, double-sided version	77.41995.73-7084
Load capacity (kg) 120	Ø.			



02.15 Your Display

A perfect salesperson directly at your point of sale!

- > Easy to use and flexible shelf height adjustment
- > Slim, space-saving design
- > Easy transport due to mobile chassis





02.15 Your Display

A product display unit in an ultramodern design,

YourDisplay combines all the benefits of dynamic and functional product presentation. The vertical arrangement of items allows customers to quickly see what's on offer. No matter which product a customer chooses, access is quick and unhindered.

Colour

YourDisplay is available in three attractive colours.

Anthracite grey	9005	
Light grey	9007	
Glossy chrome-plated	7016	

Shelf

The height of the shelves can be adjusted for perfect presentation.



Ring hook shelves

The ring hook shelves are particularly suitable for hanging salami sticks or bananas.



Price labelling

Price labelling for hooking onto the shelves is optionally available.



Brake castor

The brake castors guarantee stable positioning anywhere on the sales floor.



YourDisplay incl. 3 or 4 shelves YourDisplay incl. 4 ring hook shelves 1 1 1 1 درالیات Ø Dimensions (mm) Order no. 800 x 600 x 1750 37.30136.95-0000 Incl. 4 ring hook shelves 800 x 600 x 1750 37.30129.95-0000 Incl. 4 shelves Incl. 3 shelves 800 x 600 x 1300 37.30133.95-0000 800 x 600 x 1500 37.30128.95-0000 Incl. 3 shelves Best price labelling including poster frame and fastening 210 x 297 (DIN A4) 37.30137.07-7016 160 x 82 Hanging price labelling 37.30138.07-9005



03 Product overview

03.01 Stacking baskets



01 STP

03.02 Shelf insert baskets



⁰² SHELF INSERT BASKETS


03.03 Shelf hang-in basket systems



 03 L AND S SERIES SHELF HANG-IN BASKET SYSTEMS



03 Baskets






03.01 STP stacking baskets


Best-sellers in their millions – wire stacking feet


- > Extremely robust foot construction
- > High stability
- > Easy to stack





Stackable with





STP/N 812

STP 812





Identical baskets can always be stacked. Different baskets of the same width can be mixed when stacking.

Standard design

Solid wire construction with 8 mm thick edging wire. Each wire crossover is spot-welded. Reinforced with upright flat plates on the basket base, designed to take high loads. Finish: high gloss, galvanised, chrome-plated

Coloured plastic powder-coated finish available on request.

Easy-to-insert dividers, variable positioning.



Wire stacking foot

Extremely robust foot construction with high stability.





03.01 STP stacking baskets

■ STP stacking baskets in XXL format. The series is available with either a slanted or straight basket profile. Designed for the sale of bulk goods and loose items. Robust design and high quality structure. Dimensions based on shelf axis measurements and Euro pallet format.



STP 810, STP/N 810, STP/R 810 with basket attachment, mobile chassis, dividers, sloping grates, scanner price rails



STP/R 810 colour coating (on request), with stationary chassis, dividers, sloping grates



3 STP 812 with basket attachment, positioned on pallet

620 x 670 x 480 mm	Order no.	07.03193.50
Weight / load capacity (kg)	11,1 / 100	07.03173.30
Accessories	11,17 100	775
Divider	27.03201.50	480 J
Mobile chassis	26.08243.50	175 670
Scanner price rail	21.71980.07	020
Model STP 810 /	shelf axis measur	ement 1000 mm
970 x 670 x 480 mm	Order no.	07.03194.50
Weight / load capacity (kg)	14,4 / 100	2
Accessories		
Divider	27.03201.50	
Basket attachment	07.03199.50	775
Divider for basket attachment	27.22751.50	
Sloping grate, 2x	28.20240.50	175 970 670
Stationary chassis	26.08374.50	
Mobile chassis	26.08244.50	
Scanner price rail	21.71989.07	
Model STP/N 810	/ shelf axis mea	surement 1000 mi
970 x 670 x 390 mm	Order no.	07.03289.50
Weight / load capacity (kg)	12,1 / 100	B
Accessories		
Divider	27.04260.50	
Basket attachment	07.03199.50	775
Divider for basket attachment		
Sloping grate, order 2	28.20240.50	970 670
Stationary chassis	26.08374.50	
Mobile chassis	26.08244.50	
Scanner price rail	21.71989.07	

	/ shelf axis measu	rement 1000 mm
970 x 670 x 480 mm	Order no.	07.04299.50
Weight / load capacity (kg)	12 / 100	4
Accessories		
Divider	27.04268.50	4
Basket attachment	07.03199.50	480
Divider for basket attachment	27.22751.50	
Sloping grate, order 2	28.20240.50	135 970 6/0
Stationary chassis	26.08374.50	
Mobile chassis	26.08244.50	
Scanner price rail	21.71989.07	
	shelf axis measure	
1160 x 670 x 480 mm	Order no.	07.03195.50
Weight / load capacity (kg)	16.5 / 100	6
Accessories		
Divider	27.03201.50	775
Basket attachment	07.03200.50	480
Divider for basket attachment	27.22751.50	175 670
Stationary chassis	26.08376.50	1160
Mobile chassis	26.08246.50	
Scanner price rail	21.71993.07	
		urement 1250 mm*
1160 x 670 x 390 mm	Order no.	07.13162.50
Weight / load capacity (kg)	14.6 / 100	6
Accessories		
Divider	27.04260.50	775
Basket attachment	07.03200.50	390
Divider for basket attachment	27.22751.50	175 1160 670
Stationary chassis	26.08376.50	1100
Mobile chassis	26.08246.50	
Scanner price rail	21.71993.07	
	shelf axis measure	
1285 x 670 x 480 mm	Order no.	07.04560.50
Weight / load capacity (kg)	174 / 100	7, 1
Accessories		1/5
Divider	27.03201.50	
Stationary chassis	26.08378.50	175670
Scanner price rail	21.71999.07	

^{*} Can be positioned on Euro pallet



03.02 Shelf insert baskets

For clear presentation of the product range

- > Staggered presentation of items with baskets of equal width
- > With stacking clips, up to 8 shelf insert baskets can be stacked on top of one another
- > Appealing presentation of all kinds of items



SHELF INSERT BASKETSStacked and adjacent, with scanner price rail

Shelf insert baskets

Design: sturdy wire construction with 25 mm wire interval. Stacking clips made of shatter-proof plastic.

Finish: high-gloss chrome-plated. High-gloss galvanised and chrome-plated or coloured plastic powder-coated finish available on request.

Scanner price rail

Scanner price rail integrated into the front of the basket.



Shelf insert baskets with stacking clip

With stacking clips, up to 8 shelf insert baskets can be stacked on top of one another.






03.02 Shelf insert baskets


■ **Present cleanly, sell more** – shelf insert baskets bring more order and clarity to the store shelf.

Shelf insert baskets Basket width (mm)					
Basket depth (mm) Order no. 19.12934.10 19.21168.10 19.03321.10 19.12934.10 19.21168.10 19.03328.10 19.31041.10 19.46380.10 19.50328.10 19.31041.10 19.46380.10 19.50328.10 19.31041.10 19.46380.10 19.50328.10 19.31041.10 19.46380.10 19.50328.10 19.31041.10 19.46380.10 19.50328.10 19.31041.10 19.46381.10 19.50328.10 19.31042.10 19.23841.10 19.31042.10 19.46381.10 19.50329.10 19.31042.10 19.46381.10 19.50329.10 19.31042.10 19.46381.10 19.50329.10 19.31042.10 19.46381.10 19.50329.10 19.31042.10 19.46381.10 19.50329.10 19.31042.10 19.46381.10 19.50329.10 19.31042.10 19.30339.10 19.50329.10 19.31042.10 19.30339.10 19.50329.10 19.31042.10 19.30339.10 19.50329.10 19.31042.10 19.30339.10 19.50329.10 19.31042.10 19.30339.10 19.50329.1	Shelf insert b	oaskets			
With stacking clips 19.03321.10 19.12934.10 19.21168.10	Basket width (mm)		480	600	620
Without stacking clips BOO With Stacking clips Weight (kg) Divider Scanner price rail Without stacking clips Weight (kg) Divider Scanner price rail Without stacking clips Weight (kg) Divider Scanner price rail Divider Scanner price rail Divider Scanner price rail Without stacking clips Weight (kg) Divider Scanner price rail Divider Divider Divider Scanner price rail Divider	Basket dept	:h (mm)	Order no.	Order no.	Order no.
115	330	With stacking clips	19.03321.10	19.12934.10	19.21168.10
115	3304	Without stacking clips	19.03328.10	19.31041.10	19.46380.10
Scanner price rail 27.0349.10 27.03343.10 27.03343.10 27.03343.10 27.03343.10 27.03343.10 27.03343.10 27.03344.10 27.03343.10 27.03344.10 19.23841.10 19.23841.10 19.23841.10 19.23841.10 19.23841.10 19.23841.10 19.23841.10 19.23841.10 27.03344.10 27.03344.10 27.03344.10 27.03344.10 27.03344.10 27.03344.10 27.03344.10 27.03344.10 27.03344.10 27.03344.10 27.03344.10 27.03344.10 27.03344.10 19.03335.10 19.31042.10 19.03335.10 19.31042.10 19.03335.10 19.31042.10 19.03335.10 19.31042.10 19.03335.10 19.31042.10 19.03335.10 19.31042.10 19.03335.10 19.31042.10 19.03335.10 19.04133	230	Weight (kg)	1.8	2.0	2.2
Scanner price rail 21.71976.07 21.71982.07 21.71984.07 With stacking clips Without stacking clips 19.03322.10 19.31039.10 19.23841.10 19.36381.30 Weight (kg) 2.0 2.2 2.4 2.4 27.03344.10 27.03346.10 27.04137.10 27.04137.10 27.04137.10 27.04137.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04132.10 27.04130.10	1 400 230	Divider	27.03343.10	27.03343.10	27.03343.10
Without stacking clips Weight (kg) Divider Scanner price rail Weight (kg) Divider Scanner price rail 21.71976.07 21.71982.07 21.71984.07 Weight (kg) Weight (kg) Weight (kg) Without stacking clips Weight (kg) Divider Scanner price rail 21.71976.07 Divider Scanner price rail 27.03344.10 19.31040.10 19.03335.10 115.430 Weight (kg) Divider Scanner price rail 21.71976.07 21.71982.07 21.71984.07 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 Scanner price rail Divider Scanner price rail 21.71976.07 21.71982.07 27.04129.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 Divider 27.04130.10 27.04130.10 27.04130.10 27.04130.10 27.04130.10 27.04130.10 27.04130.10 27.04130.10 27.04130.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 21.71984.07 21.71982.07 21.71984.07 21.71982.07 21.71984.07 21.71982.07 21.71984.07 21.71982.07 21.71984.07 21.71982.07 21.71984.07 21.71982.07 21.71982.07 21.71984.07 21.71982.07	-	Scanner price rail	21.71976.07	21.71982.07	21.71984.07
115	380	With stacking clips	19.03322.10	19.31039.10	19.23841.10
Weight (kg) Divider 27.03344.10 27.03344.10 27.03344.10 27.03344.10 27.03344.10 27.03344.10 27.03344.10 27.03344.10 27.03344.10 27.03344.10 27.03344.10 19.03335.10 19.31040.10 19.03335.10 19.31044.10 19.03335.10 19.31044.10 19.03339.10 24 27.03346.10 27.03346.10 27.03346.10 27.03346.10 27.03346.10 27.03346.10 27.03346.10 27.03346.10 27.03346.10 27.03346.10 27.03346.10 27.03346.10 27.03346.10 27.03346.10 27.03346.10 27.04131.10 19.04131.10 19.04131.10 19.04131.10 19.04131.10 19.04131.10 19.04131.10 19.04131.10 19.04131.10 19.04132.10	3801	Without stacking clips	19.03329.10	19.31042.10	19.46381.10
Scanner price rail 21.71976.07 21.71982.07 21.71984.07 480 With stacking clips 19.03324.10 19.31040.10 19.03335.10 Weight (kg) 2.4 2.7 3.0 Divider 27.03346.10 27.04131.10 Without stacking clips 19.04119.10 19.09402.10 19.04137.10 28. 3.3 3.4 27.04129.10 27.04130.10 27.0	230	Weight (kg)	2.0	2.2	2.4
Scanner price rail 480 With stacking clips Without stacking clips Weight (kg) Divider Scanner price rail Without stacking clips Weight (kg) Divider Scanner price rail Without stacking clips Weight (kg) Divider Scanner price rail Without stacking clips Weight (kg) Divider Scanner price rail Divider Scanner price rail Weight (kg) Divider Scanner price rail Without stacking clips Weight (kg) Divider Scanner price rail Weight (kg) Divider Scanner price rail Weight (kg) Divider Scanner price rail Divider	115 <u>480</u> 300	Divider	27.03344.10	27.03344.10	27.03344.10
Weight (kg) Divider Scanner price rail Weight (kg) Weight (kg) Scanner price rail Weight (kg) Weight (kg) Scanner price rail Without stacking clips Weight (kg) Scanner price rail Weight (kg) Scanner price rail Without stacking clips Weight (kg) Sloping grate Scanner price rail Without stacking clips Weight (kg) Weight (kg) Scanner price rail Without stacking clips Weight (kg) Sloping grate Scanner price rail Without stacking clips Weight (kg) Sloping grate Scanner price rail Weight (kg) Weight (kg) Sloping grate Scanner price rail Weight (kg) Weight (kg) Sloping grate Scanner price rail Weight (kg) Weight (kg) Sloping grate Scanner price rail Weight (kg) Weight (kg) Sloping grate Scanner price rail Weight	300	Scanner price rail	21.71976.07	21.71982.07	21.71984.07
Weight (kg) 500 With stacking clips Weight (kg) Divider Scanner price rail Divider Divider Scanner price rail Divider Divi	480	With stacking clips	19.03324.10	19.31040.10	19.03335.10
Divider 27.03346.10 19.04131.10 Without stacking clips 19.04124.10 19.31045.10 19.04137.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04132.10 Weight (kg) 3.1 3.5 3.7 27.04129.10 27.04130.10	480	Without stacking clips	19.03331.10	19.31044.10	19.03339.10
Scanner price rail 21.71976.07 21.71982.07 21.71984.07 500 With stacking clips 19.04119.10 19.09402.10 19.04131.10 Weight (kg) 2.8 3.3 3.4 Divider 27.04129.10 27.04129.10 27.04129.10 27.04129.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 550 With stacking clips 19.04125.10 19.12864.10 19.04132.10 Weight (kg) 3.1 3.5 3.7 Divider 27.04130.10 27.04130.10 27.04130.10 27.04130.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 Weight (kg) 3.1 3.5 3.7 Divider 27.04130.10 27.04130.10 27.04130.10 27.04130.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 Without stacking clips 19.04121.10 19.09401.10 19.04133.10 Without stacking clips 19.04126.10 19.31047.10 19.04139.10 Weight (kg) 3.4 3.8 3.9 Divider 27.02194.10 27.02194.10 27.02194.10 27.02194.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 700 With stacking clips 19.02192.10 19.09499.10 19.04134.10 Without stacking clips 19.02192.10 19.09499.10 19.04134.10 Without stacking clips 19.02193.10 19.31048.10 19.04140.10 Weight (kg) 3.8 4.1 4.2 Divider 27.02195.10 27.02195.10 27.02195.10 27.02195.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07	230	Weight (kg)	2.4	2.7	3.0
Scanner price rail 21.71976.07 21.71982.07 21.71984.07	400 400 600	Divider	27.03346.10	27.03346.10	27.03346.10
Without stacking clips Weight (kg) Divider Sloping grate Scanner price rail Weight (kg) Weight (kg) Sloping grate Scanner price rail Divider Scanner price rail Without stacking clips Without stacking clips Divider Scanner price rail Without stacking clips Weight (kg) Sloping grate Scanner price rail Divider Scanner price rail Sloping grate Scanner price rail Sloping grate Scanner price rail Sloping grate Scanner price rail Scanner price rail Without stacking clips With stacking clips With stacking clips With stacking clips Without stacking clips Weight (kg) Sloping grate Scanner price rail Sloping grate Scanner price rail Weight (kg) Sloping grate Scanner price rail Without stacking clips Weight (kg) Sloping grate Scanner price rail	620	Scanner price rail	21.71976.07	21.71982.07	21.71984.07
Neight (kg) 2.8 3.3 3.4	500	With stacking clips	19.04119.10	19.09402.10	19.04131.10
Neight (kg) 2.8 3.3 3.4 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.10 27.04129.07 21.71984.07 21.71984.07 25.00 Nithout stacking clips 19.04125.10 19.31046.10 19.04138.10 19.04138.10 19.04138.10 19.04130.10 27.04	500/1	Without stacking clips	19.04124.10	19.31045.10	19.04137.10
Sloping grate Scanner price rail 21.71976.07 21.71982.07 21.71984.07 550 With stacking clips 19.04120.10 19.12864.10 19.04132.10 Weight (kg) 3.1 3.5 3.7 Divider 27.04130.10 27.04130.10 27.04130.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 Weight (kg) 3.4 3.8 3.9 Divider 27.02194.10 19.31047.10 19.04139.10 Weight (kg) 3.4 3.8 3.9 Divider 27.02194.10 27.02194.10 27.02194.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 Weight (kg) 3.4 3.8 3.9 Divider 27.02194.10 27.02194.10 27.02194.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 Without stacking clips 19.02192.10 19.09499.10 19.04134.10 Without stacking clips 19.02192.10 19.09499.10 19.04134.10 Without stacking clips 19.02193.10 19.31048.10 19.04140.10 Weight (kg) 3.8 4.1 4.2 Divider 27.02195.10 27.02195.10 27.02195.10 Sloping grate 28.20240.10		Weight (kg)	2.8	3.3	3.4
Scanner price rail 21.71976.07 21.71982.07 21.71984.07 550 With stacking clips 19.04120.10 19.12864.10 19.04132.10 Weight (kg) 3.1 3.5 3.7 Divider 27.04130.10 27.04130.10 27.04130.10 27.04130.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 600 With stacking clips 19.04121.10 19.09401.10 19.04133.10 Weight (kg) 3.4 3.8 3.9 Divider 27.02194.10 27.02194.10 27.02194.10 27.02194.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 600 Sloping grate 28.20240.07 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 700 With stacking clips 19.02192.10 19.09499.10 19.04134.10 Without stacking clips 19.02192.10 19.09499.10 19.04134.10 Without stacking clips 19.02193.10 19.31048.10 19.04134.10 Without stacking clips 27.02195.10 27.02195.10 27.02195.10 Sloping grate 28.20240.10 Scanner price rail 21.71976.07 21.71982.07 27.02195.10 Sloping grate 28.20240.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 Sloping grate 28.20240.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 Sloping grate 28.20240.10 - Scanner price rail 21.71976.07 21.71982.07 21.71984.07 Scanner price rail 21.71976.07 21.71982.07 21.71984.	150 480 400	Divider	27.04129.10	27.04129.10	27.04129.10
Scanner price rail 21.71976.07 21.71982.07 21.71984.07 550 With stacking clips 19.04120.10 19.12864.10 19.04132.10 Weight (kg) 3.1 3.5 3.7 Divider 27.04130.10 27.04130.10 27.04130.10 27.04130.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 600 With stacking clips 19.04121.10 19.09401.10 19.04133.10 Weight (kg) 3.4 3.8 3.9 Divider 27.02194.10 27.02194.10 27.02194.10 27.02194.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 600 Sloping grate 28.20240.07 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 700 With stacking clips 19.02192.10 19.09499.10 19.04134.10 Without stacking clips 19.02192.10 19.09499.10 19.04134.10 Without stacking clips 19.02193.10 19.31048.10 19.04134.10 Without stacking clips 27.02195.10 27.02195.10 27.02195.10 Sloping grate 28.20240.10 Scanner price rail 21.71976.07 21.71982.07 27.02195.10 Sloping grate 28.20240.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 Scanner price rail 21.71976.07 21.71982.07 27.02195.10 Sloping grate 28.20240.10 - Scanner price rail 21.71976.07 21.71982.07 21.71984.07	600 620	Sloping grate	28.20240.10	-	-
Without stacking clips Weight (kg) Divider Scanner price rail Without stacking clips Weight (kg) Divider Scanner price rail Without stacking clips Divider Scanner price rail Weight (kg) Divider Scanner price rail Divider Scanner price rail Divider Scanner price rail Divider Scanner price rail Without stacking clips Divider Scanner price rail Divider Scanner price rail Without stacking clips Divider Scanner price rail Without stacking clips Divider Scanner price rail Without stacking clips Divider Scanner price rail Weight (kg) Sloping grate Scanner price rail Z1.71976.07 Z1.71982.07 Z1.71984.07 Z7.02195.10 Z7.02195.10 Z7.02195.10 Z7.02195.10 Z7.02195.10 Z7.02195.07 Z1.71984.07		Scanner price rail	21.71976.07	21.71982.07	21.71984.07
Neight (kg) 3.1 3.5 3.7	550	With stacking clips	19.04120.10	19.12864.10	19.04132.10
Neight (kg) 3.1 3.5 3.7 3.7 3.5 3.7 3.	550/1	Without stacking clips	19.04125.10	19.31046.10	19.04138.10
Sloping grate 28.20240.10		Weight (kg)	3.1	3.5	3.7
Scanner price rail 21.71976.07 21.71982.07 21.71984.07 600 With stacking clips 19.04121.10 19.09401.10 19.04133.10 Without stacking clips 19.04126.10 19.31047.10 19.04139.10 Weight (kg) 3.4 3.8 3.9 Divider 27.02194.10 27.02194.10 27.02194.10 27.02194.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 700 With stacking clips 19.02192.10 19.09499.10 19.04134.10 Without stacking clips 19.02193.10 19.31048.10 19.04134.10 Weight (kg) 3.8 4.1 4.2 Divider 27.02195.10 27.02195.10 27.02195.10 Sconner price rail 28.20240.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07	50,480-450	Divider	27.04130.10	27.04130.10	27.04130.10
600 With stacking clips 19.04121.10 19.09401.10 19.04133.10 600 Without stacking clips 19.04126.10 19.31047.10 19.04139.10 500 Weight (kg) 3.4 3.8 3.9 Divider 27.02194.10 27.02194.10 27.02194.10 Sloping grate 28.20240.07 - - Scanner price rail 21.71976.07 21.71982.07 21.71984.07 700 With stacking clips 19.02192.10 19.09499.10 19.04134.10 Without stacking clips 19.02193.10 19.31048.10 19.04140.10 Weight (kg) 3.8 4.1 4.2 Divider 27.02195.10 27.02195.10 27.02195.10 500 Sloping grate 28.20240.10 - - 500 Scanner price rail 21.71976.07 21.71982.07 21.71984.07	600 620	Sloping grate	28.20240.10	-	-
Without stacking clips Divider Scanner price rail Without stacking clips Weight (kg) 3.4 3.8 3.9 27.02194.10 27.0		Scanner price rail	21.71976.07	21.71982.07	21.71984.07
Weight (kg) 3.4 3.8 3.9 Divider 27.02194.10 27.02194.10 27.02194.10 Sloping grate 28.20240.07 Scanner price rail 21.71976.07 21.71982.07 21.71984.07 700 With stacking clips 19.02192.10 19.09499.10 19.04134.10 Without stacking clips 19.02193.10 19.31048.10 19.04140.10 Weight (kg) 3.8 4.1 4.2 Divider 27.02195.10 27.02195.10 27.02195.10 Sloping grate 28.20240.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07	600	With stacking clips	19.04121.10	19.09401.10	19.04133.10
300 Weight (kg) 3.4 3.8 3.9	600/1	Without stacking clips	19.04126.10	19.31047.10	19.04139.10
Sloping grate 28.20240.07	300	Weight (kg)	3.4	3.8	3.9
Scanner price rail 21.71976.07 21.71982.07 21.71984.07 700 With stacking clips 19.02192.10 19.09499.10 19.04134.10 Without stacking clips 19.02193.10 19.31048.10 19.04140.10 Weight (kg) 3.8 4.1 4.2 Divider 27.02195.10 27.02195.10 27.02195.10 Sloping grate 28.20240.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07	500	Divider	27.02194.10	27.02194.10	27.02194.10
Scanner price rail 21.71976.07 21.71982.07 21.71984.07 700 With stacking clips 19.02192.10 19.09499.10 19.04134.10 Without stacking clips 19.02193.10 19.31048.10 19.04140.10 Weight (kg) 3.8 4.1 4.2 Divider 27.02195.10 27.02195.10 27.02195.10 Sloping grate 28.20240.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07	600 620	Sloping grate	28.20240.07	-	-
Without stacking clips 19.02193.10 19.31048.10 19.04140.10 Weight (kg) 3.8 4.1 4.2 Divider 27.02195.10 27.02195.10 27.02195.10 Sloping grate 28.20240.10 Scanner price rail 21.71976.07 21.71982.07 21.71984.07		Scanner price rail	21.71976.07	21.71982.07	21.71984.07
30 Weight (kg) 3.8 4.1 4.2 50 480 600 Divider 27.02195.10 27.02195.10 27.02195.10 500 600 Sloping grate 28.20240.10 5canner price rail 21.71976.07 21.71982.07 21.71984.07	700	With stacking clips	19.02192.10	19.09499.10	19.04134.10
30 Weight (kg) 3.8 4.1 4.2 50 480 600 Divider 27.02195.10 27.02195.10 600 Sloping grate 28.20240.10 5canner price rail 21.71976.07 21.71982.07 21.71984.07	700	Without stacking clips	19.02193.10	19.31048.10	19.04140.10
Scanner price rail 28.20240.10 - - -	300	Weight (kg)	3.8	4.1	4.2
Scanner price rail 21.71976.07 21.71982.07 21.71984.07	50 480 600	Divider	27.02195.10	27.02195.10	27.02195.10
Scanner price rail 21.71976.07 21.71982.07 21.71984.07	600 620	Sloping grate	28.20240.10	-	-
Load capacity – all basket depths (kg) 40 50 50		Scanner price rail	21.71976.07	21.71982.07	21.71984.07
	Load capacity – al	l basket depths (kg)	40	50	50

Stackable with:



Identical baskets with stacking clips can always be stacked.
Baskets with stacking clips and of equal width can also be stacked in staggered arrangements.



Wanzl shelf insert baskets are individual components that can be put together to form a complete stacking system. There is a choice of baskets in three front widths and different heights and depths. Baskets of identical and different depths can be stacked in staggered way.



03.03 Hang-in basket systems

L series for normal loads, S series for heavy loads

- > Endless variety of combination options
- > Complete freedom to arrange dividers regardless of the shelf axis measurement
- > Optimal use of shelf space, no shelf surfaces required



Standard design

Sturdy baskets, reinforced on base with upright flat plates. Brackets with triple hooks make attachment particularly easy, in horizontal position or inclined at 4.5° or 9° .

L series with 25 mm wire interval for normal loads. **S series** with 18 mm wire interval for heavy loads. **Finish:** high-gloss galvanised and chrome-plated. Coloured plastic powder coating on request.

Endless and variable


You have complete freedom when it comes to arranging products on the shelf as the insertion of dividers is not determined by the shelf axis measurement. The system offers endless and variable combination options.







03.03 Hang-in basket systems




Triple hooks



For tailored product presentation

4 basket depths



Enable staggered unloading

Divider

Divider intervals governed by wire interval of the series:



L series, 25 mm



S series, 18 mm

Right in the field of vision

The scanner price rail, closely fitted and protected against damage.



* Offset baskets for heavy-duty shelves with front supports available on request.



04 Product overview

04.01 Pallet boxes



01 PA-X

04.02 Pallet bars






⁰² PALLET BAR TYPE 1

PALLET BAR TYPE 2



04 Pallet systems





04.01 PA-X pallet boxes

Versatile use with standard Euro pallets measuring 1200 x 800 mm

- > Robust construction
- > Can be stacked with Euro pallets or configured with mobile chassis
- > Can be folded flat to save space





capacity and stacking



All models can be folded to save space.

Standard design

PA-X/S series: sturdy pallet boxes in folding or closed design. Secure thanks to stacking corners with large support surface. 2 retaining bars each on the short sides. Mesh size 70 x 70 mm. Also available in non-stacking version.

PA-X1/N: as PA-X1/S, but without stacking corners and retaining bar.

Castors: swivel castors diameter 100 mm, incl. 2 with brakes. Finish: high-gloss, galvanised, chrome-plated.

Securely in place

Four latching bars on the narrow sides ensure secure fixing on the Euro pallet.



Safe stacking

Stacking corners with wide support surface and high edges prevent the box from slipping.



Divider (optional)

Fits all models with a closed long side. Dimensions 715 x 725 mm. Mesh size 73 x 70 mm.



Intermediate grate (optional)

Fits all models. For variable attachment in 70 mm grid. High load capacity. Mesh size 25 x 125 mm.






04.01 PA-X pallet boxes

■ The PA-X series is suitable for a variety of uses and is highly flexible: it can be closed on all four sides or folded in any direction – anything is possible.

Basket attachment

Fits stackable models with two closed narrow sides. With scanner price rail. On request.





Maximum load capacity / stacking

PA-X/S pallet boxes					
Model	Load capacity	Stacking options			
PA-X1/S		max. 4x			
PA-X2/S		E TOUCKG			
PA-X3/S		1000kg max. 2x			
PA-X4/S	max.	1000kg 0 kg			
PA-X10/S	1000kg	1000kg 0 kg			

PA-X/S pallet boxes				
Model	Load capacity	Stacking options		
PA-X5/S		max. 4x		
PA-X6/S		max. 3x = 500kg		
PA-X7/S		750kg 500kg max. 2x		
PA-X8/S	max.	750kg 500kg 0 kg		
PA-X9/S	_750kg	750kg 500kg 0 kg		

Pallet box	PA-X1/S	PA-X2/S	PA-X3/S	PA-X4/S	PA-X5/S	PA-X6/S
Extremely flexible: Folding of side sections depends on design. Pallet not included in delivery scope						
Order no.	06.00002.50	06.00008.50	06.00010.50	06.00011.50	06.00014.50	06.00015.50
Length x width x height (mm)	1215 x 820 x 975					
Volume (litres)	700	700	700	700	700	700
Weight (kg)	29	29	29	29	29	29
Accessories						
Divider 715 x 725 mm	27.58692.50	27.58692.50	27.58692.50	27.58692.50	_	27.58692.50
Intermediate grate 1200 x 735 mm	28.61392.50	28.61392.50	28.61392.50	28.61392.50	28.61392.50	28.61392.50

Pallet box	PA-X7/S	PA-X8/S	PA-X9/S	PA-X10/S	PA-X1/N, mobile
Extremely flexible: Folding of side sections depends on design. Pallet not included in delivery scope					
Order no.	06.00012.50	06.00004.50	06.00013.50	06.00009.50	06.15481.50
Length x width x height (mm)	1215 x 820 x 975				
Volume (litres)	700	700	700	700	700
Weight (kg)	29	29	29	29	29
Accessories					
Divider 715 x 725 mm	27.58692.50	-	-	27.58692.50	27.58692.50
Intermediate grate 1200 x 735 mm	28.61392.50	28.61392.50	28.61392.50	28.61392.50	28.61392.50



04.02 Pallet bars

Highly robust and easy to use

- > For large-volume goods and high quantities
- > Ideal for promotions, e.g. in end cap position at the ends of shelving
- > Unobstructed access and simple removal



PALLET BAR TYPE 2 Height 995 mm, plastic powder coating

Standard design

Round tubing frame with two sturdy central bars. Frame and support bracket are welded. Locking bar is angled on the upper tie bar. Retaining profiles for variable assembly on long or transverse side of the Euro pallet.

Finish: plastic powder-coated or hot galvanised.

Arrangement options







Pallet bars, individual

Pallet bars in a row, lengthways

Pallet bars in a row, sideways



04.02 Pallet bars

■ Large-volume goods and high quantities can be transported safely from the production location to the sales area. Ideal for promotions in end cap position at the ends of shelving. Unobstructed access and simple removal of goods are constant factors in success.

Easy to use

Just a few steps are needed to fit the bars. The retaining bars grip underneath the central bar of the pallet.



Safe stacking

The pallet blocks latch securely into the angled locking bars.



Maximum load capacity / stacking

Pallet bar type 1 / type 2





Load capacity

Stacking options

Pallet bars				
	Type 1	Type 2		
1100 1200 1200 1200 1200 1200 1200 1200				
	Order no.	Order no.		
Plastic powder coating	06.01070.73	06.01082.73		
Hot galvanised	06.01070.55	06.01082.55		
Width (mm)	800	800		
Height (mm)	820	995		
Weight (1 pair, in kg).	30	32.4		
Load capacity (kg)	100	100		



05 Product overview

05.01 - 05.02 Disposal stations





⁰¹ SERVICE CENTRE

02 SERVICE TABLE

05.03 – 05.05 Disposal containers








⁰³ BOX CONTAINER

⁰⁴ WASTE TROLLEY

⁰⁵ DISPOSAL CONTAINER



05 Disposal





05.01 Service centre

Wrapping, unpacking and disposal on 1 m²

- > Compact disposal station with multiple uses
- > Very popular with customers
- > Till area and exit always tidy



Equipped to meet your needs

2 wall units of 500 mm for rolls of packing paper and gift wrap with diameter of 220 mm



Standard design

Table: made of square tubing, side and rear panel clad with sheet metal panels, plastic powder-coated in Light grey 7035. Table top made of scratch-proof PLATAL steel sheet, coated with plastic film in silver with a raised pattern. 4 slots with coloured plastic surrounds for plastic, cardboard, paper and batteries. Including pictogram stickers.

Disposal trolley: high-gloss galvanised mobile frame, with three holders for attaching rubbish bags and battery box. Front panel made of sheet metal, plastic powder-coated in Light grey 7035.

Castors: 4 swivel castors, incl. 2 with brake. Rubber tread. **Functional rear panel:** frame made of square tubing. Panel made of scratch-proof PLATAL steel sheet, coated with plastic film in silver with a raised pattern.





05.02 Service table

Service table with mobile disposal trolley

- > Like the service centre, but without functional rear panel
- > Compact station with excellent handling
- > Extremely easy to use, including for waste disposal staff



Mobile disposal trolley

With holders for rubbish bags and battery box (BATT-Box).



Multi-roll tape dispenser

For adhesive tape with diameter of 75 mm and width of 50 mm. Supplied without adhesive tape.




Standard design

Table: made of square tubing, side and rear panel clad with sheet metal panels, plastic powder-coated in Light grey 7035. Table top made of scratch-proof PLATAL steel sheet, coated with plastic film in silver with a raised pattern. 4 slots with coloured plastic surrounds for plastic, cardboard, paper and batteries. Including pictogram adhesive label.

Disposal trolley: high-gloss galvanised mobile frame, with holder for attaching rubbish bags and battery box. Front panel made of sheet metal, plastic powder-coated in Light grey 7035.

Castors: 4 swivel castors, incl. 2 with brake. Rubber tread.





05.03 Box container

Lightweight design in two sizes, suitable for large volumes of waste

- > Sturdy tube frame
- > Folding front grate
- > Can be folded flat to save space



BOX CONTAINERWith length of 1200 mm



Standard design

Length 1200 mm: sturdy tube frame with wire grate panelling. Front grid can be folded once.

Length 1620 mm: sturdy tube frame with wire grate panelling. Front grate can be folded twice.

Castors: 4 swivel castors, incl. 2 with brake.

Rubber tread.

Finish: high-gloss, galvanised, chrome-plated.

Can be folded flat to save space

The container is easy to fold with just a few steps and saves space during storage.



Folding front panel

Depending on the container size, the front grate can be folded once or twice and enables easy loading and convenient access to the contents.





05.03 Box container

For collection, provision or disposal of boxes, crates and

large volume packing materials.



1 DESIGN

Sturdy tube frame with wire grate panelling

❷ FOLDING

For easy loading

© CASTOR WHEELS

4 swivel castors, incl. 2 with brake. Rubber tread.

FOLDS FLAT

Can be folded flat with just a few steps, for space saving storage.

Box container Length	1200 mm / 86.6 in	1620 mm / 86.6 in
750 — 1115 — 970 — 1535 — 1535 — 1620		
	Order no.	Order no.
Mobile	06.22488.50	06.24952.50
Length x width x height (mm)	1200 x 800 x 1720	1620 x 1020 x 1800
Mesh size (mm)	145 x 36	145 x 36
Castor diameter (mm)	125	125
Volume (litres)	1200	2300
Weight / load capacity (kg)	40 / 100	77 / 200



05.04 Waste trolley

Robust and compact design, versatile use

- > Suitable for holding a wide variety of materials
- > Large capacity with low net weight
- > Very easy to use





Easy to see

A fastening clip can be used to attach notes or documents to the note holder.



Ergonomic


The front grate can be lifted and folded down for easy loading and unloading.



Standard design

Sturdy wire construction with square tubing frame. Chassis with wire grid base. Front grid can be folded once. Includes 3 note holders.

Castors: 4 Wanzl swivel castors, rubber tread. **Finish:** high-gloss, galvanised, chrome-plated.





05.05 Disposal container

Robust and proven compact design

- > Durable and reliable element in fully automated systems
- > Can also be used as individual trolley
- > 4 deflectors act as bumpers



You can find more products in our Logistics + Industry catalogue.

Information

You can attach notes or documents to the metal plate using a fastening clip.



Safe, protective

Deflectors at the corners protect containers and fittings from damage.



Standard design

Sturdy wire construction with square tubing frame. Chassis with wire grid base. Front grid can be folded once. Includes 4 note holders.

Castors: 4 Wanzl swivel castors, rubber tread. **Finish:** high-gloss, galvanised, chrome-plated.

Disposal containers				
780 — 1145 1105 — 0811 1105 — 0811 1105 — 1105				
	Order no.			
Mobile	06.09600.50			
Length x width x height (mm)	1300 x 890 x 1130			
Mesh size for base / sides (mm)	78 x 78 / 100 x 31			
Castor diameter (mm)	100			
Volume (litres)	Approx. 800			
Weight / load capacity (kg)	46 / 100			
Accessories				
Waste basket, 769 x 320 x 247 mm	06.51529.50			





Customised solutions

A custom approach – from development to roll-out







LEADING EXPERTISE FROM WANZL

CONCEPT PLANNING

AUGMENTED REALITY

Product development

■ At Wanzl, product development starts with you, your aims and your ideas. We work with you to find the right balance between aesthetics, function and cost-effectiveness. Wanzl has creative designers, experienced technicians and engineers at its disposal. The effectiveness and versatility of our in-house production facilities give you a broad range of potential solutions that you will rarely find elsewhere on the market.

Transparency and cost control

■ The development processes at Wanzl follow a proven principle. This means that project aims, milestones and success are checked at defined intervals and discussed with you, keeping you up to date at all times.

Expertise means reliability

■ Wanzl not only has its own product development teams with mechanical and design engineers for wood and plastic technology and metal construction, but also its own design engineers and toolmakers for making moulds, jigs and tools. Your custom products and solutions are therefore produced in a workflow with well-established interfaces. Your personal contact will oversee the process and ensure that things run smoothly.

We speak your language

■ For you, the bottom line is: the great feeling of being able to rely on the fact that everything is going to plan. Whatever language you speak, we have the right contact for you – for design, emotional or sales psychology, for engineering, function and ergonomics, for product safety, quality and cost-effectiveness. This minimises the chances of something going wrong and means that you can plan your success.

wanzi

VISIT US AT www.wanzl.com











GERMANY Wanzl GmbH & Co. KGaA

Rudolf-Wanzl-Straße 4 89340 Leipheim

Phone +49(0)8221/729-0 info@wanzl.com www.wanzl.com

GREAT BRITAIN Wanzl Ltd.

Europa House Heathcote Lane Warwick CV34 6SP Phone +44(0)1926/451951

enquiries@wanzl.co.uk

www.wanzl.com

AUSTRALIA Wanzl Australia Pty Ltd

3 Haymer Ct, Braeside VIC 3195

Phone +61(0)3/98082299 info.au@wanzl.com www.wanzl.com



