


RETAIL SYSTEMS | TROLLEY SYSTEMS

Shopping trolleys

Global leader for goods transportation







Contents

CONTENTS	3
70 YEARS OF WANZL SHOPPING TROLLEYS	7
FIRST IMPRESSIONS	9
PERFECT FOR YOUR CUSTOMERS	10
PERFECT FOR YOU	11
PROJECT PLANNING WITH A GREAT DEAL OF EXPERIENCE AND EXPERTISE	12
SERVICE, ANYTIME, ANYWHERE	13
OVERVIEW	14
01 SHOPPING TROLLEY SERIES	16
02 EQUIPMENT AND ACCESSORIES	50
03 CUSTOMISED SHOPPING TROLLEYS	62
04 IMPACT PROTECTION EQUIPMENT AND ACCESSORIES	88
05 SHOPPING BASKETS	122
06 SERVICE	136
07 PLANNING DATA/OVERVIEW OF DIMENSIONS	142



Contents

01 SHOPPING TROLLEY SERIES	16
⁰¹ Good quality pays off	18
⁰² Surfaces	20
EL shopping trolleys	
⁰³ EL series	22
⁰⁴ ELX series	24
⁰⁵ Light series	26
⁰³⁻⁰⁵ Order section	28
⁰³⁻⁰⁵ Accessories	30
DRC shopping trolleys	
⁰⁶ DRC series	32
⁰⁶ Order section	34
⁰⁶ Accessories	36
Tango shopping trolley	
⁰⁷ Tango series	38
⁰⁸ Tango City, Tango 90 E	40
⁰⁷⁻⁰⁸ Order section	42
⁰⁷⁻⁰⁸ Accessories	44
City Shopper 2 shopping trolley series	
⁰⁹ City Shopper 2 series	46
⁰⁹ Order section, accessories	48
02 EQUIPMENT AND ACCESSORIES	50
⁰¹ Wanzl castors	54
02 Wanzl travelator castors	56
03 Handle solutions, coin deposit systems,	
equipment	58
⁰⁴ Added comfort when shopping	60
03 CUSTOMISED SHOPPING TROLLEYS	62
Shopping with children	
⁰¹ The Trend baby seat	64
⁰² Holder for BabySafe seat	66
⁰³ Fun Mobil	68
⁰⁴ Fun Mobil Compact	70
⁰⁵ Fun Cabrio	72
⁰⁶ Kiddo	74

4



Shopping for people with disabilities Of Ben's Cart	76	05 SHOPPING BASKETS	122
08 Shopping trolleys for wheelchair users	78	Wire shopping baskets	
⁰⁹ Sedo	80	⁰¹ HW and OV series 17	124
Shopping trolleys for use of travelators		Plastic shopping baskets	
¹⁰ ELT series for Vermaport® SC	82	⁰² WA series	126
¹⁰ Order section, accessories	84	⁰³ GT26 and GT26 eco series	128
Customised shopping trolleys		Shopping baskets with wheels	
¹¹ Scandy S	86	⁰⁴ GT40 and GT40 eco line	130
		Trolleys for shopping baskets	
04 IMPACT PROTECTION EQUIPMENT	•	⁰⁵ Take 2 and Pick-up	132
AND ACCESSORIES	88	Basket holders	
		⁰⁶ Basket stackers / basket collection	
Sigma trolley shelter system		stations	134
⁰¹ Sigma trolley shelter	90		
⁰² Sigma Present outdoor sales shelter	92	06 SERVICE	136
⁰³ Sigma Special for customised trolleys	94		
⁰⁴ Sigma bicycle shelter	95	⁰¹ Maintenance, repairs, cleaning	138
⁰¹⁻⁰⁴ Design, accessories, dimensions	96	⁰² Safety checks / checklist	140
⁰¹⁻⁰⁴ Order section	98		
Delta 3 trolley shelter		07 PLANNING DATA/OVERVIEW	
⁰⁵ Delta 3 trolley shelter	100	OF DIMENSIONS	142
⁰⁵ Design, accessories, dimensions	102		
⁰⁵ Order section	103	⁰¹ Planning data	144
Economy trolley shelter		⁰² Dimensions and accessories	146
⁰⁶ Economy trolley shelter	104	⁰³ Signage	159
⁰⁷ Economy bicycle shelter	106	⁰⁴ Adverts on shopping trolleys,	
⁰⁶⁻⁰⁷ Design, accessories, dimensions	107	trolley shelters etc.	162
⁰⁶⁻⁰⁷ Order section	108	⁰⁵ Foundations for trolley shelters	164
Accessories for trolley shelters			
⁰⁸ Accessories: Service, security,			
advertising	110		
Row docking stations			
⁰⁹ Stainless steel	112		
¹⁰ Hot dip galvanised design			
for external use	114		
¹¹ Classic design for internal use	116		
¹² Classic trolley parks	118		
Shopping trolley security			
13 SmartStop trolley security	120		





70 years of Wanzl shopping trolleys

Benefit from Wanzl's knowledge and expertise



Brochure from 1957

- Over 70 years ago, Wanzl's founder Rudolf Wanzl Junior invented the nesting shopping trolley. This was the first time an invention gave self-service shopping the boost it needed to take off in Germany and around the world. The trolley's operating principle has remained the same while its technology and design have been constantly improved, refined and adapted to current requirements.
- Wanzl has applied a systematic approach to its shopping trolley portfolio. It covers all components for modern shopping, logistics and customer service. With easy to handle shopping trolleys and modern shopping baskets, customers feel excited about the prospect of shopping for day to day items or buying their dream products in an array of retail sectors, from DIY to luxury goods.
- Wanzl employs over 4,200 people at eleven production sites around the world, who work on new areas of business and products, ensuring exceptional and consistently high quality product design and a huge depth of production. The result is a product which will ensure Wanzl's future success along with happy customers all round.





Euroline EL shopping trolleys



A comfortable shopping experience is more important than ever!

Here at Wanzl, we know what people will want in the future. As the global market leader for shopping trolleys, we provide the right answers. We do not think it is enough to merely reflect current trends with our innovative self-service systems: we are always one step ahead of the times with our design and engineering.





2017

The highlight at EuroShop: The Salsa® series

Premium shopping trolleys with a mesh plastic basket and easy customisation for brand CI and equipment.



First impressions

Full range of products for the full store experience



STORAGE: Clean and tidy, e.g. in trolley shelters



ATTRACTIVE SHOPPING TROLLEYS:Different trolleys for a wide range of items



FUNCTIONAL SOLUTIONS FOR AN ARRAY OF AREAS: Economic (scanners) yet still family-friendly

- **Customers expect an enjoyable shopping experience.** The shopping experience begins in the car park, where expectations are shaped. Well-maintained, working shopping trolleys, organised tidily in a trolley shelter, make a positive impression on your customers. The right shopping trolleys adapted to your products and requirements act as an "almost invisible" companion to your customers. Practical features make things easier for families and senior citizens or help to reduce waiting times, making shopping more enjoyable and turning customers into loyal shoppers.
- Wanzl's team of highly qualified staff work daily on solutions that make all store processes more economical and more effective with cutting-edge IT solutions. We work hard to make shopping as easy and pleasant as possible for customers, ensuring a positive outcome for your turnover. If it is technically feasible and makes sense then you will find it in Wanzl products.
- Wanzl products are unique. Wanzl's specialist expertise, consistency, reliability and innovative solutions and technologies ensure effective work processes along with the competitiveness and business success of its partners. Make the most of this opportunity and "show off your best side".
- Wanzl products are environmentally-friendly and sustainable. Even at the manufacturing stage, Wanzl takes care to use environmentally-friendly production techniques, coupled with environmentally-friendly and recyclable materials. Our products are of a high quality and our measures for maintenance, service and repairs benefit everyone, keeping running costs low permanently.



Perfect for your customers

Satisfied customers = success



TROLLEY TYPES:Wide range of models to satisfy customers



TROLLEY SIZES:Standard basket volumes from 22 to 240 litres, customised trolleys up to 275 litres



FAMILY-FRIENDLY:Trolleys for added fun when shopping

- Wanzl shopping trolleys and shopping baskets accompany your customers throughout their entire trip to your store. The store type, range of goods, and retail space are key factors when it comes to opting for a shopping basket or shopping trolley and selecting the right type for you. The location and the customer also influence the size, load capacity, equipment and accessories. Any exclusive services offered at the store coupled with any specific customer requirements determine whether additional customised trolleys are required. We can happily accommodate these: Children's shopping trolleys, Fun Mobils and shopping trolleys with baby seats for young families, Sedo and shopping trolleys for wheelchair users and customers with restricted mobility, and Light trolleys for a quick trip to the shops at lunch or after work.
- Wanzl products function reliably. The best material and surface quality, outstanding processing of all components and decades of experience in design, planning and production make Wanzl the ideal partner for every aspect related to shopping trolleys and shopping baskets. Wanzl guarantees a high level of investment security through reliable replacement deliveries for many years to come.



Perfect for you

Extracting potential from streamlined processes



LARGE LOADING VOLUME: The DRC series is ideal for stores with their own drinks departments



ANTI-THEFT PROTECTION:With the EL series, cashiers can see all the items in the trolley



CUTTING-EDGE:The Tango series is perfectly equipped for the future of self-scanning

- The right shopping trolley by Wanzl. What do you need from a shopping trolley? What is planned for the future? These are just two of the questions that play a role when it comes to making a purchasing decision and finding the right shopping trolley with Wanzl. With a bottom tray, large loading volume and a chassis without storage options to reduce differences in inventory at the till or with a plastic basket to prepare your store for the future of self-scanning you can improve workflows at your business with suitable accessories. Coin deposit systems protect the provision of trolleys, whereas trolley shelters protect your valuable investments. Travelator castors expand the area of application over several storeys within a store environment.
- **Plastic protective elements** reliably protect your shopping trolleys and equipment against damage.
- Wanzl shopping trolleys are reliable in every way. They are ready to tackle even the toughest transport tasks in retail, day in day out, supporting your customers while they shop and helping you to generate profits.



Project planning, with a great deal of experience and expertise

Expertise - you will soon notice when it's missing



PROFESSIONAL PLANNING Using modern CAD systems



INDIVIDUAL REQUIREMENTS:
3D rendering creates impressive solutions



HIGH-PERFORMANCE ELECTROPLATING:
For zinc, brass
CUTTING-EDGE POWDER COATING SYSTEMS:
For coloured surfaces

HIGH PRODUCTION DEPTH AND QUALITY: Inhouse castor production and consistent quality checks

- Expert advice. Contact us in the first instance. We can provide you with support and advice, even while you are considering a new project. With our many years of experience, we will be happy to help you to approach your construction project in the best possible way and avoid any problems. From selecting a trolley to positioning trolley shelters, signage and safety equipment, you can count on Wanzl.
- State-of-the-art 3D planning. We use cutting-edge CAD systems to create detailed drawings of solutions, like customised trolleys, for example. We can use 3D rendering to help you visualise your space at each stage of the process, working closely with you all the way through to the in-depth planning stage.

Get in touch! Our global experience is the ideal basis for developing products that meet your individual requirements.

■ Wanzl - your partner from the brief to completion. With a wide range of products from our entire portfolio of shopping trolleys and many years of experience, we are happy to guide you through every stage, from redesigning existing retail spaces to coming up with new store ideas and concepts. You will be won over by our format ideas and professional project service.



Service, anytime, anywhere

Assembly, maintenance and repair by experts



INSTALLATION (TROLLEY SHELTERS AND ROW DOCKING STATIONS):
By our trained specialists



MAINTENANCE:Routine services or on request




REPAIR:With short response times

- Installation. Exactly in line with the plan in every respect. Exactly as planned in our drawings and exactly in line with your time schedule (so as not to cause any disruptions), our experienced engineers install our trolley shelters and safety equipment.
- **Maintenance.** To maintain the Wanzl quality we recommend regular maintenance of all components. Ongoing maintenance ensures that the value of your investment is preserved. Ask for your own personalised maintenance plan.
- **Repair.** An experienced team of specialists offer professional customer service, including documentation, and deal with all service requests without any fuss from repairs to cleaning. We have put together a selection of attractive service packages so that you do not have to worry.
- Wanzl Service, just one call away. For an easy way to contact our professional customer service team, please use the telephone numbers listed online a service technician will be on his way within no time. There is a service support centre close to you.

Your direct line to us: www.wanzl.com







 Shopping trolley series Equipment, accessories Customised shopping trolleys Protection equipment and accessories Shopping baskets Service Planning data/overview of dimensions



01 Product overview

01.01 - 01.02 Good quality pays off





⁰¹ QUALITY RIGHT DOWN TO THE FINEST DETAIL

01.03 - 01.05 EL series







01.06 DRC series



01.07 - 01.08 Tango series





01.09 City Shopper 2 series





01 Shopping trolley series





01.01 Good quality pays off

Quality stemming from many years of experience is priceless

- > Extensive selection of models means there is the right trolley for every store
- > Long service life, low maintenance costs, good economy
- > High quality appreciated by you and your customers







01.01 Quality right down to the finest detail

■ The result of many years of experience and steady, efficient development work. Without even realising it, your customers get a glimpse of the expertise that goes into each Wanzl shopping trolley on a daily basis. For you, this is reflected in satisfied customers and low running costs.

Steel

All the raw materials of our wire, tubes and oval tubes guarantee the highest standards of quality. Their attributes are selected specifically to meet requirements for shopping trolleys.



Quality assurance

During quality tests, materials and processes are subjected to in-depth assessments, testing load capacity, fade resistance, etc., under the demands of long-term use.



Plastics processing

From coin deposit systems and castor wheels to plastic elements, we produce the majority of our components ourselves using high quality recyclable plastics.



Especially for shopping trolleys

Special ball bearing mounted castors with a plastic wheel, rubber tread and extra-stable steel shafts for heavy-duty use or travelator castors for multi-storey use are all produced in house.



Low nesting depth

All Wanzl shopping trolleys impress with an extra-low nesting depth, meaning that they require very little space for storage.



Coin deposit systems

Tried and tested, compatible systems made from stable plastic with a coin slide or slot for handle tubes or integration into the Promobox Plus handle system.



Handle systems

Standard handle tube with a plastic coating or advertising insert on request. Also available with the Promobox Plus, which allows for speedy replacement of advertising inserts.



EuroNorm-verified safety

For safe use of shopping trolleys with children. Wanzl shopping trolley safety standards comply with EN 1929.



Noise reduction, protection

Moving parts are fitted with plastic silencers on their hinges and contact surfaces. End caps, deflector rings, basket corner protectors, etc., protect the trolleys and equipment.



Finishes

Protection_Made by Wanzl, the best finish for shopping trolleys with zinc + paint or coloured Power Coating Plus powder coating.

Find out more on the next few pages...





01.02 Finishes

Brilliant solutions for protecting trolleys and the environment

- > Innovative coatings from the technological leader
- > Attractive appearance thanks to long-lasting protection from corrosion
- > Tempting colours in line with corporate identity





High gloss, galvanised chrome plating with baked on plastic paint protection.



Coloured plastic powder coating, wide range of colours



Galvanised seal of approval




01.02 Finishes

■ Complete protection by Wanzl. Multi-layered surfaces for longterm attractive, perfectly-protected shopping trolleys that are always easy to keep clean and hygienic. This helps trolleys to remain operational over the long term, ensuring they retain their value. They are a sound investment.

Power Coating Plus - triple protection

Power Coating Plus consists of a special multi-layer system comprising electrogalvanising, electrodeposition painting and finally a powder coating to ensure long-lasting protection from corrosion and an attractive finish.





Quality you can feel

Thanks to the extra thick plastic powder coating, the shopping trolley feels warmer with quality you can touch.




Noise reduction

Metal on metal often causes unpleasant sounds. Our complete Power Coating Plus coating noticeably reduces noise levels.



Super Protect - high-gloss protection

High-gloss, galvanised, chrome-plating with baked on plastic paint protection – Our electro-plating system with a chrome-plated high-gloss zinc layer ensures reliable protection against corrosion and an attractive, transparent long term shine. A baked on protective plastic varnish provides the special surface finish.







01.03 EL series

Clarity at the checkout

- > No storage options on the chassis helps to prevent thefts
- > Narrow meshed baskets, volume from 75 to 240 litres
- > Original wear-resistant, low maintenance Wanzl castors with 100 or 125 mm diameters











01.03 EL series

■ The **shopping trolleys in the EL series** were designed in response to our retail partners' need for a trolley that did not allow any items to be transported outside of the basket. There are no storage options on the chassis and the wide range of basket sizes are suited to a variety of different goods and industries. Use of the EL series is proven to reduce thefts.



- **1** WANZL STARBOX (OPTIONAL)
 Coin deposit system with built-in handle protection cap, operated with a coin slot. Optional coin system to ensure efficient trolley storage.
- BASKET FLAP WITH CHILD SEAT/ GOODS SHELF (OPTIONAL)
 Plastic elements for noise reduction.
 Easy closing sides. Child seat with folding plastic seat.
- © TROLLEY BASKET

 Narrow meshed, cone shaped wire
 basket. The double wire increases stability
 and protects goods from damage and
 customers from injuries.
- BASKET CARRIER Made from plate steel with locking tab. Enables damaged baskets to be replaced quickly.
- CHASSIS

 No storage options. Made from extra rigid oval pipe, with cross bracing at the front
- **3** WANZL SWIVEL CASTORS
 Wear-resistant and maintenance free,
 quiet and smooth running, ball bearing
 system with rubber tread. Deflector rings
 on every castor. Available with slip castor
 protection on request.

Standard design

Chassis made of robust flat oval pipe. Narrow meshed basket made of steel wire, with child seat, round tube handle and plastic handle protection caps. Child seat with stable plastic seat. Noise reduction for moving parts.

Finish: High-gloss, galvanised, chrome-plated with baked on

plastic paint protection or with coloured Power Coating Plus plastic powder coating.

Castors: Original Wanzl castors, wear-resistant, maintenance free, with plastic deflector rings. Hidden castor fixtures to prevent theft.

Safe and convenient

The oval pipe chassis **cannot be used to store** items, making sure everything can be transported in the cashier's eye line while still offering **plenty of legroom**.



Secure castor fixtures

The castor wheels are screwed onto the chassis from below **using hidden screws** and special purpose tools.





01.04 ELX series

A double bonus: Additional loading area and always in the cashier's line of sight

- > Folding tray for PET packs or drinks crates
- > Added turnover thanks to added storage space XXL space
- > Separation of delicate and heavy goods



ELX 101

Accessories: Comfort handle with
Starbox coin deposit system, divider and
rear bag hook











01.04 ELX series

■ The **shopping trolleys in the ELX series** are suitable for stores that offer a wide range of drinks which require special protection against theft. There are no storage options on the chassis and the wide range of basket sizes are suited to a variety of different goods and industries. The folding tray provides a convenient and secure way to transport drinks crates, drinks packs or larger items.



- ① CHILD SEAT with plastic seat or as a ② child seat/goods shelf (optional) with folding plastic shelf
- © CRATE HOLDER (pat. pend.)
 Added turnover with just a touch.
 Ergonomic handling. Safely transports
 drinks packs or drinks crates. Automatically folds up when the shopping
 trolleys are nested.
- 4 WANZL SWIVEL CASTORS

Wear-resistant and maintenance free, quiet and smooth running, ball bearing system with rubber tread. Deflector rings on all castors protect store fittings, goods and trolleys against damage.

5 PERMANENT PROTECTION

Top finishes created by our own coating systems protect the shopping trolley against corrosion.

- **3** BAG HOOK (optional)
- WIRE TRAY (optional)

Standard design

Chassis made from oval pipe with fine, folding shelf and side brackets for the safe transportation of drinks packs and containers. Narrow meshed basket made of steel wire, with child seat, round tube handle and plastic handle protection caps. Child seat with stable plastic seat.

Finish: High-gloss, galvanised, chrome-plated with baked on plastic paint protection or with coloured Power Coating Plus plastic powder coating.

Castors: Original Wanzl castors, wear-resistant, maintenance free, with plastic deflector rings. Hidden castor fixtures to prevent theft.

Easy loading

No more manhandling items over the edge of the basket: the ergonomic height means that heavy bottle packs can be comfortably placed on the tray.



XXL space

More space, more sales With a basket plus an external tray, the ELX offers extra space for up to four packs of six bottles = 24 1.5-litre bottles.






01.05 Light series

Lighter design using wire construction

- > No storage options on the chassis helps to prevent thefts
- > Narrow meshed baskets, with a 70 or 100-litre volume
- > Shallow basket for smaller purchases Compact, convenient and light











Wanzl castor Type with rubber tread trave

Type III Wanzl travelator castor



01.05 Light series

■ The **shopping trolleys in the Light series** are easy to handle and are the ideal addition to your standard pool of trolleys. The shallow basket with a 70 or 100-litre volume is easy to load, which is why it is the first choice for many customers making smaller purchases.

A second trolley for added service

Offering your customers an additional **Light shopping trolley** is seen as a welcome service. It helps to increase customer loyalty and is a good response to changing shopping habits. People are shopping more frequently, buying smaller quantities of fresh products. Single shoppers like how easy it is to handle for quick shops while senior citizens appreciate the ergonomics and comfort of the higher basket base. At the moment they choose their shopping trolley from the rows, your customers are deliberately selecting the most suitable trolley.



Convenient shopping

The **shallow basket shape** is at a pleasant and convenient height for easy loading. Goods are clearly visible and carefully stored.



Legroom

Optimum **comfort** thanks to a large amount of legroom which provides extra protection for shins.



Securely fastened

The castor wheels are screwed onto the chassis from below using hidden screws and special purpose tools.



Advertising and protection

Round tube handle available on request with advertising insert. Handle protection caps and plastic deflector rings for protecting the trolley and equipment.



Standard design

Chassis made of robust flat oval pipe. Narrow meshed basket made of steel wire, with round tube handle and plastic handle protection caps. Comprehensive noise reduction for quiet running.

Finish: High-gloss, galvanised, chrome-plated with baked on plastic paint protection or with coloured Power Coating Plus plastic powder coating.

Castors: Original Wanzl castors with plastic deflector rings.



01.03 - 01.05 Order section for EL, ELX and Light series

EL series – Model		EL75	EL90		EL101	EL115	EL130
						0000	
Туре		Order no.	Order no.		Order no.	Order no.	Order no.
Standard shopping trolley		02.29983.51/61-0000*	02.29987.51/61-0000*		02.29745.51/61-0000*	02.01244.51/61-0000*	02.29991.51/61-0000*
Travelator shopping trolley		On request	On request		On request	On request	On request
ELX series – Model		ELX75	ELX90		ELX101		ELX130
		9 9 9			0 00		
Type		Order no.	Order no.		Order no.		Order no.
Standard shopping trolley					02.53789.51/61-0000*		02.19250.51/61-0000*
Travelator shopping trolley		On request	On request		On request		On request
Light series – Model	Light 70			Light 100			
Туре	Order no.			Order no.			
Standard shopping trolley	02.55590.51/61-0000*			02.23843.51/61-0000*			
Travelator shopping trolley	On request			On request			
Dimensions							
Length L x width W x height H (mm)	940 x 590 x 922	816 x 553 x 967**	826 x 553 x 1021**	1035 x 590 x 978	1002 x 600 x 978	1002 x 600 x 978	1029 x 595 x 1022
Basket volume (litres)	74	74	86	100	100	110	132
Load capacity (kg)	74	74	86	100	100	110	132
Load capacity of crate holder (kg)	-	20	20	-	20	-	20
4 swivel castors, castor diameter (mm)	125	100	100	125	125	125	125
Nesting depth per trolley (mm		150**	150**	230	202	164	187
Space required for 10 trolleys (mr	n) 3010	2170**	2180**	3110	2820	2350	2720
Space required for 50 trolleys (mn	12210	8170**	8180**	12310	10900	8910	10200
Trolley shelter capacity*** (units)	54	84	84	54	60	78	66

Sample orders:
02.29983.**51**-0000 High-gloss, galvanised, chrome-plated with plastic paint protection
02.29983.**61**-0000 POWER COATING plastic powder coating, colours on request

^{**} Dimensions for ELX vary, see planning data/overview of dimensions ***3-row trolley shelter, 5 m long



EL150		EL180	EL185	EL212	EL240	
Order no.		Order no.	Order no.	Order no.	Order no.	
02.29747.51/61-0000*		02.29748.51/61-0000*	02.29742.51/61-0000*	02.37984.51/61-0000*	02.21000.51/61-0000*	
On request	ELX155	On request	On request ELX185	On request ELX212	On request	ELX248B
	Order no.		Order no.	Order no.		Order no.
	02.75937.51/61-0000*		02.49269.51/61-0000*			02.50173.51/61-0000*
	On request		On request	On request		On request
			: 		: 	·
1029 x 595 x 971	1137 x 600 x 988	1032 x 595 x 1025	1100 x 600 x 1070	1076 x 600 x 1014**	1098 x 600 x 1071	1215 x 648 x 1028
155	143	181	179	212	239	212
155	143	181	179	212	239	212
-	20	-	20	20	-	36
125	125	125	125	125	125	125
187	203	187	203	240**	240	257
2720	2970	2720	2970	3240**	3260	3530
10200	11090	10200	11090	12840**	12860	13810
66	60	66	60	51	51	45

Note: The dimensions may vary slightly for shopping trolleys for travelators. The total weight for a loaded shopping trolley on a travelator is max. 160 kg. Shopping trolleys for travelators are available on request as they are adapted for the travelator in question. The load capacity of crate holders may vary for ELX travelator trolleys.



01.03 - 01.05 Accessories for EL, ELX and Light series

Handle solutions and coin deposit systems



Handle tube with protective caps, as an advertising handle with advertising insert upon request.



Wanzl Starbox coin deposit system with built-in end cap, operated with a coin slot.



Wanzl-Box Classic coin deposit system, built into handle protection cap, operated with a coin slide.



Wanzl-Box Classic R coin deposit system, fitted on the handle, operated with a coin



Handle tube with comfort handle, available as an advertising handle with advertising insert upon request. Basket volume from 101 litres.



Wanzl Starbox coin deposit system with built-in comfort handles, operated with a coin







Promobox Plus handle system with coin deposit system and large advertising space for interchangeable adverts with

advertising inserts.

Promobox Plus handle system with large advertising space but without coin deposit system.

Magnifying glass, scanner and cup holder, note clipboard for Promobox Plus handle system and fitting tool for advertising inserts – Service for your customers.

Equipment for shopping trolleys



Child seat with plastic seat, standard in Wanzl shopping trolleys.



Child seat/goods shelf with two-piece plastic seat, top section can be folded up.



Safety belt for child seats, adjustable, with quick lock buckle.





Wire/plastic tray for small items. Wire tray with 10 x 10 mm mesh size



Cross divider for protecting sensitive goods during transport.



Cut flowers holder made of plastic, RAL 6024 Traffic Green.



Clothes rack for crease free transportation of fabrics. Made of robust steel wire.



01.03 - 01.05 Accessories for EL, ELX and Light series

Equipment for shopping trolleys



Protection for trolleys and equipment: Basket corner protectors at the top and **bottom** made out of shock absorbing plastic.



C-shaped basket protection profile, plastic wrap-around protection profile prevents damage.



Combination of C-shaped basket protection profile and basket corner protectors at the top and bottom.







Magnifying glass for the handle for reading small print, with clipboard and pen holder.



A6 writing board made of stainless steel, with anti-slip board and clamping strip.





Wire cup holder to be fitted to the left hand protection cap. Retrofittable.







Bag hook at the front, plastic.

Bag hook at the rear, welded

to the trolley basket.



Embossed design of basket carrier, indestructible identification of ownership.

Wanzl castors



Original Wanzl castors wear-resistant, maintenance free, non marking.



Wanzl castors with brakes prevent the shopping trolley from rolling away.

Wanzl travelator castors









Type I travelator castors with two running discs and two braking shoes.

Type II travelator castors with contoured PU running wheel and two braking shoes.





Wanzl Softdrive castors, low noise levels thanks to built-in shock absorbers.



Deflector rings or slip castor protection look after the trolley and equipment.



Type III travelator castors with two running discs and internal braking shoe.



Type IV castors with PU running wheel and pick-up wheel for locking the wheels.




01.06 DRC series

Classic design for stores with well stocked drinks departments

- > Basket and raised wire chassis, with bottom tray as standard
- > Narrow meshed baskets, volume from 75 to 185 litres
- > Original Wanzl castors with 100 or 125 mm diameters











01.06 DRC series

■ The **shopping trolleys in the DRC series**, which are essential for stores with their own drinks department, are true transportation miracles. The chassis has space for up to 2 drinks crates while the trolley basket has plenty of room for a big grocery shop.



1 PROMO BOX® PLUS (OPTIONAL)

Ergonomic trolley handle with large advertising space, clipboard and coin deposit system for tidy trolley storage. Pat. pend. / design pend.

TROLLEY BASKET

Narrow meshed, cone shaped wire basket with double wire at the end. C-shaped basket protection profile

SEAT/GOODS SHELF (OPTIONAL)

Plastic elements for noise reduction.
Easy closing sides for plastic seat,
can be folded for separate goods
compartment.

BASKET CARRIER

Made from plate steel with locking tab. Enables damaged baskets to be replaced quickly.

5 WANZL SWIVEL CASTORS

Quiet and smooth running, ball bearing system with rubber tread, with slip castor protection (optional).

6 BUMPER RAIL (OPTIONAL) Made from plastic, ideal protection for heel area.

Standard design

Chassis and narrow meshed basket made of steel wire, fitted with child seat, round tube handle and plastic handle protection caps as standard. Child seat with stable plastic seat.

Finish: High-gloss, galvanised, chrome-plated with baked on plastic paint protection or with coloured Power Coating Plus plastic powder coating.

Castors: Original Wanzl castors, wear resistant, maintenance free, with plastic deflector rings. Hidden castor fixtures to prevent theft.

For drinks sales

The large amount of space between the standard lower tray and the bottom of the basket enables customers to transport tall drinks crates (e.g. 1-litre bottles of Coca Cola).



Secure castor fixtures

The castor wheels are screwed onto the chassis from below **using hidden screws** and special purpose tools.





01.06 Order sheet for DRC series

DRC series – Model	DR22	D 75 RC	D90RC	D101RC
	Harlequin			
Type	Order no.	Order no.	Order no.	Order no.
Standard shopping trolley	02.03908.51/61-0000*	02.06921.51/61-0000*	02.06933.51/61-0000*	02.06951.51/61-0000*
Standard shopping trolley: harlequin	02.41761.73-0000	-	-	-
Travelator shopping trolley	-	On request	On request	On request
Dimensions				
Length L x width W x height H (mm)	549 x 384 x 669	795 x 513 x 1024	802 x 513 x 1080	895 x 568 x 1075
Basket volume (litres)	22	74	86	100
Load capacity (kg)	22	74	86	100
Load capacity of bottom tray (kg)	-	50	50	50.0
Capacity of bottom tray	-			
4 swivel castors, castor diameter (mm)	50	100	100	125
Nesting depth per trolley (mm)	130	120	120	202
Space required for 10 trolleys (mm)	1720	1880	1890	2720
Space required for 50 trolleys (mm)	6920	6680	6690	10800
Trolley shelter capacity** (units)	175	108	108	63

^{*} Sample orders:
02.03908.51-0000 High gloss, galvanised, chrome-plated with plastic paint protection
02.03908.61-0000 Power Coating plastic powder coating, colours on request
** 3-row trolley shelter, 5 m long

Bottom tray for holding **one** drinks crate containing twelve 1-litre bottles (e.g. Coca Cola)

Bottom tray for holding **two** drinks crates containing twelve 1-litre bottles (e.g. Coca Cola)

Drinks crates containing 1.5-litre bottles can be transported. Number depends on the size of the drinks crates.



D120RC	D130RC	D150RC	D155RC	D185RC
Order no.				
02.06961.51/61-0000*	02.06970.51/61-0000*	02.07580.51/61-0000*	02.52385.51/61-0000*	02.52386.51/61-0000*
-	-	-	-	-
On request				
993 x 592 x 1064	983 x 592 x 1097	990 x 592 x 1155	1042 x 598 x 1037	1060 x 598 x 1101
122	132	155	143	179
122	132	155	143	179
50.0	50.0	50.0	50.0	50.0
125	125	125	125	125
202	202	202	235	235
2820	2800	2810	3160	3180
10900	10880	10890	12560	12580
60	60	60	51	51

Note: The dimensions may vary slightly for shopping trolleys for travelators. The total weight for a loaded shopping trolley on a travelator is max. 160 kg. Shopping trolleys for travelators are available on request as they are adapted for the travelator in question.



01.06 Accessories for DRC series

Handle solutions and coin deposit systems



Handle tube with protective caps, as an advertising handle with advertising insert upon request.



Wanzl Starbox coin deposit system with built-in end cap, operated with a coin slot.



Wanzl Box Classic coin deposit system, built into handle protection cap, operated with a coin slide.



Wanzl Box Classic R coin deposit system, fitted on the handle, operated with a coin slide.



Handle tube with comfort handle, available as an advertising handle with advertising insert upon request. Basket volume from 101 litres.



Wanzl Starbox coin deposit system with built-in comfort handles, operated with a coin slot.









Promobox Plus handle system with coin deposit system and large advertising space for interchangeable adverts with advertising inserts.

Promobox Plus handle system with large advertising space but without coin deposit system.

Magnifying glass, scanner and cup holder, note clipboard for Promobox Plus handle system and fitting tool for advertising inserts – Service for your customers.

Equipment for shopping trolleys



Child seat with plastic seat, standard in Wanzl shopping trolleys.



Child seat/goods shelf with two piece plastic seat, top section can be folded up.



Safety belt for child seats, adjustable, with quick-lock buckle.



Flagpole, with optional **pushing handle**, for DR22. Unprinted flag, print on request.





Wire/plastic tray for small items. Wire tray with 10 x 10 mm mesh size



Cross divider for protecting sensitive goods during transport



Cut flowers holder made of plastic, RAL 6024 Traffic Green.



Clothes rack for crease free transportation of fabrics. Made of robust steel wire.



01.06 Accessories for DRC series

Equipment for shopping trolleys



Protection for trolleys and equipment: Basket corner protectors at the top and **bottom** made out of shock absorbing plastic.



C-shaped basket protection profile, plastic wrap-around protection profile prevents damage.



Combination of C-shaped basket protection profile and basket corner protectors at the top and bottom.



to prevent damage to the

trolley's coloured finish.

Bumper rail to protect against injuries in the heel area and







Magnifying glass for the handle for reading small print, with clipboard and pen holder.



A6 writing board made of stainless steel, with anti slip







board and clamping strip.

Wire cup holder to be fitted to the left hand protection cap. Retrofittable.



the trolley basket.



Poster frame made from robust plastic. Advert on the front of the basket, for 252 x 195 mm posters

Bag hook at the front, plastic.

Bag hook at the rear, welded to



Embossed design of basket carrier, indestructible identification of ownership.

Wanzl castors



Original Wanzl castors wear resistant, maintenance free, non-marking: Wanzl exclusive.



Wanzl castors with brakes prevent the shopping trolley from rolling away.

Wanzl travelator castors









Type I travelator castors with two running discs and two braking shoes.

Type II travelator castors with contoured PU running wheel and two braking shoes.





Wanzl Softdrive castors, low noise levels thanks to built-in shock absorbers.



ley and equipment.

Deflector rings or slip castor protection look after the trol-



Type III travelator castors with two running discs and internal braking shoe.



Type IV castors with PU running wheel and pick-up wheel for locking the wheels.



01.07 Tango® series

Attractive shopping trolley series with honeycomb structure for the basket

- > Extra light shopping trolleys with an innovative design
- > Narrow meshed plastic baskets with a honeycomb design, volumes from 22 to 240 litres
- > Original Wanzl castors with 125 mm diameter



















Wanzl castor with rubber tread

Type III Wanzl travelator castor





Tangolino

Colourful fun at the shops for kids

^{*} Tangolino with standard castors, 50 mm diameter ** Not Tango 90



01.07 Tango® series Pat. pend.

■ The **shopping trolleys in the Tango® series** are an attractive feature in any store – with appealing basket colours and varied colour combinations. A standard Promobox with large advertising space for interchangeable adverts and various chassis options for a wide range of goods are also available. Particularly easy to push and manoeuvre, they guarantee shopping enjoyment at its best.



PROMOBOX PLUS

Ergonomic handle unit with built in coin deposit system, large advertising space and clipboard or **ROUND TUBE HANDLE** (optional), with Wanzl Starbox on request.

CHILD SEAT/GOODS SHELF

Use as either a comfortably shaped child seat or fold down to form a handy goods shelf for breakables and delicate items.

E DEFLECTOR PROFILE AND HANDLE

Practical and moulded to the hand, making it easier to pull the trolley.

4 CRATE HOLDER (OPTIONAL)

Added turnover with just a touch. Ergonomic handling. Safely transports drinks packs or drinks crates. Automatically folds up when the shopping trolleys are nested.

6 BOTTOM TRAY (OPTIONAL)

Tilted base with wire stopper to prevent containers and drinks crates from sliding

3 SLIP (OPTIONAL)

The cover for the castor fork makes the shopping trolley more attractive.

Standard design

Chassis made of robust flat oval pipe. Narrow meshed plastic basket with a honeycomb structure, with child seat/goods shelf, Promobox Plus and plastic protection caps. Extra quiet running

Finish: Chassis with high gloss, galvanised, chrome-plating

with baked on plastic paint protection or with coloured Power Coating Plus plastic powder coating. For standard colours and colour combinations for plastic parts, see the Tango order section.

Castors: Original Wanzl castors, wear resistant, maintenance free, with plastic deflector rings. Hidden castor fixtures to prevent theft.

Flexible chassis

Oval tube chassis

- Without storage option
- With crate holder or bottom tray
- With crate holder and bottom tray



TANGO CITY/CITY A TANGO 90F/90FA With or without crate holder



TANGO 160/220/240 E Without trav



TANGO 160/220/240 P With crate holder (optional) With crate holder



TANGO 160 RC and bottom trav



01.08 Tango® City and Tango® 90 E

Mini trolley with comfortable plastic design

- > A second trolley for smaller purchases
- > Narrow meshed baskets, volume of 77 or 90 litres
- > Tray on the chassis, on request





Tango City

Can be nested to save space





01.08 Tango® City and Tango® 90 E

■ The compact and practical Tango City and Tango 90 E trolleys are ideal for a quick trip to the shops or when you are in a rush. With their convenient equipment, they live up to their bigger brother in every regard. Stores that offer these trolleys as an alternative will find that their customers carefully select the trolley that best fits their needs.

Second trolley

The ideal addition to your shopping trolley shelters. A welcome service for personalised shopping habits.



On trend

These trolleys are a stylish choice for smaller purchases, e.g. in city centre stores.



Comfort

The extra legroom and weight savings provided by the **plastic basket** are extra comfortable features for the customers.



Child friendly

Tango City is equipped with a child seat/goods shelf as standard.

Tango 90 E can be equipped with a wire child seat/goods shelf on request.



Additional benefits

Thanks to the trays on the chassis, the **Tango City A** and **Tango 90 EA** can be used to transport packs or crates of bottles.





Standard design

order section.

Chassis made of robust flat oval pipe. Narrow meshed plastic basket with delicate honeycomb structure. Comprehensive noise reduction for quiet running. **Finish:** High gloss galvanised, chrome-plated chassis with baked on plastic paint protection. For standard colours and colour combinations for plastic parts, see the Tango

Castors: Original Wanzl castors, wear resistant, maintenance free, with plastic deflector rings. Hidden castor fixtures to prevent theft.





01.07 - 01.08 Order section for the Tango®

Tango seri	ies – Model	Tangolino	Tango City	Tango City A	Tango 90 E	Tango 90 EA
			9 9 90	0 0 00	0 0 00	0 0 00
Design		Order no.				
Standard shopping	g trolley with child seat	-	02.54015.95-0000*	02.54015.95-0000*	-	-
Standard shopping	trolley with standard basket flap	02.39551.95-0000*	-	-	02.17700.95-0000*	02.17600.95-0000*
Travelator shoppin	ng trolley with child seat	-	02.62377.95-0000*	02.62377.95-0000*	-	-
Travelator shopping	g trolley with standard basket flap	-	-	-	02.35031.95-0000*	02.35709.95-0000*
Dimension	ıs					
Length L x width V	W x height H (mm)	572 x 380 x 711	922 x 530 x 1007	922 x 530 x 1007	997 x 594 x 1009	997 x 594 x 1009
Basket volume (liti	res)	22	77	77	90	90
Load capacity (kg)		22	77	77	90	90
Load capacity	of tray or bottom tray (kg)	-	-	9	-	20
Load capacity	of crate holder (kg)	-	-	-	-	-
Poster holder (for posters: W x H mm)		-	-	-	-	-
4 swivel castors, o	castor diameter (mm)	50	125	125	125	125
7777	Nesting depth per trolley (mm)	190	220	220	240	240
55558	Space required for 10 trolleys (mm)	2290	2902	2902	3160	3160
l← → (Space required for 50 trolleys (mm)	9890	11702	11702	12760	12760
Trolley shelter capacity** (units)		72	57	57	51	51

Standard colours						
Tangolino		Tango City		Tango 90, 160, 220 and	Tango 90, 160, 220 and 240	
Basket	Basket flap	Basket	Promobox Plus Handle caps Child seat/goods shelf Divider Small item tray Deflector profile Front bag hook	Basket	Promobox Plus Handle caps Child seat/goods shelf Divider Small item tray Deflector profile Front bag hook	
Flame Red RAL 3000	Flame Red RAL 3000	Slate Grey RAL 7015	Blue	Flame Red RAL 3000	Flame Red RAL 3000	
Ultramarine Blue RAL 5002	Ultramarine Blue RAL 5002		Green	Ultramarine Blue RAL 5002	Ultramarine Blue RAL 5002	
Melon Yellow RAL 1028 Melon Yellow RAL 1028			Magenta	Slate Grey RAL 7015	Slate Grey RAL 7015	
			Orange			



 Tango 160 E	Tango 160 P	Tango 160 RC	Tango 220 E	Tango 220P	Tango 240 E	Tango 240P
0 0 00	9 2 50	9 30	0 0 00		0 0 00	0 00
Order no.						
02.24296.95-0000*	02.17628.95-0000*	02.05764.95-0000*	02.19324.95-0000*	02.19211.95-0000*	02.58083.95-0000*	02.58090.95-0000*
-	-	-	-	-	-	-
02.24522.95-0000*	02.17631.95-0000*	02.03617.95-0000*	02.20793.95-0000*	02.20680.95-0000*	02.59364.95-0000*	02.59682.95-0000*
-	-	-	-	-	-	-
1060 x 595 x 1022	1102 x 595 x 1022	1078 x 595 x 1133	1136 x 595 x 1078	1136 x 595 x 1078	1266 x 595 x 1080	1266 x 595 x 1080
160	160	160	220	220	240	240
160	160	160	220	220	240	240
-	50	50	-	50	-	50
-	20	20	-	20	-	20
297 x 210 (A4)						
125	125	125	125	125	125	125
285	285	285	295	295	295	295
3630	3670	3650	3795	3795	3921	3921
15030	15070	15050	15595	15595	15721	15721
 42	42	42	42	42	39	39

RAL 7015 Slate Grey is the standard colour for:

Bottom part of the child seat/goods shelf Rear bag hook Scanner holder, cup holder and mechanism bracket for Promobox Plus

RAL 7016 Anthracite Grey is the standard colour for: Deflector rings Bottom tray fixtures

- Please specify the required finish for the chassis and the standard block colour/colour combination for the basket.
 **3-row trolley shelter, 5 m long

Note: The dimensions may vary slightly for shopping trolleys for travelators. The total weight for a loaded shopping trolley on a travelator is max. 160 kg. Shopping trolleys for travelators are available on request as they are adapted for the travelator in question. The load capacity of crate holders may vary for Tango travelator trolleys.



01.07 - 01.08 Accessories for Tango®

Handle solutions and coin deposit systems



Promobox Plus handle system with coin deposit system and large advertising space for interchangeable adverts.



Promobox Plus handle system with large advertising space but without coin deposit system.









Magnifying glass, cup and scanner holder, note clipboard for Promobox Plus handle system and fitting tool for advertising inserts – Service for your customers.



Handle tube with protective caps, as an advertising handle with advertising insert upon request.



Wanzl Starbox coin deposit system with built-in end cap, operated with a coin slot.

Equipment for shopping trolleys



Pat. pen

Child seat/goods shelf with two piece plastic seat, top section can be folded up.



Pat. pend. **Plastic tray** for small items.

Only for Tango 90 to 220.

Child safety seat/goods shelf

with plastic seat. Only for

Tango 90 E and 90 EA.

Cross divider for protecting sensitive goods during transport.



Safety belt for child seats, adjustable, with quick lock buckle.



Clothes rack for knob for crease free transportation of fabrics. Made out of stable steel pipe. On request.



01.07 - 01.08 Accessories for Tango®

Equipment for shopping trolleys











LOGO

Plastic bag hook on the front of the basket, **at** the back on the basket flap.

Poster pocket made from transparent plastic. Advert on the front of the basket, for easily interchangeable posters.

Property label on the basket, with permanent stamp on request.

Flagpole, with optional pushing handle, for Tangolino. Unprinted flag, print on request.



Crate holder for P models made from stable steel wire with plastic handle.



Bottom tray for P models made from stable steel wire with anti-slip quard.





Tangolino with **closed basket front** and individual print on request.

Wanzl castors



Original Wanzl castors wear resistant, maintenance free, non-marking: Wanzl exclusive.



Wanzl castors with brakes prevent the shopping trolley from rolling away.





Wanzl travelator castors





Type I travelator castors with two running discs and two braking shoes.

Type II travelator castors with contoured PU running wheel and two braking shoes.





Wanzl Softdrive castors, low noise levels thanks to built-in shock absorbers.



Deflector rings or **slip castor protection** look after the trolley and equipment.



Type III travelator castors with two running discs and internal braking shoe.



Type IV castors with PU running wheel and pick-up wheel for locking the wheels.



01.09 City Shopper 2 series

Stylish, for stores with a chic touch

- > Elegant design for specialist city stores or shopping malls
- > Narrow meshed shopping baskets with soft rounded corners for a fresh look
- > Basket volume of 40 and 60 litres





Basket volume of 40 or 60 litres.



Can be nested to save space



with rubber tread



01.09 City Shopper 2 series

■ The stylish **City Shopper 2** – an elegant solution for exclusive products with impressive form and outstanding function. With the space-saving nesting technology, not a single centimetre is wasted, which makes the City Shopper ideal for stores in city centres.



WANZL BOX CLASSIC

OPTIONAL)

Coin deposit system to ensure orderly trolley storage. Compatible with the Wanzl Box Solid.

TROLLEY BASKET

Narrow meshed, cone shaped wire basket with round, sweeping design and double wire at the end.

BASKET FLAP WITH CHILD SEAT

Plastic elements for noise reduction. Easy-closing sides. Child safety seat with plastic seat. Safety belt, optional.

4 CHASSIS

Standard bottom tray made of round tube with large meshing to allow larger goods to be transported and to reduce the risk of theft.

G ORIGINAL WANZL CASTORS

Quiet and smooth running, wear resistant ball bearing system, maintenance free, with plastic deflector rings. Hidden castor fixtures to prevent theft.

6 SMALL ITEM BASKET (OPTIONAL) Narrow meshed wire basket, optional.

Standard design

Chassis made of sturdy round tube and steel wire. Narrow meshed basket made of steel wire, with round tube handle and plastic handle protection caps. City Shopper 2 CS 60 equipped with child seat with stable plastic seat. Comprehensive noise reduction for quiet running.

Finish: High gloss, galvanised, chrome-plated with baked on plastic paint protection or with coloured Power Coating Plus plastic powder coating.

Castors: Original Wanzl castors, wear resistant, maintenance free, with plastic deflector rings. Hidden castor fixtures to prevent theft.

Protection against theft

Optionally, the two City Shopper 2 models CS 40 and CS 60 are available without a bottom tray.



Safety belt

For the standard child seat on the City Shopper 2 CS 60. Adjustable safety belt made from tear resistant nylon fabric with quick lock buckle.





01.09 Order section for City Shopper 2 series

City Sho	pper 2 series – model	CS40	CS60
Design		Order no.	Order no.
Standard s	hopping trolley	02.30284.51/61-0000*	02.30285.51/61-0000*
Dimensi	ons		
Length L x widt	th W x height H (mm)	743 x 522 x 982	759 x 522 x 982
Basket volume	(litres)	40	60
Load capacity (kg)	40	60
Load capa	city of bottom tray (kg)	50	50
4 swivel castor	s, castor diameter (mm)	100	100
Weight (kg)		14.0	15.0
77777	Nesting depth per trolley (mm)	170	170
5555555	Space required for 10 trolleys (mm)	2280	2290
, ,	Space required for 50 trolleys (mm)	9080	9090
Trolley shelter capacity** (units)		75	75


Sample orders:
 02.30284.51-0000 High gloss, galvanised, chrome-plated with plastic paint protection
 02.30284.61-0000 Power Coating plastic powder coating, colours on request
 3-row trolley shelter, 5 m long



01.09 Accessories for City Shopper 2 series

Handle solutions and coin deposit systems







Wanzl Box Classic R coin deposit system, fitted on the handle, operated with a coin slide.

Equipment for shopping trolleys



Child seat with plastic seat, standard in CS60.



Safety belt for child seats, adjustable, with quick lock buckle.



Wire tray for small items. Mesh size 10 x 10 mm.



Small wire basket for small items. Mesh size 10 x 10 mm.



Bottom tray as standard. The City Shopper 2 is also available without a bottom tray on request – helps to prevent theft.



Bag hook at the front, plastic.

Wanzl castors



Original Wanzl castors with rubber tread, only at Wanzl.



Deflector rings protect trolleys and equipment.



02 Product overview

02.01 Wanzl castors









02.02 Wanzl travelator castors









02.03 Handle solutions, coin deposit systems, equipment



ROUND TUBE HANDLE



COIN DEPOSIT SYSTEMS



ROUND TUBE HANDLE FOR ROUND TUBE HANDLES WITH COMFORT HANDLES FOR COMFORT HANDLES



COIN DEPOSIT SYSTEM



PROMOBOX PLUS



ACCESSORIES FOR PROMOBOX PLUS

02.04 Added comfort when shopping



INFORMATION



CHILD SEATS



PROTECTION FOR TROL-LEYS AND EQUIPMENT



GOODS SHELVES




BAGS



ADVERTISING AND SAFETY



02 Equipment and accessories





02 Equipment and accessories

Unique equipment for unique stores

- > Tailored specifically to the range of goods and the store in question
- > Ingenious equipment, better handling and added protection
- > Integration into the store's CI





...For easier, more ergonomic shopping trolley handling



... With added benefits, e.g. secure transportation



... Up-to-date adverts



... For a tidier way to store shopping trolleys with less waste



02 Equipment and accessories

■ **Shopping trolleys** are the first thing a customer touches at your store. They carry your company's image.
With specialist equipment, we make shopping easier for your customers so that they keep coming back.



1 HANDLE SYSTEMS

Round tube handle with end caps
Starbox coin deposit system
Classic coin deposit system
Round tube handle with comfort handles
Starbox coin deposit system
Promobox Plus

Promobox coin deposit system Scanner holder Cup holder

READING AIDS

Swivelling magnifying glass on the round tube handle with dipboard and pen holder

3 ADVERTS ON THE HANDLERound tube handles with customised advertising strips

CHILD SEAT/GOODS SHELF Child seat or goods shelf for sensitive goods

5 SMALL ITEM BASKETS With wire baskets or plastic trays

6 DIVIDER Made from wire or plastic

BAG HOOKS

Made of plastic, inward facing

3 BASKET CORNER PROTECTORS AT THE TOP, PLASTIC PROFILES Protect the trolley fixtures and finish

Protect the trolley, fixtures and finish of plastic powder coated trolleys

POSTER FRAME

Advertising and information for your customers

IDENTIFICATION OF OWNERSHIP

Permanently embossed; shopping trolleys can be identified without labels on the handle

11 SLIP CASTOR PROTECTION

Attractive plastic protection sleeve

TRAVELATOR CASTORS

Four models to choose from.

Ideal equipment and combination
of features for maximum reliability in
multi-storey stores and ultimate safety
on a travelator.

BOTTOM TRAY

Depending on the shopping trolley: tray for drinks, crates, etc.

Added benefits

Thanks to the option to transport sensitive goods on the **child seat/goods shelf**, in the narrow meshed **small item basket** or **divider**, and the pleasant feel of the **plastic profiles** and the extra ergonomic **handle systems**, shopping has never been easier for your customers.

Added sales

Investing in your shopping trolleys and the **right equipment** pays off. Finding the right second trolley for single shoppers **is just as important as finding the ideal** equipment for your standard trolleys. Do you need trays for drinks crates, for instance?

Added service

A magnifying glass for reading small print on packaging, a clipboard for shopping lists, a coffee cup holder, etc. – lots of customers welcome features like this.



More customers

All-round appealing features help you to attract new customers. Give your customers an **appealing**, **unique shopping trolley** and you are sure to get people talking.





02.01 Wanzl castors



- > Specially designed metal forks
- > Interior and exterior wheels
- > Wear resistant treads
- > Extra quiet, even on stone surfaces



Original Wanzl castors

■ Sophisticated technology with outstanding functionality. The ideal castor wheels for heavy duty daily use – the perfect shopping trolleys for every situation.

Easy to steer with a single piece, ball bearing fork. Low roll resistance, even when the shopping trolley is fully loaded, thanks to the ball bearing plastic wheel with a rubber tread and improved Shore hardness. Long service life thanks to multiple protection mechanisms for the ball bearing.

The technology in detail:

- Single piece fork, flush fitting ball bearing with ground and hardened ball bearing tread. Quiet running, wear-resistant and long lasting, even under heavy loads.
- Abrasive sealing ring to protect the swivelling ball bearing.
- Stable plastic wheel body with form fitting injected ball bearing.
- Rubber tread.
- All ball bearings have permanent lubrication.
- Single piece wheel axle, riveted.
- Reliable thread guard discs with labyrinth seals.
- Loading capacity according to DIN / EN 12532, diameter 100 max. 75 kg, diameter 125 max. 90 kg.
- Shore hardness 80 Shore A



For smaller trolleys

Standard castors for children's shopping trolleys, basket stackers, etc. Steel fork and ball bearing wheel, rubber tread, thread protection discs, bolted axle.







Wanzl castors with brake

For shopping trolleys with special safety requirements or in stores with space restrictions.

Operation:

The brake is operated by the user's foot for securing and releasing the shopping trolley.

The technology in detail:

- Same design as original Wanzl castors.
- Equipment with foot activated brake mechanism.
- Hidden brake pad.
- Loading capacity according to DIN / EN 12532 max. 90 kg.
- Shore hardness 80 Shore A

Wanzl Softdrive castors

■ Reduces noise level to a minimum in the store and in the car park. Secure transportation of goods, even on unfavourable terrains.

Operation:

An integrated, elastic moulded part absorbs vibrations on uneven terrain.

The technology in detail:

- Same design as original Wanzl castors.
- Equipped with intelligent reduction mechanism and reliable reduction element.
- Loading capacity according to DIN / EN 12532 max. 90 kg.
- Shore hardness 80 Shore A
- Considerable reduction of noise emissions



Taking care

Deflector rings for castor forks look after the trolley and equipment. Made from shock absorbing plastic; standard colour is RAL 7016 Anthracite Grey, other colours available on request.



Protection and appealing design

Slip castor protection for castors (castor diameter 125 mm) protect the trolley and equipment. Made of plastic, standard colour is RAL 7016 Anthracite Grey.

Design pend.




02.02 Wanzl travelator castors





■ Innovative technology with outstanding functionality. The ideal conditions for seamless use in multi-storey stores.



Operation:

When a trolley is used on a travelator, the two running discs slot into the grooves on the travelator surface. The shopping trolley then stands safely on the side braking shoes.

The technology in detail:


- Single piece fork, ball bearing with ground and hardened ball bearing tread and permanent lubrication. Quiet running, wear-resistant and long lasting, even under heavy loads.
- 2 running discs, separate bearing differential effect. Secure locking on the travelator, excellent steering.
- Polyamide wheel, stable for high loads.
- Polyurethane tread, soft for very little
- 2 outer braking shoes for ideal hold on the travelator. The shape of the braking shoe is designed to repel dirt and absorb shocks.
- Loading capacity according to DIN / EN 12532 max. 60 kg.



Diameter 125 mm

Type II travelator castors

Universal use for multistorey shops. Extra reliable and ideal for heavy duty day-to-day use as a push castor, at the back of the shopping trolley.



Operation:

When travelling on a travelator, the running wheel fits into the travelator groove with three bridges. The shopping trolley then stands safely on the side braking shoes.

The technology in detail:


- Single piece fork, ball bearing with ground and hardened ball bearing tread and permanent lubrication. Quiet running, wear-resistant and long lasting, even under heavy loads.
- Running wheel with three bridges, ball bearings. The cleaning comb keeps the grooves in the running wheel clean to make sure it fits reliably into the travelator groove.
- Polyamide wheel, stable for high loads.
- 2 outer braking shoes for ideal hold on the travelator. The shape of the braking shoe is designed to repel dirt and
- Loading capacity according to DIN / EN 12532 max. 90 kg.





Type III travelator castors

■ Tried and tested travelator castor for a variety of applications with ideal running and steering properties. Perfectly adapted to the travelator's track width.



Operation:

When a trolley is used on a travelator, the two running discs slot into the grooves on the travelator surface. The shopping trolley then stands safely on the intermediate piece with brake pad.

The technology in detail:

- Single piece fork, ball bearing with ground and hardened ball bearing tread and permanent lubrication. Quiet running, wear-resistant and long lasting, even under heavy loads.
- 2 running discs, separate bearing differential effect. Secure locking on the travelator, excellent steering.
- Track width 25.5 or 27.0 mm.
- Polyamide wheel, stable for high loads.
- Polyurethane tread, soft for very little
- Intermediate piece with built-in brake nad.
- Axle with square profile, bolted.
- Loading capacity according to DIN / EN 12532 max. 60 kg.


Wanzl recommends maintenance contracts

Shopping trolleys used on travelators have to withstand very tough conditions. Regular testing of trolleys must therefore be carried out according to the standard DIN EN NORM 1929. Daily visual inspections by the operator and professional maintenance carried out at least every six months are important aspects in the documentation for your insurance cover. Why not entrust Wanzl with this



Type IV travelator castors

■ The heavy duty castor for demanding environments. Thanks to its high load capacity, this travelator castor is ideally suited to large shopping trolleys.



Operation:

When the trolley moves onto the travelator, the pick-up wheel drops into a groove on the travelator. At the same time, the running wheel is locked.

The technology in detail:

- Single piece fork, ball bearing with ground and hardened ball bearing tread and permanent lubrication. Quiet running, wear-resistant and long lasting, even under heavy loads.
- Plastic running wheel with flush, injected ball bearing, polyurethane tread.
- Polyamide pick-up wheel with polyure-
- Reliable locking mechanism the running wheel brakes when the pick-up wheel locks into the travelator groove
- Axle with square profile, bolted.
- Track neutral, suitable for all conventional travelators.
- Loading capacity according to DIN / EN 12532 max. 160 kg.
- Good lifting properties on the front of the shopping trolley



02.03 Handle solutions, coin deposit systems, equipment





Design pend.

Round tube handle with end caps

Handle made of a steel tube with coloured plastic sleeve. Plastic end caps in RAL 7016 Anthracite Grey, other colours on request. For secure handling of the shopping trolley.

Available as an advertising handle with an advertising insert on request.

Round tube handle with comfort handles

Handle made of a steel tube with coloured plastic sleeve. Ergonomic plastic comfort handle for a fatigue-free grip and easy manoeuvring. For shopping trolleys with a basket volume of 101 litres or more. Available as an advertising handle with an advertising insert on request.



Compact coin deposit sys-

tem made of impact resist-

ant plastic with built-in end

cap. Easy to use with coin

slot. Chain with stainless

Wanzl Starbox®

steel key.

Pat. pend.



Wanzl Box Classic

A **coin deposit system** integrated into the end cap, made of impact-resistant and break proof plastic. Operated with a tried and tested coin slide. Chain with stainless steel key.



Wanzl Starbox®

Built into comfort handles.

Successful combination of ergonomic handle system and cutting edge coin deposit system. Easy to use with coin slot. Chain with stainless steel key.




Wanzl Box Classic R

The same as above, but universal and can be placed anywhere on the **round tube handle** or with an adapter.

Quality right down to the finest detail

Handle made of plastic coated steel pipe. Plastic sleeve made of anti-bacterial plastic. Advertising insert in screen or digital print based on your requirements.

End caps and coin deposit systems in attractive colours and colour combinations:







Pat. pend. / Design pend.

Promobox® Plus

Promobox Plus handle system with large advertising space for interchangeable adverts under a transparent cover. Attractive shopping trolley handle in appealing, trapeze-shaped design, ergonomic shape for ultimate user comfort.



The ideal fit

Promobox Plus S-Grip:

Width (a/a) 500 mm Advertising insert 202.5 x 67 mm.

Promobox Plus:

Width (a/a) 575 mm Width (a/a) 600 mm Width (a/a) 650 mm

Advertising insert 296.5 x 67 mm.

Promobox Plus L-Grip:

Width (a/a) 650 mm Advertising insert 296.5 x 67 mm.

Promobox Plus Tangolino: Advertising insert 116.5 x 67 mm.



Without coin deposit system

This option is also available if necessary. In this case, an almost invisible insert is built into the Promobox Plus handle system.



Reading aid

Magnifying glass for the Promobox Plus handle system adds a significant benefit for your customers.



Housing made of impact resistant, break proof plastic, weather resistant from -20°C to +50°C. With insert for holding a coin deposit system and compartment for RFID transponder. High gloss polished plastic cover for impressive advertising insert, with built-in clipboard for the customer's shopping list.



Colours

Pure Orange	RAL 2004	
Flame Red	RAL 3000	
Ultramarine Blue	RAL 5002	
Traffic Green	RAL 6024	
Anthracite Grey	RAL 7016	



To go

Cup holder for Promobox
Plus handle system. Customers enjoy sipping on a tea or coffee while they make their way round the shop – a feature for added sales.



Optimised

Scanner holder for Promobox Plus handle system. For information while shopping and for a streamlined process at the checkout.



Interchangeable adverts

Advertising insert for the Promobox Plus handle system in screen or digital print on PE film, based on your requirements. Advertising insert can be replaced without uncoupling the trolley.



Always the right choice

A coded Promobox Plus makes sure that shopping trolleys, second trolleys and customised trolleys are always connected to the right rows.



02.04 Added comfort when shopping







Information

Magnifying glass on the handle for reading small print, with clipboard and pen holder. For anyone prone to leaving their glasses in the car.

A6 writing board made of stainless steel, with anti-slip board and clamping strip. Can hold your customers' shopping lists, up to A6 in size.

Practical **clipboard for the Promobox Plus**, made from
spring steel, with plastic powder
coating.









Child seats

Child seat with plastic seat, standard in Wanzl shopping trolleys.

Basket flaps with **twin child seats** with plastic seats are available for shopping trolleys with a 212 litre basket volume.

Child safety seat/goods shelf with two piece plastic seat. When the top is folded up, the child seat can be used as a goods shelf, e.g. for sensitive goods.

Safety belt for child seats, adjustable. Made from tear resistant nylon fabric with quick lock buckle.







Protection for trolleys and equipment

Basket corner protectors at the top made of shock absorbing plastic in standard colour. Basket corner protectors at the bottom made of shock absorbing plastic. C-shaped basket protection profile, plastic wrap-around protection profile in standard colours. Prevents damage to the trolley basket and equipment. Combination of C-shaped basket protection profile and top basket corner protectors.

















Goods shelves

Plastic tray made of breakproof plastic, available in standard colours. **Wire tray** with 10 x 10 mm mesh size. For the secure transportation of small items. Wire basket for small items with narrow meshed basket for the secure transportation of sensitive goods.

Cross divider for protecting sensitive goods during transport.

Cross dividers made of wire

Cross dividers made of wire are available on request with poster frames.

Cut flowers holder to be fitted inside the trolley basket. Made of stable plastic, RAL 6024 Traffic Green.













Goods shelves

Fabric/ clothes rack for crease free transportation of fabrics. Made from stable steel wire/ tube, can be screwed onto the right hand side of the shopping trolley basket. Wire cup holder to be fitted to the left hand protection cap. Made from stable steel wire with high gloss, galvanised chrome plating. Retrofitting possible.

Holder for customers' bags

Bag hook at the front, plastic. The inward facing hook helps to protect against theft.

Bag hook at the rear, welded to the trolley basket.

Front bag hook made of plastic, RAL 7035 Light Grey. Wide contact surface. Rear bag hook made of plastic, RAL 7015 Slate Grey.











Advertising and safety

Poster frame for adverts on the front of the basket. Poster frame in standard colours and 1 set of poster frame holders, transparent, made of stable plastic. **Poster pocket** made of hard PVC, transparent.

Flagpole for DR22, unprinted flag.

Flagpole with pushing handle for DR22 or Tangolino, unprinted flag.

Flag print on request.

An embossed design on the basket carrier acts as indestructible identification of ownership. Shopping trolleys can always be identified outside of the store.



03 Product overview

03.01 - 03.06 Shopping with children













⁰¹ TREND BABY SEAT

 02 babysafe car seat holder 3 fun mobil

03.07 - 03.09 Shopping for people with disabilities







 $^{
m 07}$ BEN'S CART

OB SHOPPING TROLLEYS FOR WHEELCHAIR USERS

⁰⁹ **SEDO**

03.10 Shopping trolleys for conveyor systems



10 ELT SERIES FOR VERMAPORT® SC SHOPPING TROLLEY CONVEYOR SYSTEM

03.11 Shopping trolleys for customised applications



11 SCANDY S



03 Customised shopping trolleys





03.01 Trend baby seat

Service with an added smile for little ones

- > Stylish and perfectly comfortable for the baby
- > Two component construction consisting of a hard shell and soft cushioning
- > Safety first: available only fully assembled on shopping trolleys!*







Twice as good

Twins love to stay together. And they can thanks to the twin baby seats in the large Wanzl shopping trolley with a 212 litre basket.



Secure solution

The **baby** is strapped into the fixed and comfortable baby seat. The toddler sits safely in the child safety seat.



^{*} The Trend baby seat cannot be retrofitted for safety reasons.



03.01 Trend baby seat

■ **Safety first** – The Trend baby seat is always secured on the shopping trolley upon delivery. Please remember this when ordering your trolleys.

Hygienic

The **plastic padding** is robust and easy to clean thanks to the microstructure of its surface.



Handling

Safety icons show your customers the correct way to handle and use the seat.



Three point belt

Safety is provided by the robust black three point belt with a plastic quick lock buckle.



Information panel

To be secured to a wall With important notes on how to safely use the Trend baby seat and its three point safety point. Format 600 x 1000 mm, polystyrene, white.



Brake castor

Fitted as standard to the rear of all shopping trolleys with a Trend baby seat.



COLOURED PADDING

Flame Red RAL 300




Tidy storage

Example:

Trolley parks with Wanzl Classic coin deposit system. See Classic trolley parks



Standard equipment: Rigid plastic seat with soft, UV resistant padding. Washable material. Heavy duty black three point belt with plastic quick lock buckle. Safety notes on the baby seat. Fastening parts: high gloss galvanised and chrome-plated.



Further information on this Wanzl shopping trolley model is available on request.



03.02 BabySafe car seat holder

Added service for shoppers with babies in car seats

- > Especially comfortable for the baby as it can stay in its own car seat
- > Fits virtually all infant car seat models available on the market
- > Safety first: available only fully assembled on shopping trolleys!*





Information sign on shopping trolleys with a BabySafe holder

See planning data/ overview of dimensions

Hygienic solution

The **baby** stays safely in its favourite car seat throughout the entire shopping trip.



^{*} The BabySafe car seat holder cannot be retrofitted for safety reasons.



03.02 BabySafe car seat holder

■ Safety first – The BabySafe car seat holder is always secured on the shopping trolley upon delivery. Please remember this when ordering your trolleys.

Safety belt

Suitable for the majority of car seat systems available on the market. Fixes the baby seat safely to the holder.



Handling

Safety icons to show your customers the correct way to handle and use the seat.



Simple operation

The quick lock buckle on the heavy duty belt opens and closes quickly.



Information panel

To be secured to a wall With important notes on how to safely use the BabySafe car seat holder and the customised belt with a quick lock buckle. Format 600 x 1000 mm, polystyrene, white. Also available for shopping trolleys for use on travelators.



Brake castor

Fitted as standard to the rear of all shopping trolleys with a BabySafe car seat holder.




Storage

Tidy storage Example: Trolley parks with Wanzl Classic coin deposit system. See Classic trolley parks



Standard equipment: Wire tray, can be nested. High gloss galvanised, chrome-plated finish with baked on plastic paint protection. Heavy duty belt with plastic quick lock buckle for safe fixing of the infant car seat. Safety instructions on the tray.



Further information on this Wanzl shopping trolley model is available on request.



03.03 Fun Mobil

Driving and shopping pleasure for all ages

- > Attractive, robust plastic chassis
- > A family friendly option that delivers higher revenue



Design pend.

Colours

The plastic car comes in two colours as standard. Other colour combinations on request.



Design

Child seat/goods shelf: A comfortable child safety seat or practical goods

shelf: Simply fold up the seat.





03.03 Fun Mobil

■ With the two Fun Mobil models, fun is guaranteed even when you have got to take your little ones to the shops. This family friendly option increases customer loyalty and attracts new customers because kids love to go wherever there is a car.

Excellent safety

Standard – The seat belt for little kids for their trip to the shops.



Easy to drive

The fifth wheel – A smart detail for quality directional stability and easy manoeuvring.



Safe parking

A **brake castor** for safe parking. A second brake castor (optional) increases safety on uneven terrain.



Individual

Printed advertising spaces based on your templates. Printed area: number plate 210 x 73 mm, flag on both sides, approx. 165 x 110 mm.





Standard design

Plastic body with chassis of oval tubing. Wire basket with child safety seat. Safety belt in the car, built-in protection for the head and legs. Plastic end caps. **Finish:** Chassis and shopping basket have a plastic powder coating. **Castors:** 4 original Wanzl swivel castors, 125 mm diameter, incl. one castor with brake, 5th wheel, diameter 100 mm, rubber tread.

Standard colours

Plastic car				
Ultramarine Blue	RAL 5002			
Melon Yellow	RAL 1028			
Chassis and shopping basket				
	OPP9 000.00			
Flame Red	RAL 3000			

Fun Mobil	80	130
C C B - B - C		
	Order no.	Order no.
Plastic powder coating	05.31753.95-0000	05.31188.95-0000
A x B x C, length x width x height (mm)	1456 x 595 x 1002	1656 x 595 x 1002
Basket volume (litres) / load capacity (kg)	80/80	130/130
Castor diameter / 5th wheel diameter (mm)	125/100	125/100
Accessories		
Advertising handle	01.41358.00-0000	01.28024.00-0000
Wanzl-Box Classic coin deposit system	01.70580.00-0000	01.70580.00-0000
Adapter for Wanzl-Box Classic	00.13080.07-0000	00.13080.07-0000
Wanzl Promobox Plus coin deposit system	01.61100.00-0000	01.61100.00-0000
Adapter for Wanzl Promobox Plus	00.88348.07-0000	00.88349.07-0000
Child seat/goods shelf	00.95152.75-0000	00.95152.75-0000
Child seat safety belt	01.64957.00-9005	01.64957.00-9005
Bag hook	01.17516.07-0000	01.17516.07-0000
Flagpole, neutral flag	01.52884.75-0000	01.52884.75-0000
Basket corner protectors, top	01.39890.07-0000	01.39890.07-0000
Bottom tray	-	01.39776.75-0000
2nd brake castor	On request	On request
Wanzl travelator castors set	On request	On request



03.04 Fun Mobil Compact

A fun shopping experience, even when space is tight

- > Attractive, robust plastic chassis
- > A family friendly option that delivers higher revenue
- > Large shopping volume, low storage requirements



Colours

The plastic car comes in two colours as standard. Other colour combinations on request.



Safety

The built-in **bumper rail** on the top of the basket protects against head injuries when getting in and out.





03.04 Fun Mobil Compact

■ With the **Fun Mobil Compact** model, fun is guaranteed even when you have got to take your little ones to the shops. This family friendly option has a total basket volume of 140 litres spread over three separate areas, making sure all items are transported carefully.

Excellent safety

Standard – The seat belt for little kids for their trip to the shops.



Easy to drive

The fifth wheel – A smart detail for top directional stability and easy manoeuvring.



Safe parking

A **brake castor** for safe parking. A second brake castor (optional) increases safety on uneven terrain.



Individual

Available with two advertising spaces based on your templates **upon request**. Printable areas: 210 x 73 mm.





Standard design

Plastic body with oval tube chassis. Wire shopping baskets. Safety belt in the car, built-in protection for the head and legs. Plastic end caps.

Finish: Chassis and baskets are high gloss galvanised and chrome-plated with baked on plastic paint protection.

Castors: 4 original Wanzl swivel castors, 125 mm diameter, incl. one castor with brake, 5th wheel, diameter 100 mm, rubber tread.

Standard colours

Plastic car				
Melon Yellow	RAL 1028			
Ultramarine Blue	RAL 5002			
Chassis and sho	opping basket	t		
High gloss, galvanised, chrome-plated				

Fun Mobil Compact 140 Order no. High gloss, galvanised, chrome-plated and painted 05.34918.95-0000 A x B x C, length x width x height (mm) 1301 x 640 x 1097 Basket volume (litres) / load capacity (kg) 40+40+60/140 125/100 Castor diameter / 5th wheel diameter (mm) Advertising handle 01.28024.00-0000 On request Wanzl Box Classic R coin deposit system Flagpole, neutral flag On request Plastic profile with advertising space On request 2nd brake castor On request Wanzl travelator castors set On request



03.05 Fun Cabrio

Strong customer loyalty

- > Attractive, robust plastic chassis
- > Stress-free shopping trips for adults and children alike
- > Can be nested to save space



Can be nested to save space

Nesting depth

Fun Cabrio 80/130: 855 mm.



Design

Child seat/goods shelf:

A comfortable child safety seat or practical goods shelf: Simply fold up the seat.





03.05 Fun Cabrio

■ A welcome treat for the little ones proves an invaluable service for a stress-free trip to the shops. This model offers the additional benefit of greatly reduced space requirements as the trolleys can be nested.

Excellent safety

Standard – The seat belt for little kids for their trip to the shops.



Easy to drive

The fifth wheel – A smart detail for top directional stability and easy manoeuvring.



Safe parking

A **brake castor** for safe parking. A second brake castor (optional) increases safety on uneven terrain.



Individual

Printed advertising spaces based on your templates. Printed area: number plate 210 x 73 mm, flag on both sides, approx. 165 x 110 mm.





Standard design

Plastic body with oval tube chassis and fifth wheel. Wire basket with child safety seat. Safety belt in the car as standard, integrated head and leg protection. Plastic end caps.

Also available in travelator version.

Finish: Chassis and shopping basket have a plastic powder coating.

Castors: 4 original Wanzl swivel castors, 125 mm diameter, incl. one castor with brake, 5th wheel, diameter 100 mm, rubber tread.

Can be equipped with original Wanzl travelator castors for travelator version.

Standard colours

Plastic car	
Melon Yellow	RAL 1028
Flame Red	RAL 3000
Traffic Green	RAL 6024
Chassis and sho	opping basket
Melon Yellow	RAL 1028
Ultramarine Blue	RAL 5002

Fun Cabrio	80	130
TO BOTTON OF THE PROPERTY OF T		
	Order no.	Order no.
Plastic powder coating	05.03843.95-0000	05.03860.95-0000
A x B x C, length x width x height (mm)	1592 x 600 x 1041	1670 x 606 x 1108
Nesting depth in a row (mm)	850	850
Basket volume (litres) / load capacity (kg)	80/80	130/130
Castor diameter / 5th wheel diameter (mm)	125/100	125/100
Accessories		
Advertising handle	01.41358.00-0000	01.28024.00-0000
Wanzl Box Classic coin deposit system	01.70580.00-0000	01.70580.00-0000
Adapter for Wanzl-Box Classic	00.13080.07-0000	00.13080.07-0000
Wanzl Promobox Plus coin deposit system	01.61100.00-0000	01.61100.00-0000
Adapter for Wanzl Promobox Plus	00.88348.07-0000	00.88348.07-0000
Child seat/goods shelf	00.11145.75-0000	00.11147.75-0000
Child seat safety belt	01.64957.00-9005	01.64957.00-9005
Bag hook	01.17516.07-0000	01.17516.07-0000
Flagpole, neutral flag	01.32997.75-0000	01.32997.75-0000
Basket corner protectors, top	01.39890.07-0000	01.39890.07-0000
2nd brake castor	On request	On request
Wanzl travelator castors set	On request	On request



03.06 Kiddo®

Service that does the job

- > Heavy duty design for many years of use
- > Washable seat upholstery
- > With two brakes as standard





VERIFIED QUALITY:
"GENERATION FRIENDLY
SHOPPING"
This customised Wanzl
shopping trolley is a real bonus
when applying for this seal of

Design pend.


Individual

Kiddos **based on your requirements** and customised to your store's corporate image. On request.



Can be nested to save space

Nesting depth Kiddo children's trolley 230 mm.





03.06 Kiddo®

■ With the **Kiddo children's trolley**, you can provide parents with a welcome relief on their journey of discovery through shopping centres and furniture stores. Children prefer to be driven around instead of running around. These trolleys also provide a welcome service in airports, train stations and theme parks.

Ergonomic handles

For **fatigue-free pushing**. Made from stable, grip friendly plastic.



Excellent safety

Safety icons clearly visible on the handle.



Practical net pocket

Available as an accessory for smaller purchases and anything a child may need during a trip to the shops.



Comfortable seat

With hygienic, breathable and washable seat and **three point safety belt** with quick lock buckle.



Coin deposit system

Option for the right hand strut on the Kiddo, for tidy trolley storage. Retrofitting possible.



Brake

Standard on the rear castors – To keep the child safe, applied and released quickly to continue pushing.



Standard design

Chassis made of robust flat oval pipe. Seat and bottom tray made out of steel wire. Seat surface made of transparent plastic.

Finishes: Plastic powder coating, chassis in RAL 7016 Anthracite, seat and bottom tray in RAL 7035 Light Grey. **Castors:** 2 high quality swivel castors at the front, 100 mm diameter, 2 fixed castors at the rear, 200 mm diameter with brake, non-marking rubber tread.





- A B -	
	Order no.
Plastic powder coating	05.55600.76-0000
A x B x C, length x width x height (mm)	750 x 594 x 1000
Nesting depth in a row (mm)	230
Castor diameter, front/rear (mm)	100/200
Loading capacity (kg) seat/net pocket/bottom tray/total	25/3/2/30
Accessories	
Advertising handle	01.57364.00-0000
Sidebox coin deposit system	01.20092.92-0001
Adapter for Sidebox	00.27530.07-7016
Net pocket with bracket	00.15587.00-0000



03.07 Ben's Cart

Less strain and better service for children with disabilities

- > Shopping trolley for disabled customers in stores with disabled access
- > Comfortable and robust seat with safety belt, easy to clean
- > Fifth wheel for better manoeuvrability, a castor with a brake



Design

Chassis made of robust flat oval pipe. Narrow meshed basket made of steel wire. Seat surface made of steel wire with padded seat.



An extraordinary service

Focus on families: children with disabilities can join in on a trip to the shops.





03.07 Ben's Cart

■ **Ben's Cart** is a shopping trolley designed for shopping with children with disabilities. The child can take part in the shopping trip and the parents do not need to organise support for this period. This service offered by Wanzl makes it easier for customers to organise their daily shopping needs.

Function

Park Ben's Cart behind the customer's car using the brake castor. Release the safety belt on the trolley and lift the child into the trolley. Fasten the safety belt. Release the brake on the rear castor and away you go.







Park Ben's Cart

Place the child in the trolley

Fasten the safety bel

Safe for the child

The adjustable safety belt keeps the child safely on the seat.



Step

Two sturdy wire bows act as "steps" for the child's feet and remove strain from their legs.



Finish

Seat made of soft, UV-resistant padding, easy to wash and very robust.



Easy to manoeuvre

With four steering castors and a **fifth wheel**, the trolley stays on track and can be steered on the spot.

Bracket for Uniloc coin deposit system



77.72704.51-0000

Standard design

Chassis made of robust flat oval pipe. Narrow meshed basket made of steel wire. Seat surface made of steel wire with padded seat. Adjustable safety belt.

Finish: High gloss galvanised and chrome-plated with baked on plastic paint protection.

Castors: Original Wanzl castors, 125 mm diameter, rubber tread, one castor with brake. Deflector rings to protect the trolley and store fittings. 5th wheel, diameter 100 mm, rubber tread.





03.08 Shopping trolleys for wheelchair users

Less strain and better service for people with disabilities

- > Universal attachment mechanism
- > Mobile and independent shopping No restrictions
- > Can be nested to save space



Two designs

Shopping trolleys for wheelchair users are available with a 40 or 90-litre shopping basket depending on your range of goods.



Space-saving

Low nesting depth of 230 mm per trolley for minimum space requirements.





03.08 Shopping trolleys for wheelchair users

■ The shopping trolley for wheelchair users was developed over the course of one year in close collaboration with various groups of wheelchair users. This service from Wanzl enables you to offer disabled customers the same high quality service as other store users.

Simple attachment

Suitable for use with various types of wheelchairs (electrical and mechanical). The trolley and wheelchair form a fixed unit once attached.







Integrated poster frame

A5 format, made of plastic, with clear instructions for use.



Plastic bumper rail

Protects the shopping trolley and shop fittings from damage.



Bag hook and bottle holder

Metal bag hook and holder for two bottles **as standard** in 40-litre basket.



Small items wire basket

Practical accessories

with high gloss galvanised, chrome plating – Extra narrow mesh. W 320 x D 130 x H 70 mm.




Standard design

Stable chassis made from round tube and flat steel. Sturdy, narrow meshed basket with icons. Basket flap with integrated poster frame and operating instructions. Flexible attachment mechanism, fits all conventional mechanical and electrical wheelchairs.

Finish: High gloss galvanised and chrome-plated with baked on plastic paint protection.

Castors: Original Wanzl castors, 125 mm diameter, rubber tread, deflector rings to protect the trolley and store fittings.





03.09 Sedo shopping trolley

A more pleasant shopping experience, e.g. for senior citizens

- > Shopping trolley with an integrated seat
- > Automatic STOP prevents the trolley from rolling away when the user sits down
- > Robust 40-litre shopping basket



SEDO SHOPPING TROLLEY



Can be nested to save space

Nesting depth for Sedo shopping trolleys: 360 mm.



An extraordinary service for your senior citizens

Focus on **service for** senior citizens.





03.09 Sedo shopping trolley

■ The **Sedo shopping trolley** is a customised service for customers who like to take a break during their trip to the shops.

Automatic STOP

The body weight placed on the beech multiplex seat automatically actuates the brake on the rear castors.



Safety notes

A clear sign is fitted to the wire basket, instructing the user on how to safely and easily use the trolley.



Safety notes for customers

Bag hook

Standard practical feature for storing bags, increasing room for manoeuvre as a result.



Umbrella/stick holder

Standard – whether you are storing a stick or an umbrella, both are safely stowed in this bracket.



Bottom tray

Standard for bulky goods

e.g. for drinks crates with bottles up to 1.5 litres. The large meshing helps to prevent differences in inventory.



Sidebox® coin deposit system

Accessories for the tidy storage of several Sedo shopping trolley models in a row.



Standard design

Chassis made from stable oval pipe, basket and bottom tray made from steel wire. Automatic STOP – brakes the rear castors with the user's body weight, releases the brake with elastic force when the weight is lifted.

Finishes: Chassis with a high gloss galvanised chrome plating with a transparent plastic powder coating or a plastic powder coating in RAL 7016 Anthracite Grey; basket and bottom tray with high gloss galvanised chrome plating. **Castors:** Original Wanzl castors, 125 mm diameter, with rubber tread, with deflector rings as standard.

Sedo shopping trolley





0.0
Order no.
02.04633.52-0000
02.04633.95-0000
891 x 673 x 1096
360
40/40
125
01.20095.00-0000
00.27530.07-0000
On request



VERIFIED QUALITY:
"GENERATION FRIENDLY
SHOPPING"
This customised Wanzl

03.10 ELT series

Shopping trolleys ideally suited to the Vermaport® SC trolley conveyor system

- > Horizontal transportation of shopping trolleys prevents the products from sliding around
- > Problem free operation thanks to the careful adjustment of the dimensions to the system
- > Sturdy guide bolt between the front castor wheels



ELT 75 SHOPPING TROLLEY With child seat, optional



Approved according to the safety requirements under DIN 32 601 Part 2 and ÖNORM M 9815.

Basket volume of 90 or 185 litres

The shopping trolleys in the ELT series are available in various sizes to suit your needs.







03.10 ELT series

■ ELT series – Transporting shopping trolleys from one storey to another places challenging demands on trolleys and transport systems. Working with the manufacturer of conveyor systems for shopping trolleys, Vermaport Ltd. in Gevelsberg, we developed the ELT series designed for use with the Vermaport® SC shopping trolley conveyor.

Entering the conveyor

When pushing the trolley onto the shopping trolley conveyor, a **notice sign** shows the user how to use the system properly.



Exiting the conveyor

The conveyor pushes the shopping trolley up to the collection point. A notice sign tells the user not to put the trolley in the wrong way round.



Totally secure

From storey to storey thanks to the careful pairing of the chassis to the guide bolt and chain.



Up or down

The **guide bolt** guides the trolley to the front and the side chains on the shopping trolley conveyor push the chassis.



Precision guidance

The large **guide bolt** is located between the front castors.



Child friendly

Child seats are available as accessories. The child must be carried while moving between storeys.



Standard design

Reinforced chassis made from round tube. Sturdy guide bolt between the front castor wheels Narrow meshed, sturdy basket. Basket flap dampener and end caps made of plastic, handle available as an advertising handle on request.

Finish: High gloss galvanised and chrome-plated with baked on plastic paint protection.

Castors: 4 Original Wanzl castors, 125 mm diameter, rubber tread, plastic deflector rings on all 4 castor wheels.

Can be nested to save space

Space requirements: See table for dimensions.





03.10 Order section for ELT series

ELT serie	s – Model	ELT6/90	ELT7/101	ELT7/130	ELT7/150	ELT9F/185*
S						
Туре		Order no.				
Standard shopp	ing trolley	02.57424.51-0000**	02.57436.51-0000**	02.63091.51-0000**	02.63092.51-0000**	02.63099.51-0000**
Dimensio	ins					
Length L x width	n W x height H (mm)	804 x 510 x 1096	902 x 573 x 1073	984 x 592 x 1095	991 x 592 x 1152	1062 x 665 x 1081
Basket volume (litres)	86	102	131	152	179
Load capacity (k	g)	86	102	131	152	130
4 swivel castors	, castor diameter (mm)	125	125	125	125	125
Weight (kg)		15.0	19.0	21.0	22.0	24.0
- AAAAA	Nesting depth per trolley (mm)	185	185	185	185	240
	Space required for 10 trolleys (mm)	2450	2565	2645	2655	3220
[8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Space required for 50 trolleys (mm)	9850	9970	10050	10060	12820
Trolley shelter c	apacity*** (units)	96	69	66	66	51

Suitable for Vermaport® SC shopping trolley conveyor by Vermaport Ltd. with gradient up to 30°.
 ** Sample orders:

Note: Total weight for loaded shopping trolleys on the shopping trolley conveyor based on the shopping trolley conveyor manufacturer's information. ELT standard shopping trolleys are delivered without a child safety seat. For detailed dimensions, see planning data/overview of dimensions.

^{02.29983.51-0000} High gloss, galvanised, chrome-plated with plastic paint protection
***3-row trolley shelter, 5 m long



03.10 Accessories for ELT series - Extract

Handle solutions and coin deposit systems



Handle tube with protective caps, as an advertising handle with advertising insert upon request.



Wanzl Starbox coin deposit system with builtin end cap, operated with a coin slot.



Promobox Plus handle system with coin deposit system and large advertising space for interchangeable adverts with advertising inserts.



Promobox Plus handle system with large advertising space but without coin deposit system.



SUCTION LIFT For replacing advertising inserts

Equipment for shopping trolleys



Child safety seat with plastic seat.



Child seat/goods shelf with two piece plastic seat, top section can be folded up.



Safety belt for child seats, adjustable, with quick lock buckle.



Protection for trolleys and equipment: Basket corner protectors at the top and bottom made out of shock absorbing plastic.



C-shaped basket protection profile, plastic wraparound protection profile prevents damage.



Combination of C-shaped basket protection profile and top basket corner protectors.

Wanzl castors



Original Wanzl castors wear resistant, maintenance free, non-marking, only available from Wanzl.



Wanzl castors with brakes prevent the shopping trolley from rolling away.



Wanzl Softdrive castors, low noise levels thanks to built-in shock absorbers.



Deflector rings or slip castor protection look



03.11 Scandy S

Shopping trolleys that sell well at all levels

- > All kinds of room for all sorts of items
- > Two separate narrow meshed baskets with a total volume of 117 litres.
- > Spacious bottom tray suitable for through loading



Can be nested to save space

Scandy S shopping trolleys require very little space for storage. Nesting depth 270 mm



More space for items

Bulky and sensitive goods can be transported carefully to the car park.





03.11 Scandy S

■ With its three shelves, the Scandy-S makes loading and transportation much easier. The key benefits: Your customers have more space for their shopping and in return, they will thank you by buying more. Additionally, they are able to transport bulky and sensitive goods to the car park carefully.

Child friendly

Child seat/goods shelf in the top basket for transporting a small child or for protecting sensitive goods.







Bottom tray

Large tray as a bottom 'tray – ideal for the easy storage of lots of items.



Coin deposit systems

Tidy storage for your shopping trolleys Scandy S in a row with **Wanzl Box Classic R** or **Wanzl Starbox**.

Scandy S



Standard design

Robust chassis of flat oval tubing, long bottom tray as standard. Two narrow meshed baskets with a total volume of 117 litres. Plastic handle caps and deflector rings in Anthracite Grey RAL 7016.

Finish: High gloss galvanised and chrome-plated with baked on plastic paint protection.

Castors: Original Wanzl castors, rubber tread.

Standard colours for plastic parts

Light Grey	RAL 1018	
Flame Red	RAL 3000	
Ultramarine Blue	RAL 5002	
Traffic Green	RAL 6024	
Anthracite Grey	RAL 7016	

5 1114 A B B	
High gloss, galvanised, chrome-plated and painted	02.51603.51-0000
$A \times B \times C$, length x width x height (mm)	1179 x 580 x 1087
Nesting depth per trolley (mm)	270
Space required for 10 trolleys (mm)	3609
Space required for 50 trolleys (mm)	14409
Basket volume (litres)	Upper 52 / lower 65
Weight (kg) / loading capacity (kg)	28/167
Castor diameter (mm)	125
Accessories	
Child seat/goods shelf	On request
Wanzl Box Classic R coin deposit system	On request
Wanzl Starbox coin deposit system	01.77010.00-0000
Adapter for Wanzl Starbox coin deposit system	01.13080.07-0000



04 Product overview

04.01 - 04.04 Sigma trolley shelters











O1 SIGMA TROLLEY SHELTER

⁰² SIGMA PRESENT

⁰³ SIGMA SPECIAL

04.05 Delta 3 trolley shelters



⁰⁵ DELTA 3 TROLLEY SHELTER

04.06 - 04.07 Economy trolley shelters







⁰⁷ ECONOMY BICYCLE SHELTER

04.08 Accessories for trolley shelters







⁰⁸ LIGHTING



08 INTERCHANGEABLE FOLDING FRAME



⁾⁸ INDIVIDUAL SHELTERS

04.09 - 04.12 Row docking stations for outdoor / indoor use



04.13 Shopping trolley security





04 Impact protection equipment and accessories





04.01 Sigma

Shopping trolley shelter - point of service - day and night

- > Protects your shopping trolleys against theft and the elements
- > Ease of use thanks to mechanical or electrical drive on the roller shutter
- > Simple, timeless design suits any environment



Higher level of protection

During the day, your customers have access to dry, neat and tidy shopping trolleys. At night, your shopping trolleys have all-round protection against theft and the elements in the Sigma shelter with roller shutter and acrylic glazing.





Ease of use

The Sigma trolley shelter can be opened and closed electrically or mechanically. With the convenient electric version, the roller shutter can be operated using a key switch.







04.01 Sigma Utility model pend.

■ The **Sigma trolley shelter** for car parks at busy stores blends in well with any environment. Its versatility opens up new opportunities for a variety of customer needs. A roller shutter turns your trolley shelter into a garage for your trolleys, keeping them clean and in better condition for longer. Lighting for Sigma trolley shelters catch the eye at night and help customers to find their way around stores with long opening hours. After closing time, the all-round glass enclosure and the lockable roller shutter securely protect your shopping trolley assets against theft.



Different trolleys

Storage for different shopping trolleys at stores with a wide range of trolleys or bespoke services, e.g. second trolleys.

Or welcome **protection from the elements** for staff on a cigarette break.



Simple, clean lines

With its clear design, the new Sigma trolley shelter communicates the store's brand and cleanliness values even from the car park. Versatile and open to a wide array of customer needs. The trolley shelter is also available with optional, vandal-proof aluminium cladding.





Design freedom

The aluminium profiles of the Sigma shelter are also available in attractive standard colours or in a bespoke colour of your choice to suit your store's CI.







04.02 Sigma Present

Outdoor sales shelter – presenting and selling items outdoors

- > Presentation and sale of seasonal items outdoors
- > Neat and tidy impression as customers enter your store
- > No need to move goods before the store opens or after it closes



More space for more sales

Sigma Present is the intelligent sales shelter of choice for external use. It means additional sales space and encourages impulse buying – irrespective of the time of year. The practical palette presentation makes it super flexible for presenting your products.



Well presented appearance

With the Sigma Present sales shelter, you can ensure a neat and tidy impression as customers enter your store. The goods are always optimally positioned and well presented.








04.02 Sigma Present

■ No more time wasted on setting up and taking down your assets – In the morning, you can open up the Sigma Present's roller shutter electrically or mechanically and then close it again in the evening. This saves time and saves on employee resources. The outdoor sales shelter itself offers plenty of space for storing palletised goods.



Safe and protected

During the day, the goods in the Sigma Present are safely protected against the elements. After closing time, the goods in the sales shelter are safely stored thanks to the vandal-proof aluminium panelling and the closed roller shutter.



Perfect for your requirements

Perfectly suited to your requirements. We supply the Sigma Present as a wall version, i.e. without a rear panel, but with rubber end strip.





04.03 Sigma Special

Shelter for customised solutions

- > Flexible shelter for storing customised trolleys
- > Organised storage for various types of shopping trolleys and service trolleys
- > Ideal for stores with limited space



Neat and tidy

Sigma Special is the station of choice for the storage of service trolleys outside. These shelters, which can be positioned in the car park, are customer friendly and protected from the elements. This leaves valuable sales space in the entrance area free for the presentation of goods.



Safely stored

Once the store closes, the service trolleys in the shelter are protected by the theft-proof roller shutter. So you can rest assured that everything will stay in its proper place.






04.04 Sigma Bicycle

Bicycle shelter

- > Clean and dry storage facility for bicycles
- > Harmoniously fits in with every environment
- > Capacity to store up to 13 bicycles



Clean and dry storage

Sigma Bicycle is the storage shelter for customers who cycle. Bicycles stored inside are protected from the elements – an exceptional customer service.



Lots of space

Up to 13 bicycles can be stored in the **architecturally impressive shelter**. Stable standard or Kappa cycle stands store bicycles safely. The Kappa cycle stands make it easy for users to secure their bicycles.







04.01- 04.04 Sigma design, accessories, dimensions

Standard design

Sigma Shelters: Aluminium profiles, rounded outer edges. Aluminium square tubes with plastic profiles are mounted on both sides to function as a guide and a bumper for shopping trolleys. Infinitely height adjustable feet compensate for uneven ground. Side and roof components made from transparent acrylic glass panels.

Roller shutter: Side aluminium profiles with integrated guide and plastic protection profiles. Aluminium shutter slats with rigid foam filling. Operated with electric motor or mechanical handle. Finish: Aluminium profiles with plastic powder coating in seven standard colours, multi-coloured design on request, e.g. to match your store CI.

Modern design

Straight, side aluminium profiles and curved roof construction are eye-catching features.



Standard colours

With seven standard colours for the aluminium profiles, Sigma trolley shelters fit in with almost any store CI and blend well with their surroundings.

Blood Orange	RAL 2002	
Flame Red	RAL 3000	
Ultramarine Blue	RAL 5002	
Yellow Green	RAL 6018	
White Aluminium	RAL 9206	
Grey Aluminium	RAL 9007	
Metallic Anthracite	7097	٦

Optimum visibility

Sealed all the way round but with ideal visibility thanks to the side and roof elements being made of transparent acrylic glass.



Design freedom

Special colours for aluminium profiles and side and roof elements made from other materials (e.g. hollow metal or composite board panels) on request.



Ease of use

The shutter opens and closes conveniently with an electric key switch or a simple mechanical handle.





Roller shutter

Shutter slats made of aluminium with rigid foam filling Colour: natural aluminium.



Complete protection

Anti-skid protection profiles on the rectangular aluminium tubes protect the Sigma shelters and shopping trolleys against damage.



Shutter protection profiles

Extra strong side aluminium profiles with two additional plastic impact protection profiles on the outside protect against damage to the shutter rails.



Stability*

Feet with infinite adjustment balance out any uneven terrain and make sure that all Sigma trolley shelters stand securely wherever they are.



Lighting

Interior lighting in the weatherproof design helps to guide your customers in darkness.



^{*} See foundations for trolley shelters



04.01- 04.04 Sigma design, accessories, dimensions

Dimensions

→ Sigma

Shopping trolley shelters: require one car park space.


♦ Sigma Present and Special


Also available as a wall mounted version, without rear panel, with rubber end strip


↓ ↓ Sigma Bicycle


Open shelter with bicycle symbol on the front


- 1 Aluminium rectangular tube 40 x 20 mm
- 2 Aluminium profile 100 x 60 mm
- B Height adjustable feet from 40 to 110 mm
- 4 Acrylic glass panels 5 mm, available with aluminium panels 3 mm
- **5** Rounded aluminium profile 65 x 43 mm
- Protection profiles made from rectangular aluminium tubes with plastic profiles that act as a guide and bumper
- ${f 7}$ Shutter and casing made of aluminium with rigid foam filling
- 3 Acrylic glass panels 5 mm with bicycle symbol











Stainless steel row docking station

Design: Stable tube construction to be installed in the trolley shelter. One or two connection tubes fitted for information panels. Row docking key with 500 mm chain. Cross tube with height adjustable aluminium clamping collars.

Finish: Stainless steel.

Secure storage

Row docking station without information panel, with 3 row docking keys for the coin deposit system in question.



Various shopping trolley models

You can provide your customers with up to three different shopping trolley models in the Sigma trolley shelter range.



Safe and informative

Row docking station with 3 information panels and 3 row docking keys for the coin deposit system in question. Plastic information panels printed with icons for instruction.



Information panels

In addition to the classic information panel with details for the coin deposit system in question, you can also add individual labelling based on your requirements.





04.01- 04.04 Sigma order section


Trolley	shelters	Sigma
	4987 4987 選案 A 5028	
	ר – with acrylic glass panels	Order no.
	1 – mechanical	03.33901.73-0000*
: -	: – electric length x width x height (mm)	03.30290.73-0000* 5189 x 2536 x 2539
Capacity	iengui x widui x neight (inin)	3104 X 2330 X 2334
	g trolley rows	3
Shoppin	g trolley with 90-litre basket volume (units)	108
	g trolley with 130-litre basket volume (units)	60
	ocking station	
	teel row docking stations and protectors	
	Row docking station Without information panel	03.56275.09-0000
9 9	Row docking station With an information panel	03.56276.09-0000
	Row docking station With two or three information panels	On request
	Protective rail with plastic strips, on the side, guide on castor deflector rings, 125 mm	On request*
Row starte	r key, length 500 mm	
	For coin deposit system Wanzl Starbox, Wanzl Box Classic	01.22261.95-0000
	For coin deposit system Wanzl Promobox Plus	01.22262.95-0000
	For coin deposit system Wanzl Sidebox	01.50286.95-0000
Information	panels with instructions for use, width 450 x height 3	00 mm
	For coin deposit system Wanzl Starbox	00.99057.07-0000
	For coin deposit systems Wanzl Box Classic	00.99058.07-0000
M	For coin deposit system Wanzl Promobox Plus	77.26877.07-0000
0	For coin deposit system Wanzl Sidebox	77.76286.07-0000
	Information panel, unprinted	00.39801.07-0000
Advert	tising board	
	Individual advertising board 3200 x 500 mm	On request

Trolley shelters for customised solutions	Sigma Special
C 2239 B 2239 271A	
Design - with acrylic glass panels	Order no.
Sigma Special SM – mechanical	03.36386.73-0000*
Sigma Special SE – electric	03.36387.73-0000*
A x B x C, length x width x height (mm)	2260 x 5020 x 2539
Service trolley shelter	
Stainless steel service trolley shelters and info signs	On request

Accessories

Our practical range of accessories can be used to extend the Sigma in an ingenious way and adapt it to your requirements.







Interior lighting Weatherproof design with 58 watt lights.

Sample order:
 03.33901.73-5002 Plastic powder coating, Ultramarine Blue RAL5002
 Particularly beneficial for shopping trolleys with Power Coating Plus design



04.01- 04.04 Sigma order section

External sales shelter	Sigma Present	
C 2239 B 2239 2700		
Design - with aluminium panels	Order no.	
Sigma Present SM – mechanical	03.36386.73-0000*	
Sigma Present SE – electric	03.36387.73-0000*	
Sigma Present wall solution SM – mechanical	03.36386.73-0000*	
Sigma Present wall solution SE – electric	03.36387.73-0000*	
A x B x C, length x width x height (mm):	2260 x 5105 x 2539	
Capacity		
Disposable wooden pallets 600 x 400 (units)	up to 33	
Euro pallets measuring 1200 x 800 (units)	up to 6	

Bicycle shelters	Sigma Bicycle
C	
Design – with acrylic glass panels	Order no.
Sigma Bicycle	03.36500.73-0000*
$A \times B \times C$, length x width x height (mm)	2260 x 5020 x 2539
Capacity	
Bicycles in Kappa cycle stands (units)	max. 8
Bicycles in standard cycle stands (units)	max. 13
Cycle stands***	
Page Kappa bicycle stands For 4 bicycles, width 2200 mm	03.41585.55-0000
Standard bicycle stands For 5 bicycles, width 1750 mm	03.21311.55-0000
Standard bicycle stands For 8 bicycles, width 3000 mm	03.21312.55-0000

^{***} Cycle stands needed for Sigma bicycle shelter: 2 x Kappa cycle stands, 4400 mm wide Standard cycle stands, 1 x 1750 mm wide and 1 x 3000 mm wide

Accessories for Sigma Bicycle







Kappa bicycle stands Two cycle stands for 4 bicycles each, hot galvanised



Interchangeable folding frameAluminium design, with protection film.

Waste binPlastic or metal design.

Accessories for all Sigma shelters		
	Interior lighting for Sigma, 3-5 m deep	03.31754.07-0000
	Interior lighting for - Sigma Present - Sigma Bicycle - Sigma Special	03.38647.07-0000
	Interchangeable folding frame, aluminium, 910 x 1170 mm	03.14013.95-0000
•	Plastic waste bin, Yellow Green RAL 6018 Incl. fixing material	03.69035.07-0000
	Metal waste bin, hot galvanised Incl. fixing material	03.93270.55-0000

Standard bicycle stands

One bicycle stand for 5 bikes and one bicycle stand for 8 bikes, hot galvanised.





04.05 Delta 3

Tidy storage – Delta 3 shopping trolley shelter

- > Trolley shelter with typical gabled roof with aluminium profiles
- > Rectangular aluminium tubes and profiles act as a guide and bumper
- > Wide enough to hold 3 rows of shopping trolleys



DELTA 3Shopping trolley shelter

A cutting-edge and eye-catching feature

The **stable aluminium profiles** available in six optional colours (or your store CI on request) become a key feature in any car park. Together with rectangular aluminium tubes and profiles, they form the supporting structure for this trolley shelter system.





Side and roof elements

With ideal protection for your valuable shopping trolleys. The single piece side and roof elements made of high quality polycarbonate hollow chamber or acrylic glass panels are easy to mount.

Polycarbonate hollow chamber or acrylic glass panels

Labelled plastic panels available on request





04.05 Delta 3

■ Trolley shelters are an easy way to keep your car park tidy. The **Delta 3 trolley shelter** can hold three rows of trolleys. When combined with stainless steel row docking stations, it is the perfect solution for organised shopping and/or transport trolley storage.



DELTA 3Shopping trolley shelter

Or welcome **protection from the elements** for staff on a cigarette break.



Protection and stability

Rectangular aluminium tubes and profiles protect the shopping trolleys and trolley shelter. Feet with infinite height adjustment make sure the shelter is secured safely and flexibly to the floor with heavy duty anchors. Height can be adjusted between 40 and 110 mm.





Row docking station

Rust free version with row docking key available for the coin deposit system in question. Storage for different shopping trolleys at stores with a wide range of trolleys or special services. With plastic information panels printed with instruction icons on request.







04.05 Delta 3: design, accessories, dimensions

Standard design

Trolley shelter: Aluminium profiles, rounded on the outside. Aluminium square tubes mounted on both sides function as a guide and a bumper for shopping trolleys. Infinitely heightadjustable feet compensate for uneven ground. Side and roof elements made from polycarbonate hollow chamber panels or transparent acrylic glass panels.





Sign for "shopping trolleys" or "bicycles"

Self-adhesive plastic film with icons.



Rear panel, closed, made from breakproof polycarbonate hollow chamber or acrylic glass panels.



Interior lighting

Weatherproof design with 58 watt lights.



Waste bin

Sturdy plastic or metal design.



Interchangeable folding frame

Aluminium design, with protection film.



Rapeseed Yellow	RAL 1021	
Blood Orange	RAL 2002	
Flame Red	RAL 3000	
Ultramarine Blue	RAL 5002	
Gentian Blue	RAL 5010	
Yellow Green	RAL 6018	



Coloured aluminium profile

One colour or multiple colours in six optional colours or to suit your store's CI.



Advertising board

On top sign, stable plastic design, printed to meet your requirements.



Advertising rear panel


Advert for individual lettering on both sides. Can be replaced from the outside.


Dimensions

Delta 3

Shopping trolley shelter with 3 rows.

- f 1 Aluminium rectangular tube 40 x 20 mm
- 2 Aluminium profile 100 x 60 mm
- $oldsymbol{3}$ Height adjustable feet from 40 to 110 mm
- Polycarbonate hollow chamber panels, 6 mm, or acrylic glass panels, 5 mm
- **5** Rounded aluminium profile 65 x 43 mm







04.05 Delta 3 order section

	rolley shelters	3 rows
Length/ı	roof and side walls	Order no.
:	es/polycarbonate hollow chamber panels	03.02630.45/73-0000*
2 m, 3 arch	es/transparent acrylic glass panels	03.02740.45/73-0000*
:	es/polycarbonate hollow chamber panels	03.02620.45/73-0000*
3 m, 4 arch	es/transparent acrylic glass panels	03.02730.45/73-0000*
}	es/polycarbonate hollow chamber panels	03.02610.45/73-0000*
4 m, 5 arch	es/transparent acrylic glass panels	03.02720.45/73-0000*
	es/polycarbonate hollow chamber panels	03.02600.45/73-0000*
	es/transparent acrylic glass panels	03.02713.45/73-0000*
Rear par		
	1/1 rear panel, complete, polycarbonate hollow chamber panels	03.07798.07-0000
	1/1 rear panel, complete, acrylic glass panels, transparent	03.08363.07-0000
Row doo	king stations	
	Row docking station, without information panel	03.56275.09-0000
	Row docking station, with one information panel	03.56276.09-0000
	Row docking station with two or three information panels	On request
Row docking key		
-≅-(■ _0;	For coin deposit systems: Wanzl Starbox, Wanzl Box Classic	01.22261.95-0000
	For coin deposit system: Wanzl Promobox Plus	01.22262.95-0000
-∞-(■)	For coin deposit system: Wanzl Sidebox	01.50286.95-0000

Delta 3 t	rolley shelters	3 rows
Information	on panels with instructions for us	se, 450 x 300 mm
	Wanzl Starbox coin deposit system	00.99057.07-0000
	Wanzl Box Classic coin deposit system	00.99058.07-0000
	Wanzl Promobox Plus coin deposit system	77.26877.07-0000
0=	Wanzl Sidebox coin deposit system	77.76286.07-0000
	Information panel, unprinted	00.39801.07-0000
Accessor	ies	
	Interior lighting for trolley shelters, 3-5 m, weather-proof, 58 watts	03.13787.07-0000
•	Plastic waste bin, Yellow Green, incl. fixing material, 430 x 240 x 600 mm	03.69035.07-6018
	Metal waste bin, hot galvanised, incl. fixing material, 430 x 240 x 600 mm	03.93270.55-0000
	Interchangeable folding frame, aluminium, 850 x 1170 mm.	03.14013.95-0000
	Individual advertising board incl. fixing material	On request
	Advertising rear panel, 1100 x 2360 mm Lettering on request	On request

Sample orders:
03.02630.**45**-0000 Natural anodized aluminium profiles
03.02630.**73-5010** Plastic powder coating, colours: Gentian Blue RAL 5010



04.06 Economy

Priceless protection against the elements – Economy trolley shelter

- > Trolley shelter with single piece glass roof with aluminium profiles
- > Rectangular aluminium tubes and profiles act as a guide and bumper
- > Wide enough to hold 3 rows of shopping trolleys



A cutting-edge and eye-catching feature

The **rounded aluminium profiles** available in three standard colours (or your store CI on request) become a key feature in any car park. The single piece roof glazing made of high quality, shatter-proof polycarbonate hollow chamber panels is highly resistant to dirt.





Protection and stability

Rectangular aluminium tubes and profiles protect the shopping trolley basket, shopping trolley chassis and trolley shelter against damage. Feet with **infinite height adjustment** (40 - 110 mm) make sure the shelter is secured safely and flexibly to the floor with heavy duty anchors.







04.06 Economy

■ Trolley shelters are a welcome service. They save your customers from walking too far and look after your shopping trolleys – making them popular with customers. The **Economy trolley shelter** can hold three rows of trolleys. When combined with stainless steel row docking stations, it is the perfect solution for organised shopping and/or transport trolley storage.



ECONOMY

Shopping trolley shelter with row docking station and information panels

Or welcome **protection from the elements** for staff on a cigarette break.



Sign

Weatherproof shopping trolley icon that is visible from a distance. Permanent screen print on plastic film (standard).



Easy to see

Thanks to the **interior lighting,** the trolley shelters stand out at dusk and in darkness while the info signs and advertising remain visible.



Information panel

Printed with instruction icons for the coin deposit system in question or alternative lettering based on your requirements. Width 450 x height 300 mm.



Different trolleys

Storage for different shopping trolleys at stores with a wide range of trolleys or bespoke services, e.g. second trolleys.





04.07 Economy bicycle shelter

The convenient solution for cyclists

- > Open bicycle shelter with round arch design and aluminium profiles
- > Four widths, with closed sides or semi-closed sides
- > With suitable cycle stands with space for up to 13 bikes



ECONOMY BICYCLE SHELTER

With standard cycle stands

Or welcome **protection from the elements** for staff on a cigarette break.



Versatile

The Economy bicycle shelter is also ideal for storing a variety of shopping trolleys – especially for stores with a wide product range or bespoke services, e.g. second trolleys, shopping trolleys for wheelchair users, Fun Mobil, etc.



Accessories for cycle stands

- Kappa cycle stands, hot galvanised, 2 units with 4 spaces each. Width of cycle stands: 4 spaces 2200 mm
- 2 Standard cycle stands, hot galvanised, 1 unit with 8 spaces and 1 unit with 5 spaces.

Width of cycle stands: 8 spaces, 3000 mm, 5 spaces, 1750 mm





04.06 – 04.07 Economy: design, accessories, dimensions

Standard design

Trolley shelter: Aluminium profiles, rounded outer edges. Aluminium square tubes mounted on both sides function as a guide and a bumper for shopping trolleys. Infinitely height adjustable feet compensate for uneven ground. Side and roof elements made from polycarbonate hollow chamber panels.



Self-adhesive plastic film with icons.




Waste bin



Rear panel, closed, made of

polycarbonate hollow chamber







Advertising board Weatherproof design with

aluminium composite panels, 3000 x 490 mm.



Interchangeable folding frame Aluminium design, with protection film.

Standard colours

Flame Red	RAL 3000	
Cobalt Blue	RAL 5013	
Anodised aluminium		

Interior lighting Weatherproof design with 58 watt lights.

Dimensions


↓ Economy


Shopping trolley shelter with 3 rows.

↓ ↓ Economy bicycle shelter


Available in various widths, with half or fully closed side panels

6





- 1 Aluminium rectangular tube 40 x 20 mm 2 Aluminium profile 100 x 60 mm B Height adjustable feet from 40 to 110 mm
- 4 Polycarbonate hollow chamber panels, 6 mm
- **5** Rounded aluminium profile 65 x 43 mm
- 6 Polycarbonate hollow chamber panels, 6 mm, half closed or
- Closed





04.07 – 04.07 Economy order section

Economy	trolley shelters	3 rows
		Order no.
2 m, 3 arches	with polycarbonate hollow chamber panels	03.06313.45/73-0000*
2 4		000000000000000000000000000000000000000
3 m, 4 arcnes	with polycarbonate hollow chamber panels	03.94629.45/73-0000*
4 m, 5 arches	with polycarbonate hollow chamber panels	03.95258.45/73-0000*
F 6		020770457700004
	with polycarbonate hollow chamber panels	03.83702.45/73-0000*
Rear pan		
	1/1 rear panel, complete, polycarbonate hollow chamber panels	03.83711.07-0000
	1/2 rear panel, top, polycarbonate hollow chamber panels	03.06894.07-0000
	1/2 rear panel, bottom, polycarbonate hollow chamber panels	03.06781.07-0000
Row dock	king stations	
	Row docking station, without information panel	On request
	Row docking station, with one information panel	On request
	Row docking station with two or three information panels	On request
Row docking key		
∞ ■○3	For coin deposit systems: Wanzl Starbox, Wanzl Box Classic	01.22261.95-0000
	For coin deposit system: Wanzl Promobox Plus	01.22262.95-0000
∞ ■ <u>_</u>	For coin deposit system: Wanzi-Sidebox	01.50286.95-0000


Economy	trolley shelters	3 rows
Information	on panels with instructions for us	se, 450 x 300 mm
	Wanzl Starbox coin deposit system	00.99057.07-0000
	Wanzl Box Classic coin deposit system	00.99058.07-0000
	Wanzl Promobox Plus coin deposit system	77.26877.07-0000
0=)	Wanzl Sidebox coin deposit system	77.76286.07-0000
	Information panel, unprinted	00.39801.07-0000
Accessor	ies	
	Interior lighting for shelters, 3-5 m, weatherproof, 58 watts	03.84335.07-0000
	Interior lighting for shelters, 2 m, weatherproof, 58 watts	On request
	Plastic waste bin, Yellow Green, incl. fixing material, 430 x 240 x 600 mm	03.69035.07-6018
	Metal waste bin, hot galvanised, incl. fixing material, 430 x 240 x 600 mm	03.93270.55-0000
	Interchangeable folding frame, aluminium, 850 x 1170 mm.	03.14013.95-0000
	Advertising board 3000 x 490 mm, incl. fixing material	03.03052.95-0000

Sample orders:
03.06313.**45**-0000 Natural anodized aluminium profiles
03.06313.**73-5013** Plastic powder coating, colours: Cobalt Blue RAL 5013



04.06 – 04.07 Economy order section

Economy	/ bicycle shelters	Half closed Order no.	Fully closed Order no.
2 m, 3 arches	s with polycarbonate hollow chamber panels	03.21301.45/73-0000*	03.21302.45/73-0000*
3 m, 4 arches	s with polycarbonate hollow chamber panels	03.21303.45/73-0000*	03.21304.45/73-0000*
4 m, 5 arches	s with polycarbonate hollow chamber panels	03.21306.45/73-0000*	03.21307.45/73-0000*
:	s with polycarbonate hollow chamber panels	03.21308.45/73-0000*	03.21309.45/73-0000*
Equipme	nt for customer service Service trolley stations and guide bar		
	For service shopping trolleys	See Classic trolley parks	
lala	Kappa cycle stands for 4 bikes, 2200 mm long	03.41585.55-0000	
	Standard cycle stands for 5 bikes, 1750 mm long	03.21311.55-0000	
<u> AAAAAA</u>	Standard cycle stands for 8 bikes, 3000 mm long	03.21312.55-0000	
Accessor			
	Interior lighting for shelters, 3-5 m, weatherproof, 58 watts	03.84335.07-0000	
	Interior lighting for shelters, 2 m, weatherproof, 58 watts	03.84360.07-0000	
	Plastic waste bin, Yellow Green, incl. fixing material, 430 x 240 x 600 mm	03.69035.07-6018	
	Metal waste bin, hot galvanised, incl. fixing material, 430 x 240 x 600 mm	03.93270.55-0000	
	Interchangeable folding frame, aluminium, 850 x 1170 mm.	03.21311.95-0000	
	Individual advertising board incl. fixing material	On request	



Trolley park

For storing various service shopping trolleys, see Classic trolley parks: **Example:** Individually compiled and designed to suit the Economy bicycle shelter, 4 m.

We are here to help.

Economy bicycle shelter, 2 m wide: 1 unit 1750 mm wide Economy bicycle shelter, 3 m wide: 1 unit 3000 mm wide Economy bicycle shelter, 4 m wide: 2 units 1750 mm wide

Economy bicycle shelter, 5 m wide: 1 unit x 1750 mm wide, 1 unit x 3000 mm wide



04.08 Accessories for trolley shelters

Protection, safety and advertising

- > Added service for your customers
- > Clean and attractive
- > Extra benefits thanks to attractive advertising space



TROLLEY SHELTER

With attractive advertising spaces, advertising board and waste bin



04.08 Accessories for trolley shelters

■ Secure added value, extra benefits and higher safety levels with the ideal accessories for trolley and bicycle shelters. Advertising helps to showcase your own store or you can rent out the space to generate additional income.

Both day or night

Thanks to the **interior lighting**, the trolley shelters stand out at dusk and in darkness. Customers are provided with information on signs and on the shopping trolleys themselves. Weatherproof design with closed plastic housing, 58 watt lights.





Staying tidy

Provide your customers with a place to store their waste. This will reduce the time needed to clean your store. The sturdy **waste bins** in Yellow Green 6018 plastic or hot galvanised metal are easy to empty, reducing the effort needed to collect waste.





Quick to replace and visible from a distance

Interchangeable folding frame with transparent splash protected film for daily adverts. Poster size up to 910 x 1170 mm. The **advertising board on the top of the** trolley shelter is visible from far and wide. Steel panel with coloured plastic powder coating, well suited for lettering with adhesive text, for example.





Applications on both sides

Advertising rear panel with high informational value: For permanent advertising or information on the side, the outside is easy to access, making it ideal for your latest offers or for rental purposes. Visible surface, inside: 2360 x 1020 mm, outside: 2360 x 1100 mm.






04.09 Stainless steel row docking stations

Secure storage for shopping trolleys in shelters

- > Tidy and secure storage with coin deposit systems
- > Reliable row layout with coded Promobox Plus coin deposit system
- > Perfectly adapted to be installed in Wanzl trolley shelters










Three equal rows



Three mixed rows



Information sign



04.09 Stainless steel row docking stations

■ Successful selling begins in the car park – with the **tidy presentation of shopping trolleys** in shelters with row docking stations. Along with the traditional information panels showing users how to use the coin deposit system, the stainless steel designs can be personalised to display your corporate design, product advertisements or other information.

Standard design

Stable tube construction to be installed in the trolley shelter. One or two connection tubes fitted for information panels. Row docking key with 500 mm chain. Height adjustable bumper.

Finish: Stainless steel.




Row docking station, stainless steel, 3 rows, with 3 information signs 450 x 300 and row docking keys


Options

Row docking stations

- Without information panel
- With one information panel
- With three information panels








Key position

The position of the row docking keys can be adapted to the various models of shopping trolleys.



Precise adjustment

The height of the bumper can be adjusted. It is adapted on site depending on the shopping trolley model in question.



Information

Printed information panels show customers the right way to use the coin deposit systems.



Advertising

Unprinted information panels can be labelled to meet your needs, e.g. for promotions or information.



Row layout

The coded Wanzl Promobox Plus effectively limits the length of the row and makes sure the various shopping trolleys stay neat and tidy – this keeps all roads clear.

Shopping trolleys can only be returned to the row that they came from.







04.10 Hot galvanised row docking stations

Secure storage for shopping trolleys outdoors

- > Row docking stations in single, double or triple configuration
- > Hot galvanised for covered storage solutions
- > Locating them in the car park reduces distances for customers





Hot galvanised row docking station on covered external area



Hygiene note



04.10 Hot galvanised row docking stations


■ **Customers** appreciate row docking stations with a clear trolley layout. Row docking stations are spread evenly around the entrance or across the car park, making it easier to collect and return shopping trolleys and saving your customers from long walks.

Please consider adding a roof for hygiene reasons!

Standard design


Row docking stations made of robust steel tubing, 50 mm diameter. Horizontal tubular bar, 50 mm diameter, infinitely variable height adjustment. Row docking key for chain with tube diameter of 50 mm, length of 500 mm.

Finish: Hot galvanised



Assembly

Row docking stations and guide bars are installed on concrete anchors or with dowels, depending on the terrain.



Precise adjustment

The height of the horizontal tube can be infinitely adjusted. It is adapted on site depending on the shopping trolley model in question.



External row docking station		1 row		2 rows		3 rows	
Hot galvanised	Delivery includes: Row docking station Row docking key Fixing material	-780	—————————————————————————————————————	1500	1991	211	70
Assembly metl	hod	Concrete anchor	Dowels	Concrete anchor	Dowels	Concrete anchor	Dowels
Row docking k	ey	Order no.	Order no.	Order no.	Order no.	Order no.	Order no.
For Starbox / Classic		23.70 341.55	23.70 342.55	23.70 343.55	23.70 344.55	23.70 345.55	23.70 346.55
For Promobox Plus		23.55 412.55	23.55 413.55	23.55 414.55	23.55 415.55	23.55 416.55	23.84 637.55
For Sidebox		23.49 752.55	23.49 753.55	23.49 754.55	23.49 755.55	23.49 756.55	23.49 757.55
Accessories							
Information panel fran	ne for external row docking st	ation					
-600 -	Information panel frame tubing, diameter 32 mm, incl. fixing material	Hot galvanised 23.38 981.55					
Information panel (pla	· stic)* for information panel fr	ame					
ক্তিব	Starbox	01.18 870.07					
(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	Classic / Solid	01.78 151.07					
€	Promobox Plus	01.18 871.07					
Sidebox		01.18 800.07					
Hot galvanised guide bar		Concrete anchor Dowels					
<u>→ 1500/2000/2500/3000</u> →	1500 mm	23.45 537.55			23.45 540.55		
	2000 mm	23.80 389.55			23.32 774.55		
800	2500 mm	23.80 391.55			23.99 168.55		
<u></u>	3000 mm	23.68 602.55			23.68 603.55		

^{*} Printed with the same design on both sides.
Unprinted or with individual lettering on request.



04.11 Classic row docking stations

Secure instore storage for shopping trolleys

- > Row docking stations in single, double or triple configuration
- > Can be combined with existing or new Wanzl Classic customer guidance systems
- > Locating them at the entrance reduces distances for customers



 $\begin{array}{ll} \textbf{IN-STORE ROW DOCKING STATION} \\ 2 \text{ rows with information panel frame and} \\ \text{information panel } 600 \times 1000 \text{ mm} \end{array}$



Example of application with guide bars



Sample application



Available with Wanzl Railix® partition systems on request




04.11 Classic row docking stations

■ The **attractive solution** for city centre stores or shopping centres who store their shopping trolleys inside the store or in the centre walkways.

Standard design

Stable tube construction, base, 50 mm diameter with metal connection sleeves. Connection tubes, diameter 40 mm. Row docking key with chain and connection sleeve for 40 mm diameter, chain length 500 mm. **Finish:** on demand.



Stable

The row docking station is installed using rods; longer screws and spacing tubes are used for deep layers of concrete if necessary.



Precise adjustment

The horizontal tube is installed at the factory to match the height of the shopping trolleys used. Please specify which shopping trolleys you use



Instore row docking station		Without information panel		With 1, 2 or 3 information panels			
instore row dock	ing station	1 row	2 rows	3 rows	1 row	2 rows	3 rows
Delivery includes: Row docking station Row docking key		780	1500	2170	\$ S S	1500	2170
Row docking k	ey for:	Order no.	Order no.	Order no.	Order no.	Order no.	Order no.
Starbox / Classic		23.69594.XX-XXXX	23.69595.XX-XXXX	23.69596.XX-XXXX	On request	On request	On request
Promobox Plus		23.78113.XX-XXXX	23.78114.XX-XXXX	23.78115.XX-XXXX	On request	On request	On request
Sidebox		23.49513.XX-XXXX	23.49514.XX-XXXX	23.49515.XX-XXXX	On request	On request	On request
Standard asse	mbly						
1 screw M10 x 60	Order 4 units per base	90.11274.50-0000			90.11274.50-0000		
1 dowel M10, PVC	Order 4 units per base	91.07196.00-0000			91.07196.00-0000		
Accessories							
Information panel fran	ne for in-store row docking st	ation					
F-600 -1 000I	Information panel frame tubing, 32 mm diameter, incl. fixing material	23.38998.XX-XXXX			-		
Information panel (pla	Information panel (plastic)		600 x 1000 mm for information panel frame*		450 x 300 mm		
(50 51)	Starbox	01.18870.07-0000			00.99057.07-0000		
Information area	Classic	01.78151.07-0000			00.99058.07-0000		
Information panel 600 x 1000 mm	Promobox Plus	01.18871.07-0000			77.26877.07-0000		
Information panel	Sidebox	01.18800.07-0000			77.76286.07-0000		
450 X 300 mm	Unprinted	01.74802.07-0000			00.39801.07-0000		

Bases and connection tubes for side bars are available in the Wanzl catalogue for customer guidance systems. Coloured plastic powder coating or stainless steel version for covered outdoor spaces are available on request.

* Printed on both side



04.12 Classic trolley parks

Instore storage or bicycle shelters for bespoke shopping trolleys

- > For bespoke trolleys like Sedo, shopping trolleys for wheelchair users, Fun Mobil
- > Bespoke version for shopping trolleys with BabySafe car seat holder or baby seat
- > Extra special service for perfect customer orientation



■ Wanzl coin deposit systems and trolley parks help to make sure your **special shopping trolleys** are returned to where they belong so that they remain available for other customers.



Classic trolley park for five different customised trolleys



Instore trolley park



Organised storage with side guide rails




Tidy storage with additional bumper rail and deflector rings*




Information panel for trolley park




04.12 Classic trolley parks



Connection tubes for guide rails without information panel For connecting the guide rails from the left to the centre to the right Tube diameter Connecting tube without slot 1 unit per connection Finishes* - .73 Plastic powder coating* - .09 Stainless steel Tube lengths 500 mm On request 1000 mm On request







04.13 SmartStop trolley security

Shopping trolleys remain available in the store or in the car park

- > For stores in residential areas
- > For stores on streets with high levels of foot traffic
- > For stores with high trolley theft rates








Circular motion when the trolley enters unauthorised area



Information panel at the store entrance



Stop sign at the car park exit



Magnetic rails with handle, long and short



Releasing locked castor wheels for returning trolleys to the car park



04.13 SmartStop trolley security

■ The **reliable shopping trolley security system** prevents shopping trolleys from being removed from the store or the company's premises. This reduces costs for stolen trolleys while also saving on labour costs for the collection of missing trolleys.

Standard design


The SmartStop trolley security system is made up of the following components:


Two SmartStop castors with steering locks mounted diagonally on the shopping trolleys. The locks are triggered magnetically, meaning the system is mechanical and requires no electrics or batteries.

The magnetic rails for the trigger system are fitted in the ground at the points at which the trolley is not permitted to pass.



Function





When the trolley is returned to the car park or store, it passes back over the trigger system. The steering lock is released and the trolley can move freely again.







Astor diameter 125 mm. Castor set is made up of two Wanzl castors, with the SmartStop castor at the front and rear, plus four effector rings Order no.		trolley security		:			
Corder no. Cor	Castor wh	eels with SmartStop	For EL, ELA, ELX shopping trolleys	For DRC shopping trolleys			
anzl rubber castors, set 60.38878.00-7012 60.38971.00-7012 anzl rubber castors, set, 1 castor with brake 60.40686.00-7012 60.40799.00-7012 60.38652.00-7012 60.38652.00-7012 60.38652.00-7012 60.38652.00-7012 60.38653.00-7012 60.	Castor diameter 125 mm. A castor set is made up of two Wanzl castors, with one SmartStop castor at the front and rear, plus four deflector rings		0 000	0 00			
anzl rubber castors, set, 1 castor with brake 60.40686.00-7012 60.38652.00-7012 Appe 3 Wanzl travelator castors, 25.5 mm gauge, set 60.38539.00-7012 Appe 3 Wanzl travelator castors, 27.0 mm gauge, set 60.38540.00-7012 CCCESSORIES Agnetic rails in the floor Length 1000 mm 01.24183.00-0000 Agnetic rails with handle, for releasing locked castor wheels Long version, 700 mm long 01.92096.00-0000 Short version, 250 mm long 01.92097.00-0000 formation panel 600 x 1000 mm. Aguare 01.92889.07-0000 Rounded corners, r = 80 mm 01.92888.07-0000 Top sign for exits, 400 x 470 mm Square sign 01.92887.07-0000 Fixing bow with screw-on panel 00.00770.09-0000			Order no.	Order no.			
### Square	Wanzl rubber ca	astors, set	60.38878.00-7012	60.38991.00-7012			
### Square ### 1000 mm	Wanzl rubber ca	astors, set, 1 castor with brake	60.40686.00-7012	60.40799.00-7012			
agnetic rails in the floor Length 1000 mm 01.24183.00-0000 agnetic rails with handle, for releasing locked castor wheels Long version, 700 mm long 01.92096.00-0000 Short version, 250 mm long 01.92097.00-0000 formation panel 600 x 1000 mm. Square Rounded corners, r = 80 mm 01.92889.07-0000 top sign for exits, 400 x 470 mm Square sign Fixing bow with screw-on panel 00.00770.09-0000	Type 3 Wanzl tr	ravelator castors, 25.5 mm gauge, set	60.38539.00-7012	60.38652.00-7012			
agnetic rails in the floor Length 1000 mm 01.24183.00-0000 agnetic rails with handle, for releasing locked castor wheels Long version, 700 mm long 01.92096.00-0000 Short version, 250 mm long 01.92097.00-0000 formation panel 600 x 1000 mm. Square Rounded corners, r = 80 mm 01.92889.07-0000 top sign for exits, 400 x 470 mm Square sign Fixing bow with screw-on panel 00.00770.09-0000	Type 3 Wanzl tr	ravelator castors, 27.0 mm gauge, set	60.38540.00-7012	60.38653.00-7012			
Length 1000 mm 01.24183.00-0000 agnetic rails with handle, for releasing locked castor wheels Long version, 700 mm long 01.92096.00-0000 Short version, 250 mm long 01.92097.00-0000 formation panel 600 x 1000 mm. Square Rounded corners, r = 80 mm 01.92888.07-0000 cop sign for exits, 400 x 470 mm Square sign Fixing bow with screw-on panel 01.92887.07-0000 00.00770.09-0000	Accessories						
agnetic rails with handle, for releasing locked castor wheels Long version, 700 mm long 01.92096.00-0000 Short version, 250 mm long 01.92097.00-0000 formation panel 600 x 1000 mm. Square 01.92889.07-0000 Rounded corners, r = 80 mm 01.92888.07-0000 cop sign for exits, 400 x 470 mm Square sign 01.92887.07-0000 Fixing bow with screw-on panel 00.00770.09-0000	Magnetic rails i	n the floor					
Long version, 700 mm long Short version, 250 mm long 01.92097.00-0000 formation panel 600 x 1000 mm. Square Rounded corners, r = 80 mm 01.92889.07-0000 top sign for exits, 400 x 470 mm Square sign Fixing bow with screw-on panel 01.92887.07-0000 00.00770.09-0000		Length 1000 mm	01.24183.00-0000				
Short version, 250 mm long 01.92097.00-0000 formation panel 600 x 1000 mm. Square 01.92889.07-0000 Rounded corners, r = 80 mm 01.92888.07-0000 cop sign for exits, 400 x 470 mm Square sign 01.92887.07-0000 Fixing bow with screw-on panel 00.00770.09-0000	Magnetic rails v	: with handle, for releasing locked castor wh	neels				
formation panel 600 x 1000 mm. Square	1	Long version, 700 mm long	01.92096.00-0000				
Square 01.92889.07-0000 Rounded corners, r = 80 mm 01.92888.07-0000 cop sign for exits, 400 x 470 mm Square sign 01.92887.07-0000 Fixing bow with screw-on panel 00.00770.09-0000		Short version, 250 mm long	01.92097.00-0000				
Rounded corners, r = 80 mm 01.92888.07-0000 top sign for exits, 400 x 470 mm Square sign 01.92887.07-0000 Fixing bow with screw-on panel 00.00770.09-0000	Information par	nel 600 x 1000 mm.					
100 sign for exits, 400 x 470 mm 101.92887.07-0000 101.92887.07-0000 101.92887.07-0000 101.92887.07-0000	8	Square	01.92889.07-0000				
Square sign 01.92887.07-0000 Fixing bow with screw-on panel 00.00770.09-0000	Participation Participation		01.92888.07-0000				
Fixing bow with screw-on panel 00.00770.09-0000	Stop sign for ex	xits, 400 x 470 mm					
		Square sign	01.92887.07-0000				
Fixing how for concrete base 00.71734.09-0000		Fixing bow with screw-on panel	00.00770.09-0000				
Timing both for condicte base 00.7175 1.07 0000		Fixing bow for concrete base	00.71734.09-0000				



05 Product overview

05.01 Wire shopping baskets





⁰¹ HW SERIES

⁰¹ OV 17 SHOPPING BASKET

05.02 - 05.03 Plastic shopping baskets







02 WA SERIES

03 GT 26 ECO AND GT 26 SERIES

05.04 Shopping baskets with castors



⁰⁴ **GT40**

05.05 Trolleys for shopping baskets





05.06 Basket storage








⁰⁶ BASKET COLLECTION STATION



05 Shopping baskets





05.01 HW and OV 17 series

The perfect wire baskets for a quick trip to the shops

- > Models tailored to your product range
- > All models are stable and reliable
- > Made from wire for premium appearance



* Figure: Coloured plastic powder coating



05.01 HW and OV 17 series

Tried and tested in millions of stores around the

world: our wire models are available in a rectangular or oval design. The locking handle guarantees a high level of user comfort and stability.

HW - The classic

The HW series includes baskets in three different sizes and four different finishes – perfectly in line with your store's corporate image.



OV 17 - Attractive and oval

The OV 17 features a new oval design for a premium basket design and comfortable experience for the carrier.



Space-saving

When stacked, the baskets require very little storage space while the basket stacker provides an easy way to transport the stack.



Super secure

With a tray for small items, customers can safely transport even the smallest items, like cosmetics and stationary, to the till.



HW series: Stackable, rectangular wire baskets with a narrow meshed basket base. Self latching carry handles with plastic grips contoured to the shape of hands. Carry handles fold down to sit on the outside. **Finishes:** High gloss brass plating or coloured plastic powder coating (colours on request).

OV 17 series: Stackable, oval wire baskets with a narrow meshed basket base. Self latching carry handles with wide plastic grips contoured to the shape of hands. Carry handles fold down to sit on the inside. **Finish:** on demand.

Shopping baskets

HW 0

Pat. pend.

Pat. pend.

Dimensional drawing Example:
HW 0

Dim

Finish	Order no.	Order no.	Order no.	Order no.
See sample order*	02.03443.XX-XXXX*	02.03898XX-XXXX*	02.03899XX-XXXX*	02.02713XX-XXXX
A x B x C, length x width x height (mm)	360 x 225 x 120	440 x 265 x 190	480 x 280 x 210	436 x 335 x 202
D x E, base area, length x width (mm)	285 x 180	350 x 205	375 x 205	335 x 220
Basket volume (litres) / load capacity (kg)	7/7	16/16	20/20	17/17
Weight (kg)	0.8	1.3	1.4	1.0
Accessories				
Tray for small items, grey	-	-	01.22149.07	00.15949.07-9006

^{*} Sample orders: 02.03443.**58** High gloss brass plating 02.03443.**73** Plastic powder coating, coloured



05.02 WA series

The perfect plastic baskets for a quick trip to the shops

- > Narrow meshed, stable plastic baskets
- > Self latching, inward folding plastic carry handles
- > Printed models reduce the risk of theft





BASKET STACKER For shopping baskets in the WA series, see basket storage



With two advertising spaces, RAL 6001 Emerald Green

RAL 5017 Traffic Blue



With four advertising spaces, RAL 6024 Traffic Green

RAL 1003 Signal Yellow and RAL 3000 Flame Red



05.02 WA series

■ **Plastic, printed** shopping baskets not only look good, they also reduce the risk of theft.

Multiple benefits

Lightweight shopping basket with large volume.

Area for marking baskets
as store property. Advertising spaces on request.



Protection of property

There are six spaces for adverts **around the edge of the basket**; these spaces are also ideal for marking the basket as store property.




Space-saving

When stacked, the baskets require very little storage space while the basket stacker provides an easy way to transport the stack.



WA series: Stacking, narrow meshed baskets made from coloured plastic.
Self latching black plastic carry handles, inward folding.





Advertising spaces: WA 20 P plus two advertising spaces, WA 24 P plus four advertising spaces on the sides.

Shopping baskets	WA 20	WA 20 P	WA 24	WA 24 P
Dimensional drawing Example: C B - B - B - B - B - B - B - B - B - B				
Standard basket colours	Order no.	Order no.	Order no.	Order no.
RAL 1003 Signal Yellow	-	-	02.06200.07-1003	02.06203.07-1003
RAL 3000 Flame Red	02.50730.07-3000	02.50730.07-3000	02.06200.07-3000	02.06203.07-3000
RAL 5017 Traffic Blue	02.50730.07-5017	02.50730.07-5017	-	-
RAL 6001 Emerald Green	02.50730.07-6001	02.50730.07-6001	-	-
RAL 6024 Traffic Green	-	-	02.06200.07-6024	02.06203.07-6024
$A \times B \times C$, length x width x height (mm)	440 x 272 x 205	440 x 272 x 205	450 x 270 x 245	450 x 270 x 245
D x E, base area, length x width (mm)	344 x 210	344 x 210	350 x 215	350 x 215
Basket volume (litres) / load capacity (kg)	20/20	20/20	24/24	24/24
Weight (kg)	0.65	0.65	0.66	0.66



05.03 GT°26 / GT°26 eco

Portable, mobile, convenient

- > Shopping basket with ergonomic design
- > Attractive colour options
- > Available as environmentally friendly eco version





PICK-UPTransports up to two shopping baskets at the same time, see Take 2 and Pick-up



With advertising spaces, handles in four attractive colours



With advertising spaces, baskets in three attractive colours



05.03 GT[®]26 / GT[®]26 eco Design pend.

■ The GT26 / GT26 eco shopping basket makes spontaneous purchases and a quick trip to the shops more fun than ever: The ergonomic, semi-circular design allows the basket to be carried close to the body to lighten the load. The GT26 eco version of the basket is made out of 100% environmentally friendly recycled material.



Two designs

The base of the basket is available in two different designs:

with a close meshed structure or as a closed version.



Always ready

With the practical basket stacker* you can keep your baskets tidy at all times while also saving space.



Space-saving

When stacked, the baskets require very little storage space while the basket stacker provides an easy way to transport the stack.



Anti-theft protection

To protect against theft, the shopping baskets can be fitted with AM / RF security tags.




GT 26: Narrow meshed, stacking shopping baskets with plastic handle moulded to fit the hand. When folded, the handle sits on the edge of the basket.

GT 26 eco: Basket made from environmentally friendly recycled material.

GTC 26 and GTC 26 eco: With a closed basket base.

Advertising space:

For store logo and property marking.





Shopping baskets GT(C)26 / GT(C)26 eco	Order no.	Order no.	
		GT with open basket base	GTC with closed basket base	
520 335	Basket length x width x height (mm)	520 x 335 x 255	520 x 335 x 255	
	Basket volume (litres)	26	26	
# # # # # # # # # # # # # # # # # # # 	Stacking height (mm)	23	23	
410 - 220	Weight (kg)	0.7	0.8	
	Loading capacity (max. load in kg)	26	26	
GT(C)26 eco blue handle, deep black basket		02.55823.07-0001	02.81248.07-0001	
GT(C)26 eco green handle, deep black basket		02.55823.07-0004	02.81248.07-0004	
GT(C)26 eco magenta handle, deep black basket		02.55823.07-0002	02.81248.07-0002	
GT(C)26 eco orange handle, deep black basket		02.55823.07-0003	02.81248.07-0003	
GT(C)26 deep black handle, flame red basket		02.23845.07-3000	02.82378.07-3000	
GT(C)26 deep black handle, ultramarine blue basket		02.23845.07-5002	02.82378.07-5002	
GT(C)26 deep black basket and handle		02.23845.07-9005	02.82378.07-9005	
Accessories		•	•	
AM goods security for GT26 / GT26 eco		On request		
RF goods security for GT26 / GT26 eco		On request		

^{*} See basket storage for basket collection stands



05.04 GT 40 / GT 40 eco

Practical shopping baskets with castors

- > Convenient roller basket for quick shopping
- > Ideal for small city centre stores or as an addition alongside the shopping trolley
- > Also available as environmentally friendly version made from recycled material





05.04 GT[®]40 / GT[®]40 eco Design pend.

■ With the practical GT40 / GT40 eco roller baskets, shopping is truly fun. The sturdy construction of the pull-out handle and the robust basket are designed for daily use. Ergonomic recessed handles enable easy lifting. The high degree of transparency in the basket structure reduces stock losses through theft.



Storage

Thanks to the side retractable handles the roller basket is easy to stack.



Quiet running

The robust castors with TPE tread keep noise levels low throughout the store.



Anti-theft protection

To protect against theft, the roller baskets can be fitted with AM / RF security tags.



GT®40 / GT®40 eco



GT 40: Narrow meshed, stacking, mobile shopping baskets with retractable plastic handle. Robust plastic castors with TPE tread. Easy to move at maximum handle height (when retracted) at 920 mm.

GT 40 eco: Basket made from environmentally friendly recycled material.





05.05 Take 2 and Pick-up

Trolleys for shopping baskets – A smart solution for smaller purchases

- > Maximum shopping convenience and extra customer appreciation
- > As an additional or basic service for small neighbourhood shops
- > For convenient shopping with GT26 shopping baskets





05.05 Take 2 and Pick-up

■ Flexible shopping, based on your customers' needs.

Whether you opt for the Take 2 or the Pick-up, both models can hold GT26 shopping baskets depending on your product range.



GT26 ECO for the on-the-go shopping trip

TAKE 2 Shopping with 2 baskets



TAKE 2 Can be nested to save space



PICK-UP ...With 2 baskets



PICK-UP ...With 1 basket and 1 drinks crate



PICK-UP ...With 2 baskets and 1 PET pack



PICK-UP Can be nested to save space

Take 2 standard equipment: Light yet stable round tube construction.

Finish: Plastic powder coating in RAL 7016 Anthracite Grey. Castors: 2 fixed castors, 75 mm diameter.

Pick-up standard equipment: Stable round tube construction with elegant handle caps in RAL 7016 Anthracite Grey and handle for inserting adverts.

Finish: Galvanised or powder coated

Castors: 2 fixed castors, 125 mm diameter, 2 swivel

castors, 75 mm diameter.

Take 2	
Finish	Order no.
Plastic powder coating	02.60117.76-7016
A x B x C, length x width x height (mm)	422 x 442 x 1002
Castor diameter (mm)	75
Weight (kg)	3
Loading capacity (kg)	40
Nesting depth per trolley	75
Space required for 10 trolleys (mm)	1097
Space required for 20 trolleys (mm/in)	1847
Accessories	
Shopping baskets	See GT 26/GT 26 eco

Pick-up		
C B B	Pick-up with storage for PET pack on request	
2 finish options	Order no.	
High gloss, galvanised, chrome-plated and painted	02.27686.51-0000	
Plastic powder coating*	02.27686.73-0000	
A x B x C, length x width x height (mm)	590 x 600 x 1000	
Castor diameter (mm)	125/75	
Weight (kg)	8	
Loading capacity (kg)	35	
Nesting depth per trolley	135	
Space required for 10 trolleys (mm)	1805	
Space required for 20 trolleys (mm/in)	3155	
Accessories		
Wanzl Box Classic R coin deposit system	On request	
Holder for Wanzl Box Classic R coin deposit system	On request	
Shopping baskets	See GT 26/GT 26 eco	
* Colours on request		

Colours on request



05.06 Basket storage

The perfect tool for storing your shopping baskets

- > Popular, convenient solution for storing and collecting baskets
- > Model made from stable, solid material, with or without sliding handle
- > Basket stacker with magnetic design Can be customised to suit your corporate design



BASKET STACKER
Storage for GT(C)26 / GT(C)26 eco shopping baskets



KOWA OV17 Storage for OV 17 shopping baskets







05.06 Basket storage

■ Popular basket stacker in rectangular or oval design, with or without sliding handle, or as complete basket collection station that can be customised according to your corporate design. For storing and collecting shopping baskets to keep your store tidier.



Storage for shopping baskets from the HW series

Storage for shopping baskets from the GT 26 series

Storage for shopping baskets from the WA series

High quality swivel castors

Non-marking ball bearing castors enable the basket stacker to be moved easily from the till to the entrance area.



Magnetic film

Individual printed design that is easy to replace so that the basket stacker can be used for advertising purposes. Printing available on request.



Rectangular and oval basket stacker: All models made from stable solid material. Sliding handle made from steel tube.

Finishes: Plastic powder coating 7184.

Castors: High quality swivel castors, ball bearings,

non-marking.

Basket collection station: Made from stable solid material, with panel on rear for attaching printed magnetic films. Printing available on request.

Finish: Plastic powder coating 7184.

Castors: High quality swivel castors, ball bearings,

non-marking.

Basket stacker	KOWA 0	KOWA ST	KOWA ST	KOWA OV17	Basket stacker
Dimensional drawing Example: KOWA ST A B				0000	
Suitable for the following shopping baskets:	HW 16, HW 20 WA 20, WA 24 WA 20 P, WA 24 P GT 26, GT 26 eco	HW 16, HW 20 WA 20, WA 24 WA 20 P, WA 24 P GT 26, GT 26 eco	HW 0	OV 17	HW 16, HW 20 WA 20, WA 24 WA 20 P, WA 24 P GT 26, GT 26 eco GT 40, GT 40 eco
Finish	Order no.	Order no.	Order no.	Order no.	Order no.
Plastic powder coating 7184	02.03906.73-7184	02.03907.73-7184	02.05815.73-7184	-	02.74468.73-7184
$A \times B \times C$, length x width x height (mm)	430 x 300 x 190	445 x 330 x 850	340 x 280 x 850	417 x 335 x 852	525 x 585 x 1100
Magnetic film width x height (mm)	-	-	-	-	558 x 999
Castor diameter (mm)	50	50	50	50	75
Weight (kg)	3.2	4.6	3.7	1.076	15.8 (magnetic film 1.5)



06 Product overview

06.01 Maintenance, repair, and cleaning for shopping trolleys







MAINTENANCE

CLEANING


06.02 Checklists



FOR SHOPPING TROLLEYS



06 Service





06.01 Maintenance, repair and cleaning

Universal, hassle-free service for your shopping trolleys

- > Fully functional shopping trolleys generate sales
- > Regular checks and maintenance provide reliable protection against liability claims
- > Maximum performance cuts costs over the long term











Maintenance and repair service

Spare part service

Cleaning service

Documentation



06.01 Maintenance, repair and cleaning

■ We prevent problems before they can occur. We understand that only a fully functional shopping trolley creates a positive image and brings in sales. Regular maintenance of all components and functions, combined with any necessary repairs, guarantees maximum performance and the greatest degree of product safety for customers, meaning it pays for itself.

Advice service

Wanzl is happy to visit you onsite to assess the environmental situation when selecting the right system for you.



Preventing problems

It is important to remember that stores are always responsible for customer safety. Why not entrust Wanzl with this important responsibility?



Original spare parts

Produced according to strict quality standards. Use of original parts protects you against liability claims in the event of product related accidents.



Service network

You can benefit from our expertise throughout your Wanzl products' entire service life. That is something you can rely on!



Mobile cleaning

The Trolley Star service is an all inclusive package that covers automatic cleaning, maintenance, repair and a spare parts service for your shopping trolleys.



Environmentally friendly

Trolley Star with certified environment protection: Water is treated to ensure it wastes as little water as possible and uses biodegradable cleaning agents to protect the environment.



Total Trolley Management

For retailers, Total Trolley Management means streamlined organisation with full planning capability for all costs, coupled with a perfectly managed and maintained trolley fleet.



Universal hassle-free service

This service reliably protects retailers from potential liability claims in the event of product related accidents. At the end of their service life, Wanzl will be happy to take back the trolleys.



Service agreements

Wanzl's custom-made maintenance contracts guarantee that shopping trolleys always work perfectly and remain in top condition.



Service information

Request one of our detailed service brochures. Visit our website to locate your nearest service support point:



www.wanzl.com



06.02 Safety checks

To ensure the safety of anyone using shopping trolleys / travelator shopping trolleys

- > Regular checks and assessments ensure safety
- > Verifiable documentation of checks protects you against any possible liability claims
- > For an up to date overview of your trolleys' working and visual condition

Shopping trolley checks

Daily: Visual checks prior to commissioning

- ✓ Remove any damaged shopping trolleys
- ✓ Check the castors for dirt and damage

On a regular basis: Detailed inspection of the trolley fleet

- ✓ Check the trolleys for damage
- Check that the trolleys are working properly (folding basket, child safety seat, handle, coin deposit system, etc.)
- ✓ Check the castors:
 - ✓ Wheels
 - ✓ Running discs
 - ✓ Brake shoe
 - √ Forks
 - ✓ Central hubs

√ Document your checks

Copy and fill out the checklist, and add the list to your files

Recommendation:

Have your trolleys checked and repaired by Wanzl service partners or Wanzl branches on a regular basis – either on an ad hoc basis or under a maintenance contract.

Travelator checks

Daily: Visual checks prior to commissioning

- ✓ Make sure there are no objects or people on the travelator
- ✓ Check the grooves for damage
- ✓ Remove any dirt
- ✓ Leave the travelator to run and watch to make sure it runs smoothly. Watch at least two circulations of the palette band and hand rails, looking out for dirt, damage or missing pallets.

On a regular basis: Detailed inspection of the travelator

- ✓ Check that the entire technical system is working properly and shows no signs of damage
- Check that the safety equipment is working properly (emergency off switch, etc.)
- ✓ Document your checks

Recommendation:

Contact the travelator manufacturer for the regular inspection of your travelators.

Possible faults and defects that could lead to problems when operating the travelator and have a negative impact on safety.



Damage to castor fixtures



Dirty castors



Defective comb



06.02 Checklist

■ **Checklist** for assessing your shopping trolleys on a regular basis*. Make a copy of this page, document your assessments and add the sheet to your reports!

Wanzl recommends maintenance contracts Shopping trolleys used on travelators have to withstand very challenging conditions. Regular with Stand very challenging conditions. Regular testing of trolleys must therefore be carried out according to the standard DIN EN NORM 1929. Daily visual inspections by the operator and probully visual mispections by the operator and pro-fessional maintenance carried out at least every ressional maintenance carried out at least every six months are important aspects in the documentation for more incompanies. tation for your insurance cover. Why not entrust tation for your insurance cover. Why not entrust was a work that this important responsibility?

T	nese checks are mandatory!		Inspection report
Ch	ecking the trolleys for damage		
	Deformation to the basket, chassis or plan Broken welded joints or components Secure fixture of the basket or platform	tform	Inspection date
	Secure fixture of the basket of platform		
Ch	ecking the trolleys' functional and viso	ual condition	Inspector's company
	Nesting Basket flap Child safety seat incl. safety belt Handle, handle bar and protective caps Coin deposit system Bumper Bottom tray, anti-slip guard Crate holder Platform Safety symbols / notes		Inspector's signature
Ch	ecking the castors		Defects:
	Secure fixture of the castors		
	Tread, e.g. checking for damage or wear Running discs that are free from damage	and foreign hodies, e.g. stones	
П		wear	
	Contact wheel is working properly (type 4	and type 5)	
	Brake castors are working properly		
	Dirt (e.g. threads, fabric etc.)		
Als			
Ш	Inspection of the travelator, repairs condu	cted by the travelator manufacturer	
Ch	ecking accessories		
Bal	by seat:	Holder for BabySafe:	
	Secure fixture	Deformation on the tray	
	Safety belts	Broken welded joints	
	Safety symbols	☐ Safety belts	
	State of the upholstery	☐ Safety symbols	
	Other accessories		Use an extra sheet if necessary

^{*} Check at least once every six months, always upon commissioning (as per EN 1929-2-2004 D) and following major changes.



07 Product overview

07.01 Planning data



O1 SHOPPING TROLLEY REQUIREMENTS

07.02 Dimensions and accessories



02 SHOPPING TROLLEY DIMENSIONS

02 OVERVIEW OF ORDER NUMBERS FOR ACCESSORIES

07.03 Signage



03 SAFETY WITH SHOPPING TROLLEYS



⁰³ SAFETY WITH TRAVELATOR SHOPPING TROLLEYS

07.04 Print templates





04 DATA, TEMPLATES, SPECIFICATIONS


07.05 Foundations for trolley shelters



⁰⁵ FOUNDATIONS FOR TROLLEY SHELTERS



07 Planning data/overview of dimensions





07.01 Planning data

Here to help you make a purchase

- > Ideal shopping trolley size for your store type
- > The perfect number of trolleys in relation to your retail space
- > Space needed to store the trolleys





What is the right basket size?



What type of trolley is right for your range of goods?



How many trolleys do you need in relation to the retail space?



07.01 Notes to help you make a purchase

■ This page contains notes and data that will **help you to find** the perfect shopping trolley and identify how many trolleys you actually need.

Retail space

When it comes to **shopping trolley order quantities,** apply the following rule of thumb: one shopping trolley per 5 m² of retail space.

Range of goods

The **range of goods on offer** affects the size of the shopping trolley to be selected and the equipment required.

Focus of services

Many stores consciously opt for **second trolleys or customised shopping trolleys** if their customers often buy smaller quantities or if they often serve families with children, senior citizens, etc.

	Store type	Self-service store	Self-service market	Supermarket	Supermarket in a department store	Food depart- ment	Discount supermarket(s)	Convenience store	Self-service department store	Drug store	Drug store
***	Location	Central location in residential areas in large cit- ies and medium towns Suburbs around large cities Central location in small towns	Rural communi- ties that cover several villages Central location in residential areas in large cit- ies and medium towns Suburbs around large cities Central location in small towns	Rural communi- ties that cover several villages Central location in residential are- as in large cities and medium/ small towns City centre locations in large cities and medium towns Central location in medium and small towns	Large neighbour- hoods in large cities Central location in residential are- as in large cities and medium/ small towns Central location in medium and small towns	Central location in rural com- munities and sub- sidiary branches in suburbs		Central store locations in large neighbourhoods in big cities, no department store Central store locations in medium-sized towns Small towns that act as hubs for other villages	Traffic-oriented suburbs of large cities and medium towns Large cities in economic regions economic regions cover several regions Cities with central supply functions for the surrounding area	City centre locations with heavy foot traffic	City centre locations with heavy foot traffic
	Range of goods	Food	Food	Food	Food	Food	Food	Food Non-food	Food Non food	Chemist	Chemist
Ø m²	Retail space (average)	150	300	700	1200	1000	600	3000	9000	250	450
m²-m²	Retail space (limits)	up to 250	250-400	400-1000	800-1500	400-1500	up to 1000	2500-5000	from 5000	200-400	400-600
×	Basket/trolley volume in litres	70-75	70-99	75-115	90-160	70-115	90-185	100-240	130-240	70-75	70-90
x/100m²	Trolleys per 100 m²	22	27	20	19	17	17	16	13	25	22
Customised	Second trolley				+		+	+++	+++		
shopping trolley	With baby seat	+	+	+	+	+	+	+	+	+	+
	With holder for BabySafe car seat	+++	+++	+++	+++	+++	+++	+++	+++	+++	+++
	Fun Mobil Fun Cabrio		++	+++	+++	++	+	+++	+++	++	++
	For wheelchair users	+	+	++	+++	+	+++	+++	+++	++	++
	For senior citizens	+	+	+	+++	+	+	+++	+++	+	+
Service	Shopping baskets	+++	+++	++	+	++				+++	+++

⁻ An extra service

⁺⁺ Must be available

⁺⁺⁺ Standard in a modern store



07.02 Dimensions and accessories

For detailed planning, ordering and any follow up orders

- > Main dimensions of Wanzl shopping trolley series
- > Overview of order numbers for shopping trolley accessories





What are the trolley's distinguishing features?




Space saving

Information on space requirements for trolley rows and the nesting depth per trolley is available in the order tables for the shopping trolley series in question.




07.02 Dimensions for EL/ELX/Light series





07.02 Dimensions of DRC series






07.02 Dimensions of Tango series




07.02 Dimensions of CS series







07.02 Dimensions of Fun Mobil



07.02 Dimensions of Fun Mobil Compact 140




07.02 Dimensions of Fun Cabrio






07.02 Dimensions of ELT series



07.02 Dimensions of customised trolleys





07.02 Overview of accessories for EL, ELX and Light

EL series			EL75	EL90		EL101	EL115
ELX series						ELX101	
Light series		Light 70			Light 100		
	Delivery qty.	Order no.					
Round tube handles and coin de	posit syste	ms					
Round tube handle		Standard	Standard	Standard	Standard	Standard	Standard
Individual advertising insert for round tube handle		On request					
Wanzl Starbox		01.77020.00-0000	01.77010.00-0000	01.77010.00-0000	01.77020.00-0000	01.77010.00-0000	01.77010.00-0000
Wanzl Box Classic		01.75015.00-0000	01.75010.00-0000	01.75010.00-0000	01.75015.00-0000	01.75010.00-0000	01.75010.00-0000
Wanzl Box Classic R		On request					
Comfort handles		-	-	-	-	77.84869.07-0000	-
Comfort handles with Starbox		-	-	-	-	On request	-
Promobox Plus handle system		·					·
Promobox Plus with coin deposit system	:	01.61031.00-0000	-	01.97972.00-0000	01.61043.00-000	01.61030.00-0000	-
Promobox Plus without coin deposit system		On request	-	On request	On request	On request	-
Individual advertising insert for Promobox Plus		On request	-	On request	On request	On request	-
Magnifying glass for Promobox Plus	Unit	77.40093.95-7016	-	-	77.40093.95-7016	77.40093.95-7016	-
Scanner holder* for Promobox Plus	Unit	77.03100.07-0000	-	-	77.03100.07-0000	77.03100.07-0000	-
Cup holder for Promobox Plus	Unit	77.01370.07-0000	-	-	77.01370.07-0000	77.01370.07-0000	-
Clipboard for Promobox Plus	Unit	01.15487.37-7035	-	_	01.15487.37-7035	01.15487.37-7035	-
Equipment for shopping trolleys							
Child seat		-	Standard	Standard	-	Standard	Standard
Child seat/goods shelf		-	-	-	-	00.01030.51-0000	-
Safety belt	Unit	-	01.64957.00-0000	01.64957.00-0000	-	01.64957.00-0000	01.64957.00-0000
Wire tray	Unit	-	01.02358.65-0000	01.02358.65-0000	-	01.02358.65-0000	01.02358.65-0000
Plastic tray	Unit	-	01.22985.07-0000	01.22985.07-0000	-	01.22985.07-0000	01.22985.07-0000
Cross divider	Unit	-	_	-	-	01.89230.51-0000	-
Cut flowers holder	Unit	-	01.01017.07-0000	01.01017.07-0000	-	01.01017.07-0000	01.01017.07-0000
Clothes rail, 463 mm high	Unit	-	-	-	-	01.19501.51-0000	-
Basket corner protectors, top	1 pair	01.40010.07-0000	01.39890.07-0000	01.39890.07-0000	01.39890.07-0000	01.39890.07-0000	01.39890.07-0000
Basket corner protectors, bottom	1 pair	-	01.50351.07-0000	01.50351.07-0000	-	01.50351.07-0000	01.50351.07-0000
C-shaped basket protection profile with C-corner**	Set	On request	01.99247.07-0000	01.63610.07-0000	On request	01.21248.07-0000	01.21310.07-0000
with top basket corner protectors**	Set	01.57292.07-0000	01.35370.07-0000	01.40340.07-0000	01.58761.07-0000	01.21300.07-0000	01.21311.07-0000
on the sides**	Set	01.57066.07-0000	01.37517.07-0000	01.25991.07-0000	01.58648.07-0000	01.37517.07-0000	01.25313.07-0000
Horizontal C-shaped basket prot. profile, rear**	Unit	On request	01.56388.07-0000	01.56388.07-0000	On request	01.56162.07-0000	01.56388.07-0000
A6 writing surface	Unit	01.50624.95-0000	01.50624.95-0000	01.50624.95-0000	01.50624.95-0000	01.50624.95-0000	01.50624.95-0000
Magnifying glass for handle	Unit	77.00285.95-7016	77.00285.95-7016	On request	77.00285.95-7016	77.00285.95-7016	77.00285.95-7016
Front bag hook	Unit	01.05421.07-0000	01.05421.07-0000	01.05421.07-0000	01.05421.07-0000	01.05421.07-0000	01.05421.07-0000
Rear bag hook	0	On request					
252 x 195 mm poster frame with holders	Unit	-	21.15336.07-V008	21.15336.07-V008	-	21.15336.07-V008	21.15336.07-V008
Stamp on basket carrier	Offic	On request					
Wanzl castors	: 	: o.rrequest	- On request	- Sirrequest	- On request	- On request	Sirrequese
Original Wanzl castors	Set	Standard	Standard	Standard	Standard	Standard	Standard
Wanzl castors with brake	Set	60.40352.00-7016	-	-	60.40352.00-7016	60.40352.00-7016	60.40352.00-7016
Wanzl Softdrive castors	Set	60.33911.00-7016	_	_	60.33911.00-7016	60.33911.00-7016	60.33911.00-7016
Slip castor protection***	Set	60.32329.00-7016	_	_	60.32329.00-7016	60.32329.00-7016	60.32329.00-7016
Wanzl travelator castors	: 500	50.52327.00-7010	1		30.32327.00-7010	30.32327.00-7010	30.32327.00 70 10
Type 1, 2, 3 or 4 travelator castors		On request		_		On request	On request
ואףכ ו, ב, ט טו א נומעכומנטו נמגנטוג	<u>.</u>	On request	<u>.</u> -	1-	<u>i</u> -	OILIEdnest	On request



ELX130 ELX15 Order no. Order no. Order of order order order order or order or order order or order or order order order or order order or order o	Order no. Standard On request 00-0000 01.77010.00-0000 01.75010.00-0000 t On request 07-0000 T7.84869.07-0000 t On request On request On request On request T7.40093.95-7016 T7.40093.95-7016 T7.40093.95-7016 T7.0000 T7.03100.07-0000 T7.03100.07-0000 T7.01370.07-0000 T7.03100.07-0000	Corder no. Standard On request 01.77010.00-0000 01.75010.00-0000 On request 77.84869.07-0000 On request 01.61031.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01054.51-0000 01.64957.00-0000	Order no. Standard On request 01.77020.00-0000 01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01055.51-0000	Order no. Standard On request 01.77020.00-0000 01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01056.51-0000	ELX248B Order no. Standard On request 01.77020.00-0000 01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request 77.40093.95-7016 77.03100.07-0000 01.15487.37-7035
Standard Standard Standard Standard On request On request On request 01.77010.00-0000 01.77010.00-0000 01.75010 01.75010.00-0000 01.75010.00-0000 01.75010 On request On request On request 77.84869.07-0000 77.84869 On request On request On request On request On request On request On request On request On request On request 77.40093.95-7016 77.40093.95-7016 77.40093.95-7016 77.03100.07-0000 77.03100.07-0000 77.01370.07-0000 77.01370.07-0000 77.01370.07-0000 77.01370.07-0000 77.01370 01.15487.37-7035 01.15487 Standard Standard Standard Standard Standard 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.21568 01.01017.07-0000 01.37631.51-0000 01.37631.51-0000 01.21568 01.01017.07-0000 01.21568 <t< th=""><th>Standard t On request 00-0000 01.77010.00-0000 t On request 07-0000 77.84869.07-0000 t On request 00-0000 01.61021.00-0000 t On request 00-0000 01.61021.00-0000 t On request 77.40093.95-7016 07-0000 77.03100.07-0000 07-0000 77.01370.07-0000 07-0000 77.01370.07-0000 37-7035 01.15487.37-7035 Standard 51-0000 00.01053.51-0000</th><th>Standard On request 01.77010.00-0000 01.75010.00-0000 On request 77.84869.07-0000 On request 01.61031.00-0000 On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01054.51-0000</th><th>Standard On request 01.77020.00-0000 01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01055.51-0000</th><th>Standard On request 01.77020.00-0000 01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 01.15487.37-7035 Standard</th><th>Standard On request 01.77020.00-0000 01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 01.15487.37-7035</th></t<>	Standard t On request 00-0000 01.77010.00-0000 t On request 07-0000 77.84869.07-0000 t On request 00-0000 01.61021.00-0000 t On request 00-0000 01.61021.00-0000 t On request 77.40093.95-7016 07-0000 77.03100.07-0000 07-0000 77.01370.07-0000 07-0000 77.01370.07-0000 37-7035 01.15487.37-7035 Standard 51-0000 00.01053.51-0000	Standard On request 01.77010.00-0000 01.75010.00-0000 On request 77.84869.07-0000 On request 01.61031.00-0000 On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01054.51-0000	Standard On request 01.77020.00-0000 01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01055.51-0000	Standard On request 01.77020.00-0000 01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 01.15487.37-7035 Standard	Standard On request 01.77020.00-0000 01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 01.15487.37-7035
Standard Standard Standard On request On request On request 01.77010.00-0000 01.77010.00-0000 01.77010 01.75010.00-0000 01.75010.00-0000 01.75010 On request On request On request 77.84869.07-0000 77.84869.07-0000 77.84869 On request On request On request On request On request On request On request On request On request 77.40093.95-7016 77.40093.95-7016 77.40093 77.03100.07-0000 77.03100.07-0000 77.03170 77.01370.07-0000 77.01370.07-0000 77.01370 01.15487.37-7035 01.15487.37-7035 01.15487 Standard Standard Standard Standard 01.02391.65-0000 01.02391.65-0000 01.02391.05-0000 01.02391.05-0000 01.37631.51-0000 01.37631.51-0000 01.21568 01.01017.07-0000 01.21568 01.39890.07-0000 01.39890.07-0000 01.50351.07-0000 01.50351.07-0000 01.50351.07-0000 <td< th=""><th>Standard t On request 00-0000 01.77010.00-0000 t On request 07-0000 77.84869.07-0000 t On request 00-0000 01.61021.00-0000 t On request 00-0000 01.61021.00-0000 t On request 77.40093.95-7016 07-0000 77.03100.07-0000 07-0000 77.01370.07-0000 07-0000 77.01370.07-0000 37-7035 01.15487.37-7035 Standard 51-0000 00.01053.51-0000</th><th>Standard On request 01.77010.00-0000 01.75010.00-0000 On request 77.84869.07-0000 On request 01.61031.00-0000 On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01054.51-0000</th><th>Standard On request 01.77020.00-0000 01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01055.51-0000</th><th>Standard On request 01.77020.00-0000 01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 01.15487.37-7035 Standard</th><th>Standard On request 01.77020.00-0000 01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 01.15487.37-7035</th></td<>	Standard t On request 00-0000 01.77010.00-0000 t On request 07-0000 77.84869.07-0000 t On request 00-0000 01.61021.00-0000 t On request 00-0000 01.61021.00-0000 t On request 77.40093.95-7016 07-0000 77.03100.07-0000 07-0000 77.01370.07-0000 07-0000 77.01370.07-0000 37-7035 01.15487.37-7035 Standard 51-0000 00.01053.51-0000	Standard On request 01.77010.00-0000 01.75010.00-0000 On request 77.84869.07-0000 On request 01.61031.00-0000 On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01054.51-0000	Standard On request 01.77020.00-0000 01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01055.51-0000	Standard On request 01.77020.00-0000 01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 01.15487.37-7035 Standard	Standard On request 01.77020.00-0000 01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 01.15487.37-7035
On request On request On request 01.77010.00-0000 01.77010.00-0000 01.77010 01.75010.00-0000 01.75010 01.75010 0n request On request On request 77.84869.07-0000 77.84869.07-0000 77.84869.07-0000 On request On request On request On request On request On request On request On request On request 77.40093.95-7016 77.40093.95-7016 77.40093 77.03100.07-0000 77.03100.07-0000 77.031370 77.01370.07-0000 77.01370.07-0000 77.01370 01.15487.37-7035 01.15487.37-7035 01.15487 Standard Standard Standard Standard 00.01048.51-0000 01.04957.00-0000 01.64957 01.02391.65-0000 01.02391.65-0000 01.02391 01.02364.07-0000 01.02364.07-0000 01.22985 01.37631.51-0000 01.37631.51-0000 01.19501.51-0000 01.19501 01.50351.07-0000 01.50351.07-0000 01.50351 01.20566.07-0	t On request 00-0000 01.77010.00-0000 t On request 07-0000 77.84869.07-0000 t On request 00-0000 01.61021.00-0000 t On request 00-0000 01.61021.00-0000 t On request t On request 95-7016 77.40093.95-7016 07-0000 77.03100.07-0000 07-0000 77.01370.07-0000 37-7035 01.15487.37-7035 Standard 51-0000 00.01053.51-0000	On request 01.77010.00-0000 01.75010.00-0000 On request 77.84869.07-0000 On request 01.61031.00-0000 On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01054.51-0000	On request 01.77020.00-0000 01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01055.51-0000	On request 01.77020.00-0000 01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035	On request 01.77020.00-0000 01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request 77.40093.95-7016 77.03100.07-0000 01.15487.37-7035
01.77010.00-0000 01.77010.00-0000 01.77010 01.75010.00-0000 01.75010.00-0000 01.75010 0n request On request On request 77.84869.07-0000 77.84869 On request On request 0n request On request 0n request On request 0n request On request 0n request On request 77.40093.95-7016 77.40093.95-7016 77.03100.07-0000 77.03100.07-0000 77.01370.07-0000 77.01370.07-0000 77.01370.07-0000 77.01370.07-0000 70.15487.37-7035 01.15487.37-7035 01.64957.00-0000 01.64957.00-0000 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.37631.51-0000 01.37631.51-0000 01.379890.07-0000 01.37631.51-0000 01.39890.07-0000 01.39890.07-0000 01.50351.07-0000 01.50351.07-0000 01.21253.07-0000 01.21255.07-0000 01.25991.07-0000 01.25313.07-0000 01.25991.07-0000	00-0000 01.77010.00-0000 00-0000 01.75010.00-0000 t On request 07-0000 t On request 00-0000 t On request 00-0000 01.61021.00-0000 t On request 00-0000 07.0000 07.0010 07.0010 07.0010 07.0010 07.0010 07.0010 07.0010 07.0010 07.0010 07.0010 07.0010 07.0015487.37-7035 01.15487.37-7035 01.001053.51-0000 07.0000 07.0000 07.001053.51-0000 00.001053.51-0000	01.77010.00-0000 01.75010.00-0000 On request 77.84869.07-0000 On request 01.61031.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01054.51-0000	01.77020.00-0000 01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01055.51-0000	01.77020.00-0000 01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035	01.77020.00-0000 01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 01.15487.37-7035
01.75010.00-0000 01.75010.00-0000 01.75010 0n request On request On request 77.84869.07-0000 77.84869 On request 0n request On request On request 0n request On request On request 0n request On request On request 77.40093.95-7016 77.40093.95-7016 77.40093.95-7016 77.01370.07-0000 77.03100.07-0000 77.03100.07-0000 77.01370.07-0000 77.01370.07-0000 77.01370.07-0000 01.15487.37-7035 01.15487.37-7035 01.15487 Standard Standard Standard 00.01048.51-0000 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.02391.07-0000 01.37631.51-0000 01.37631.51-0000 01.21568 01.01017.07-0000 01.01017.07-0000 01.01017.07-0000 01.39890.07-0000 01.39890.07-0000 01.50351.07-0000 01.21302.07-0000 01.21255.07-0000 01.21306.07-0000 01.25991.07-0000 01.25313.07-0000 01.25313.07-0000	00-0000 01.75010.00-0000 t 0n request 07-0000 77.84869.07-0000 t 0n request 00-0000 01.61021.00-0000 t 0n request 0n request 0n request 0n request 77.40093.95-7016 07-0000 77.03100.07-0000 07-0000 77.01370.07-0000 37-7035 01.15487.37-7035 Standard 00.01053.51-0000	01.75010.00-0000 On request 77.84869.07-0000 On request 01.61031.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01054.51-0000	01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01055.51-0000	01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035	01.75015.00-0000 On request 77.84869.07-0000 On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 01.15487.37-7035
On request On request On request 77.84869.07-0000 77.84869.07-0000 77.84869 On request On request On request 01.61031.00-0000 01.61021.00-0000 01.61031 On request On request On request On request On request On request 77.40093.95-7016 77.40093.95-7016 77.40093 77.03100.07-0000 77.03100.07-0000 77.03100 77.01370.07-0000 77.01370.07-0000 77.01370 01.15487.37-7035 01.15487.37-7035 01.15487 Standard Standard Standard 00.01048.51-0000 01.02391.65-0000 01.02391 01.02391.65-0000 01.02391.65-0000 01.02391 01.037631.51-0000 01.37631.51-0000 01.21568 01.01017.07-0000 01.01017.07-0000 01.01017.07-0000 01.01017.07-0000 01.39890.07-0000 01.39890.07-0000 01.50351.07-0000 01.50351.07-0000 01.50351.07-0000 01.21256 01.21302.07-0000 01.21304.07-0000 01.21305.07-0000 01.25313.07-0000	t On request 07-0000 77.84869.07-0000 t On request 00-0000 01.61021.00-0000 t On request 00 request 77.40093.95-7016 07-0000 77.03100.07-0000 07-0000 77.01370.07-0000 37-7035 01.15487.37-7035 Standard 51-0000 00.01053.51-0000	On request 77.84869.07-0000 On request 01.61031.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 01.15487.37-7035 Standard 00.01054.51-0000	On request 77.84869.07-0000 On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01055.51-0000	On request 77.84869.07-0000 On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035	On request 77.84869.07-0000 On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 01.15487.37-7035
77.84869.07-0000 77.84869.07-0000 77.84869 On request On request On request 01.61031.00-0000 01.61021.00-0000 01.61031 On request On request On request On request On request On request 77.40093.95-7016 77.40093.95-7016 77.40093 77.03100.07-0000 77.03100.07-0000 77.03100 77.01370.07-0000 77.01370.07-0000 77.01370 01.15487.37-7035 01.15487.37-7035 01.15487 Standard Standard Standard Standard 01.02391.65-0000 01.02391.65-0000 01.02391 01.02364.07-0000 01.02364.07-0000 01.22985 01.01017.07-0000 01.01017.07-0000 01.01017 01.19501.51-0000 01.39890.07-0000 01.39890 01.50351.07-0000 01.21256 01.21256 01.21253.07-0000 01.2551.07-0000 01.21256 01.21302.07-0000 01.2551.07-0000 01.21256 01.25991.07-0000 01.2551.07-0000 01.2566 01.20566.07-0000	07-0000 77.84869.07-0000 t On request 00-0000 01.61021.00-0000 t On request t On request 95-7016 77.40093.95-7016 07-0000 77.03100.07-0000 07-0000 77.01370.07-0000 37-7035 01.15487.37-7035 Standard 51-0000 00.01053.51-0000	77.84869.07-0000 On request 01.61031.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01054.51-0000	77.84869.07-0000 On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01055.51-0000	77.84869.07-0000 On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035	77.84869.07-0000 On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 01.15487.37-7035
On request On request On request 01.61031.00-0000 01.61021.00-0000 01.61031 On request On request On request On request On request On request 77.40093.95-7016 77.40093.95-7016 77.40093 77.03100.07-0000 77.03100.07-0000 77.03170 77.01370.07-0000 77.01370.07-0000 77.01370 01.15487.37-7035 01.15487.37-7035 01.15487 Standard Standard Standard 00.01050.51-0000 00.01051 01.64957.00-0000 01.64957.00-0000 01.64957 01.02391.65-0000 01.02391 01.02391.65-0000 01.02391.65-0000 01.02391 01.02364.07-0000 01.22985 01.37631.51-0000 01.37631.51-0000 01.21568 01.01017.07-0000 01.01017 01.19501.51-0000 01.39890.07-0000 01.39890.07-0000 01.50351.07-0000 01.50351.07-0000 01.50351.07-0000 01.21256 01.21253.07-0000 01.21255.07-0000 01.21306.07-0000 01.225313.07-0000 01.21305.07-0000 01.25313.07-0000 01.2566.07-0000 <td>00-0000 01.61021.00-0000 t On request 1 On request 2 On request 3 On request 4 On request 5 On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 77.01370.07-0000 37.7035 01.15487.37-7035 Standard 51-0000 00.01053.51-0000</td> <td>01.61031.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01054.51-0000</td> <td>On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01055.51-0000</td> <td>On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard</td> <td>On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 01.15487.37-7035</td>	00-0000 01.61021.00-0000 t On request 1 On request 2 On request 3 On request 4 On request 5 On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 77.01370.07-0000 37.7035 01.15487.37-7035 Standard 51-0000 00.01053.51-0000	01.61031.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01054.51-0000	On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01055.51-0000	On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard	On request 01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 01.15487.37-7035
01.61031.00-0000 01.61021.00-0000 01.61031 On request On request On request On request On request On request 77.40093.95-7016 77.40093.95-7016 77.40093 77.03100.07-0000 77.03100.07-0000 77.03100 77.01370.07-0000 77.01370.07-0000 77.01370 01.15487.37-7035 01.15487.37-7035 01.15487 Standard Standard Standard 00.01050.51-0000 00.01051 01.048.51-0000 01.04957.00-0000 01.64957 01.02391.65-0000 01.02391 01.02391.65-0000 01.02391.65-0000 01.22985 01.37631.51-0000 01.22985 01.01017.07-0000 01.37631.51-0000 01.21568 01.01017.07-0000 01.01017 01.39890.07-0000 01.39890.07-0000 01.39890.07-0000 01.39890 01.50351.07-0000 01.50351.07-0000 01.21256 01.21253.07-0000 01.21256 01.21302.07-0000 01.21255.07-0000 01.21306 01.21306 01.20566.07-0000 01.2566 01.20566.07-0000 01.50624.95-0000	00-0000 01.61021.00-0000 t On request On request 95-7016 77.40093.95-7016 07-0000 77.03100.07-0000 77.01370.07-0000 37-7035 01.15487.37-7035 Standard 51-0000 00.01053.51-0000	01.61031.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01054.51-0000	01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01055.51-0000	01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard	01.61041.00-0000 On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035
On request On request On request On request On request On request 77.40093.95-7016 77.40093.95-7016 77.40093 77.03100.07-0000 77.03100.07-0000 77.03100 77.01370.07-0000 77.01370.07-0000 77.01370 01.15487.37-7035 01.15487.37-7035 01.15487 Standard Standard Standard 00.01048.51-0000 00.01050.51-0000 00.01051 01.64957.00-0000 01.64957.00-0000 01.64957 01.02391.65-0000 01.02391.65-0000 01.02391 01.02364.07-0000 01.2364.07-0000 01.22985 01.37631.51-0000 01.37631.51-0000 01.01017 01.39890.07-0000 01.39890.07-0000 01.39890.07-0000 01.39890 01.50351.07-0000 01.50351.07-0000 01.50351 01.21256 01.21302.07-0000 01.21255.07-0000 01.21305 01.25991.07-0000 01.25313.07-0000 01.25313.07-0000 01.25313.07-0000 01.50624.95-0000 01.50624.95-0000 01.50624 07.00285.95-7016 07.00285.9	t On request t On request 95-7016 77.40093.95-7016 07-0000 77.03100.07-0000 07-0000 77.01370.07-0000 37-7035 01.15487.37-7035 Standard 51-0000 00.01053.51-0000	On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01054.51-0000	On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01055.51-0000	On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard	On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035
On request On request On request On request On request On request 77.40093.95-7016 77.40093.95-7016 77.40093 77.03100.07-0000 77.03100.07-0000 77.03100 77.01370.07-0000 77.01370 07.01370 01.15487.37-7035 01.15487 01.15487 Standard Standard Standard 00.01048.51-0000 00.01050.51-0000 01.64957 01.02391.65-0000 01.64957.00-0000 01.64957 01.02391.65-0000 01.02391.65-0000 01.22985 01.37631.51-0000 01.37631.51-0000 01.21568 01.01017.07-0000 01.01017.07-0000 01.01017 01.39890.07-0000 01.39890.07-0000 01.39890 01.50351.07-0000 01.50351.07-0000 01.50351 01.21253.07-0000 01.21255.07-0000 01.21305 01.25991.07-0000 01.25313.07-0000 01.25313.07-0000 01.2566 01.50624.95-0000 01.50624.95-0000 01.50624 07.00285.95-7016 07.00285 01.05421.07-0000 01.05421.07-0000	t On request t On request 95-7016 77.40093.95-7016 07-0000 77.03100.07-0000 07-0000 77.01370.07-0000 37-7035 01.15487.37-7035 Standard 51-0000 00.01053.51-0000	On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01054.51-0000	On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01055.51-0000	On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard	On request On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035
On request On request On request 77.40093.95-7016 77.40093.95-7016 77.40093 77.03100.07-0000 77.03100.07-0000 77.03100 77.01370.07-0000 77.01370 77.01370 01.15487.37-7035 01.15487.37-7035 01.15487 Standard Standard Standard 00.01048.51-0000 00.01050.51-0000 00.01051 01.64957.00-0000 01.64957.00-0000 01.64957 01.02391.65-0000 01.02391.65-0000 01.22985 01.37631.51-0000 01.37631.51-0000 01.21568 01.01017.07-0000 01.01017.07-0000 01.01017 01.39890.07-0000 01.39890.07-0000 01.39890 01.50351.07-0000 01.50351.07-0000 01.21256 01.21302.07-0000 01.21304.07-0000 01.21305 01.25991.07-0000 01.25313.07-0000 01.25313.07-0000 01.2566.07-0000 01.20566.07-0000 01.50624 01.50624.95-0000 01.50624.95-0000 01.50624 01.05421.07-0000 01.05421.07-0000 01.05421	t On request 95-7016 77.40093.95-7016 07-0000 77.03100.07-0000 07-0000 77.01370.07-0000 37-7035 01.15487.37-7035 Standard 51-0000 00.01053.51-0000	On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01054.51-0000	On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01055.51-0000	On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard	On request 77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035
77.40093.95-7016 77.40093.95-7016 77.40093 77.03100.07-0000 77.03100.07-0000 77.03100 77.01370.07-0000 77.01370 77.01370 01.15487.37-7035 01.15487.37-7035 01.15487 Standard Standard Standard 00.01048.51-0000 00.01050.51-0000 00.01051 01.64957.00-0000 01.64957.00-0000 01.64957 01.02391.65-0000 01.02391.65-0000 01.02391 01.37631.51-0000 01.37631.51-0000 01.21568 01.01017.07-0000 01.01017.07-0000 01.01017 01.39890.07-0000 01.39890.07-0000 01.39890 01.50351.07-0000 01.50351.07-0000 01.21256 01.21253.07-0000 01.21255.07-0000 01.21305 01.25991.07-0000 01.25313.07-0000 01.37517 01.20566.07-0000 01.20566.07-0000 01.20566 01.50624.95-0000 01.50624.95-0000 01.50624 01.05421.07-0000 01.05421.07-0000 01.05421	95-7016 77.40093.95-7016 07-0000 77.03100.07-0000 07-0000 77.01370.07-0000 37-7035 01.15487.37-7035 Standard 51-0000 00.01053.51-0000	77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01054.51-0000	77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01055.51-0000	77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035	77.40093.95-7016 77.03100.07-0000 77.01370.07-0000 01.15487.37-7035
77.03100.07-0000 77.03100.07-0000 77.03100 77.01370.07-0000 77.01370.07-0000 77.01370 01.15487.37-7035 01.15487.37-7035 01.15487 Standard Standard Standard 00.01048.51-0000 00.01050.51-0000 00.01051 01.64957.00-0000 01.64957.00-0000 01.64957 01.02391.65-0000 01.02391.65-0000 01.02391 01.02364.07-0000 01.02364.07-0000 01.22985 01.37631.51-0000 01.37631.51-0000 01.01017 01.19501.51-0000 01.19501.51-0000 01.19501 01.39890.07-0000 01.39890.07-0000 01.39890 01.50351.07-0000 01.50351.07-0000 01.21256 01.21253.07-0000 01.21255.07-0000 01.21305 01.25991.07-0000 01.25313.07-0000 01.37517 01.20566.07-0000 01.255313.07-0000 01.255313.07-0000 01.50624.95-0000 01.50624.95-0000 01.50624 01.50624.95-0000 01.50624.95-0000 01.50624 01.05421.07-0000 01.05421.07-0000 01.05421	07-0000 77.03100.07-0000 07-0000 77.01370.07-0000 37-7035 01.15487.37-7035 Standard 51-0000 00.01053.51-0000	77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01054.51-0000	77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard 00.01055.51-0000	77.03100.07-0000 77.01370.07-0000 01.15487.37-7035 Standard	77.03100.07-0000 77.01370.07-0000 01.15487.37-7035
77.01370.07-0000 77.01370.07-0000 77.01370 01.15487.37-7035 01.15487.37-7035 01.15487 Standard 01.15487.37-7035 01.15487 Standard 00.01048.51-0000 00.01050.51-0000 00.01051 01.64957.00-0000 01.64957.00-0000 01.64957 01.02391.65-0000 01.02391.65-0000 01.02391 01.02364.07-0000 01.02364.07-0000 01.22985 01.37631.51-0000 01.37631.51-0000 01.21568 01.01017.07-0000 01.01017.07-0000 01.01017 01.39890.07-0000 01.39890.07-0000 01.39890 01.50351.07-0000 01.50351.07-0000 01.50351 01.21253.07-0000 01.21256.07-0000 01.21256 01.25991.07-0000 01.25313.07-0000 01.25313.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 01.50624.95-0000 01.50624.95-0000 01.50624 01.05421.07-0000 01.05421.07-0000 01.05421.07-0000	07-0000 77.01370.07-0000 37-7035 01.15487.37-7035 Standard 51-0000 00.01053.51-0000	77.01370.07-0000 01.15487.37-7035 Standard 00.01054.51-0000	77.01370.07-0000 01.15487.37-7035 Standard 00.01055.51-0000	77.01370.07-0000 01.15487.37-7035 Standard	77.01370.07-0000 01.15487.37-7035
O1.15487.37-7035 O1.15487.37-7035 O1.15487 Standard Standard Standard 00.01048.51-0000 00.01050.51-0000 00.01051 01.64957.00-0000 01.64957.00-0000 01.64957 01.02391.65-0000 01.02391.65-0000 01.02391 01.02364.07-0000 01.02364.07-0000 01.22985 01.37631.51-0000 01.37631.51-0000 01.01017.07-0000 01.01017 01.19501.51-0000 01.19501.51-0000 01.19501 01.39890.07-0000 01.39890 01.50351.07-0000 01.50351.07-0000 01.50351 01.21253.07-0000 01.21255 01.21302.07-0000 01.21304.07-0000 01.21305 01.25991.07-0000 01.25313.07-0000 01.255991.07-0000 01.2566.07-0000 01.50624.95-0000 01.50624.95-0000 01.50624.95-0000 01.50624.95-0000 01.50624.95-0000 01.05421.07-0000 01.05421.07-0000 01.05421.07-0000 01.05421.07-0000 01.05421.07-0000	37-7035 01.15487.37-7035 Standard 51-0000 00.01053.51-0000	01.15487.37-7035 Standard 00.01054.51-0000	01.15487.37-7035 Standard 00.01055.51-0000	01.15487.37-7035 Standard	01.15487.37-7035
Standard Standard Standard Standard 00.01048.51-0000 00.01050.51-0000 00.01051 01.64957.00-0000 01.64957.00-0000 01.64957 01.02391.65-0000 01.02391.65-0000 01.02391 01.02364.07-0000 01.02364.07-0000 01.22985 01.37631.51-0000 01.37631.51-0000 01.21568 01.01017.07-0000 01.01017.07-0000 01.01017 01.39890.07-0000 01.39890.07-0000 01.39890 01.50351.07-0000 01.50351.07-0000 01.50351 01.21253.07-0000 01.21255.07-0000 01.21256 01.21302.07-0000 01.21304.07-0000 01.21305 01.25991.07-0000 01.25313.07-0000 01.25566.07-0000 01.20566.07-0000 01.50624.95-0000 01.50624.95-0000 01.50624 77.00285.95-7016 77.00285 01.05421.07-0000 01.05421.07-0000 01.05421.07-0000 01.05421	Standard 51-0000 00.01053.51-0000	Standard 00.01054.51-0000	Standard 00.01055.51-0000	Standard	
00.01048.51-0000 00.01050.51-0000 00.01051 01.64957.00-0000 01.64957.00-0000 01.64957 01.02391.65-0000 01.02391.65-0000 01.02391 01.02364.07-0000 01.02364.07-0000 01.22985 01.37631.51-0000 01.37631.51-0000 01.01017 01.01017.07-0000 01.01017.07-0000 01.01017 01.39890.07-0000 01.39890.07-0000 01.39890 01.50351.07-0000 01.50351.07-0000 01.21256 01.21253.07-0000 01.21255.07-0000 01.21305 01.25991.07-0000 01.25313.07-0000 01.37517 01.20566.07-0000 01.20566.07-0000 01.20566 01.50624.95-0000 01.50624.95-0000 01.50624 01.05421.07-0000 01.05421.07-0000 01.05421	51-0000 00.01053.51-0000	00.01054.51-0000	00.01055.51-0000	÷	Standard
00.01048.51-0000 00.01050.51-0000 00.01051 01.64957.00-0000 01.64957.00-0000 01.64957 01.02391.65-0000 01.02391.65-0000 01.02391 01.02364.07-0000 01.02364.07-0000 01.22985 01.37631.51-0000 01.37631.51-0000 01.01017 01.01017.07-0000 01.01017.07-0000 01.01017 01.39890.07-0000 01.39890.07-0000 01.39890 01.50351.07-0000 01.50351.07-0000 01.21256 01.21253.07-0000 01.21255.07-0000 01.21305 01.25991.07-0000 01.25313.07-0000 01.37517 01.20566.07-0000 01.20566.07-0000 01.20566 01.50624.95-0000 01.50624.95-0000 01.50624 01.05421.07-0000 01.05421.07-0000 01.05421	51-0000 00.01053.51-0000	00.01054.51-0000	00.01055.51-0000	÷	Standard
01.64957.00-0000 01.64957.00-0000 01.64957 01.02391.65-0000 01.02391.65-0000 01.02391 01.02364.07-0000 01.02364.07-0000 01.22985 01.37631.51-0000 01.37631.51-0000 01.21568 01.01017.07-0000 01.01017.07-0000 01.01017 01.39890.07-0000 01.39890.07-0000 01.39890.07-0000 01.50351.07-0000 01.50351.07-0000 01.50351 01.21253.07-0000 01.21255.07-0000 01.21305 01.25991.07-0000 01.25313.07-0000 01.37517 01.20566.07-0000 01.20566.07-0000 01.50624 01.50624.95-0000 01.50624.95-0000 01.50624 01.05421.07-0000 01.05421.07-0000 01.05421		÷	•	00.01056.51-0000	÷
01.02391.65-0000 01.02391.65-0000 01.02391. 01.02364.07-0000 01.02364.07-0000 01.22985 01.37631.51-0000 01.37631.51-0000 01.21568 01.01017.07-0000 01.01017.07-0000 01.01017 01.19501.51-0000 01.19501.51-0000 01.39890.07-0000 01.50351.07-0000 01.50351.07-0000 01.50351 01.21253.07-0000 01.21255.07-0000 01.21256 01.21302.07-0000 01.21304.07-0000 01.21305 01.25991.07-0000 01.25313.07-0000 01.2551 01.20566.07-0000 01.20566.07-0000 01.50624 01.50624.95-0000 01.50624.95-0000 01.50624 01.05421.07-0000 01.05421.07-0000 01.05421	01.64957.00.0000	01.64957.00-0000	•		00.01056.51-0000
01.02364.07-0000 01.02364.07-0000 01.22985 01.37631.51-0000 01.37631.51-0000 01.21568 01.01017.07-0000 01.01017.07-0000 01.01017 01.19501.51-0000 01.19501.51-0000 01.39890.07-0000 01.39890.07-0000 01.39890.07-0000 01.39890 01.50351.07-0000 01.50351.07-0000 01.21256 01.21302.07-0000 01.21304.07-0000 01.21305 01.25991.07-0000 01.25313.07-0000 01.37517 01.20566.07-0000 01.20566.07-0000 01.20566 01.50624.95-0000 01.50624.95-0000 01.50624 77.00285.95-7016 77.00285.95-7016 77.00285 01.05421.07-0000 01.05421.07-0000 01.05421	00000 : 01.0T/J/.00-0000	1	01.64957.00-0000	01.64957.00-0000	01.64957.00-0000
01.37631.51-0000 01.37631.51-0000 01.21568 01.01017.07-0000 01.01017.07-0000 01.01017 01.19501.51-0000 01.19501.51-0000 01.19501 01.39890.07-0000 01.39890.07-0000 01.39890 01.50351.07-0000 01.50351.07-0000 01.50351 01.21253.07-0000 01.21255.07-0000 01.21256 01.21302.07-0000 01.21304.07-0000 01.21305 01.25991.07-0000 01.25313.07-0000 01.37517 01.20566.07-0000 01.20566.07-0000 01.50624 01.50624.95-0000 01.50624.95-0000 01.50624 01.05421.07-0000 01.05421.07-0000 01.05421	65-0000 01.02391.65-0000	01.02391.65-0000	01.02391.65-0000	01.02391.65-0000	01.02391.65-0000
01.01017.07-0000 01.01017.07-0000 01.01017 01.19501.51-0000 01.19501.51-0000 01.19501 01.39890.07-0000 01.39890.07-0000 01.39890 01.50351.07-0000 01.50351.07-0000 01.50351 01.21253.07-0000 01.21255.07-0000 01.21305 01.21302.07-0000 01.21304.07-0000 01.21305 01.25991.07-0000 01.25313.07-0000 01.37517 01.20566.07-0000 01.20566.07-0000 01.50624 01.50624.95-0000 01.50624.95-0000 01.50624 01.05421.07-0000 01.05421.07-0000 01.05421	07-0000 01.02364.07-0000	01.22985.07-0000	01.22985.07-0000	01.22985.07-0000	01.22985.07-0000
01.01017.07-0000 01.01017.07-0000 01.01017 01.19501.51-0000 01.19501.51-0000 01.19501 01.39890.07-0000 01.39890.07-0000 01.39890 01.50351.07-0000 01.50351.07-0000 01.50351 01.21253.07-0000 01.21255.07-0000 01.21305 01.21302.07-0000 01.21304.07-0000 01.21305 01.25991.07-0000 01.25313.07-0000 01.37517 01.20566.07-0000 01.20566.07-0000 01.50624 01.50624.95-0000 01.50624.95-0000 01.50624 01.05421.07-0000 01.05421.07-0000 01.05421	51-0000 01.37631.51-0000	01.21568.51-0000	01.44454.51-0000	01.44454.51-0000	01.44454.51-0000
01.19501.51-0000 01.19501.51-0000 01.19501 01.39890.07-0000 01.39890.07-0000 01.39890 01.50351.07-0000 01.50351.07-0000 01.50351 01.21253.07-0000 01.21255.07-0000 01.21256 01.21302.07-0000 01.21304.07-0000 01.21305 01.25991.07-0000 01.25313.07-0000 01.37517 01.20566.07-0000 01.20566.07-0000 01.20566 01.50624.95-0000 01.50624.95-0000 01.50624 77.00285.95-7016 77.00285 77.00285 01.05421.07-0000 01.05421.07-0000 01.05421	07-0000 01.01017.07-0000	01.01017.07-0000	01.01017.07-0000	01.01017.07-0000	01.01017.07-0000
01.39890.07-0000 01.39890.07-0000 01.39890 01.50351.07-0000 01.50351.07-0000 01.50351 01.21253.07-0000 01.21255.07-0000 01.21256 01.21302.07-0000 01.21304.07-0000 01.21305 01.25991.07-0000 01.25313.07-0000 01.37517 01.20566.07-0000 01.20566.07-0000 01.20566 01.50624.95-0000 01.50624.95-0000 01.50624 77.00285.95-7016 77.00285 77.00285 01.05421.07-0000 01.05421.07-0000 01.05421	÷	01.19501.51-0000	01.19501.51-0000	_	01.19501.51-0000
01.50351.07-0000 01.50351.07-0000 01.50351 01.21253.07-0000 01.21255.07-0000 01.21256 01.21302.07-0000 01.21304.07-0000 01.21305 01.25991.07-0000 01.25313.07-0000 01.37517 01.20566.07-0000 01.20566.07-0000 01.20566 01.50624.95-0000 01.50624.95-0000 01.50624 77.00285.95-7016 77.00285 77.00285 01.05421.07-0000 01.05421.07-0000 01.05421	i .	01.39890.07-0000	01.66445.07-0000	01.66445.07-0000	01.66445.07-0000
01.21253.07-0000 01.21255.07-0000 01.21256 01.21302.07-0000 01.21304.07-0000 01.21305 01.25991.07-0000 01.25313.07-0000 01.37517 01.20566.07-0000 01.20566.07-0000 01.20566 01.50624.95-0000 01.50624.95-0000 01.50624 77.00285.95-7016 77.00285.95-7016 77.00285 01.05421.07-0000 01.05421.07-0000 01.05421	÷	01.50351.07-0000	01.50351.07-0000	01.50351.07-0000	01.50351.07-0000
01.21302.07-0000 01.21304.07-0000 01.21305 01.25991.07-0000 01.25313.07-0000 01.37517 01.20566.07-0000 01.20566.07-0000 01.20566 01.50624.95-0000 01.50624.95-0000 01.50624 77.00285.95-7016 77.00285.95-7016 77.00285 01.05421.07-0000 01.05421.07-0000 01.05421		01.21257.07-0000	01.20727.07-0000	01.16788.07-0000	On request
01.25991.07-0000 01.25313.07-0000 01.37517 01.20566.07-0000 01.20566.07-0000 01.20566 01.50624.95-0000 01.50624.95-0000 01.50624 77.00285.95-7016 77.00285.95-7016 77.00285 01.05421.07-0000 01.05421.07-0000 01.05421	÷	01.21307.07-0000	01.21308.07-0000	01.21309.07-0000	01.01475.07-0000
01.20566.07-0000 01.20566.07-0000 01.20566 01.50624.95-0000 01.50624.95-0000 01.50624 77.00285.95-7016 77.00285.95-7016 77.00285 01.05421.07-0000 01.05421.07-0000 01.05421		01.25313.07-0000	01.55936.07-0000	01.55936.07-0000	01.25313.07-0000
01.50624.95-0000 01.50624.95-0000 01.50624 77.00285.95-7016 77.00285.95-7016 77.00285 01.05421.07-0000 01.05421.07-0000 01.05421		01.20566.07-0000	01.20566.07-0000	01.20566.07-0000	01.20566.07-0000
77.00285.95-7016 77.00285.95-7016 77.00285 01.05421.07-0000 01.05421.07-0000 01.05421		01.50624.95-0000	01.50624.95-0000	01.50624.95-0000	01.50624.95-000
01.05421.07-0000 01.05421.07-0000 01.05421		77.00285.95-7016	77.00285.95-7016	77.00285.95-7016	77.00285.95-7016
	÷	01.05421.07-0000	01.05421.07-0000	01.05421.07-0000	01.05421.07-0000
		On request	On request	On request	On request
21.15336.07-V008 21.15336.07-V008 21.15336		21.15336.07-V008	21.15336.07-V008	21.15336.07-V008	21.15336.07-V008
On request On request On request		On request	On request	On request	On request
On request Officials	- Officquest	Onrequest	Onrequest	: On request	·
Standard Standard Standard		Standard	Standard	Standard	Standard
On request On request On reques	Standard	On request	60.40352.00-7016	60.40352.00-7016	60.40352.00-7016
On request On request On reques		On request	60.33911.00-7016	60.33911.00-7016	60.33911.00-7016
On request On request On reques	t On request		60.32329.00-7016	60.32329.00-7016	60.32329.00-7016
	t On request t On request	On request			
On request On request On request	t On request t On request	On request	:		

<sup>Optimised for hand scanner produced by Symbol.
For colour coated shopping trolleys, protective profiles are always fitted to protect the surface.
Slip castor protection for travelator castors type 3 und type 4 on request.</sup>



07.02 Overview of accessories for DRC

DRC series		DR22	D 75 RC	D90RC	D101RC
	Delivery qty.	Order no.	Order no.	Order no.	Order no.
Round tube handles and coin dep	oosit syste	ns			
Round tube handle		Standard	Standard	Standard	Standard
Individual advertising insert for round tube handle		On request	On request	On request	On request
Wanzl Starbox		01.77010.00-0000	01.77010.00-0000	01.77010.00-0000	01.77010.00-0000
Wanzl Box Classic		01.75010.00-0000	01.75010.00-0000	01.75010.00-0000	01.75010.00-0000
Wanzl Box Classic R		On request	On request	On request	On request
Comfort handles		-	-	-	77.84869.07-0000
Comfort handles with Starbox		-	-	-	On request
Promobox Plus handle system			·		·
Promobox Plus with coin deposit system		-	-	-	01.61030.00-0000
Promobox Plus without coin deposit system		-	-	-	On request
Individual advertising insert for Promobox Plus		-	-	-	On request
Magnifying glass for Promobox Plus	Unit	-	-	-	77.40093.95-7016
Scanner holder* for Promobox Plus	Unit	-	-	_	77.03100.07-0000
Cup holder for Promobox Plus	Unit	-	-	-	77.01370.07-0000
Clipboard for Promobox Plus	Unit	-	-	-	01.15487.37-7035
Equipment for shopping trolleys		i			
Child seat		-	Standard	Standard	Standard
Child seat/goods shelf		_	-	-	00.01030.51-0000
Safety belt	Unit	_	01.64957.00-0000	01.64957.00-0000	01.64957.00-0000
Wire tray	Unit	_	01.02358.65-0000	01.02358.65-0000	01.02358.65-0000
Plastic tray	Unit	_	-	01.22985.07-0000	01.22985.07-0000
Cross divider	Unit	_	-	-	01.89230.51-0000
Cut flowers holder	Unit	_	01.01017.07-0000	01.01017.07-0000	01.01017.07-0000
Clothes rail, 463 mm high	Unit	_	-	-	01.19501.51-0000
Basket corner protectors, top	1 pair	_	01.39890.07-0000	01.39890.07-0000	01.39890.07-0000
Basket corner protectors, bottom	1 pair	_	01.50351.07-0000	01.50351.07-0000	01.50351.07-0000
C-shaped basket protection profile with C-corner**	Set	On request	01.99247.07-0000	01.63610.07-0000	01.21248.07-0000
with top basket corner protectors**	Set	_	01.35370.07-0000	01.40340.07-0000	01.21300.07-0000
on the sides**	Set	_	01.37517.07-0000	01.25991.07-0000	01.37517.07-0000
Horizontal C-shaped basket prot. profile, rear**	Unit	_	01.56388.07-0000	01.56388.07-0000	01.56162.07-0000
Bumper rail**	Unit	_	01.72375.07-0000	01.72375.07-0000	01.72374.07-0000
A6 writing surface	Unit	_	01.50624.95-0000	01.50624.95-0000	01.50624.95-0000
Magnifying glass for handle	Unit		77.00285.95-7016	77.00285.95-7016	77.00285.95-7016
Front bag hook	Unit	_	01.05421.07-0000	01.05421.07-0000	01.05421.07-0000
Rear bag hook	UIIIL	_	On request	On request	On request
252 x 195 mm poster frame with holders	Unit	-	21.15336.07-V008	21.15336.07-V008	21.15336.07-V008
Flagpole, unprinted flag	Unit	01.41790.11-0000	21.13330.07-7000	21.13330.07-7000	21.13330.07-7000
Flagpole, printed flag***	Unit	01.41790.11-0000	-	-	-
Flagpole, printed hag Flagpole w/ built-in pushing handle, unprinted flag			-	=	-
	Unit	01.41792.11-0000	-	=	-
Flagpole w/ integrated pushing handle, printed flag***	Unit	01.41793.11-0000	- 0t	-	-
Stamp on basket carrier		On request	On request	On request	On request
Bottom tray		-	Standard	Standard	Standard
Wanzl castors		: c:		·	6. 1.1
Original Wanzl castors	Set	Standard	Standard	Standard	Standard
Wanzl castors with brake	Set	-	-	-	60.61686.00-7016
Wanzl Softdrive castors	Set	-	-	-	60.70625.00-7016
Slip castor protection****	Set	-	-	-	60.58992.00-7016
Wanzl travelator castors					



D120RC	D130RC	D150RC	D155RC	D185RC
Order no.				
Standard	Standard	Standard	Standard	Standard
On request				
01.77010.00-0000	01.77010.00-0000	01.77010.00-0000	01.77010.00-0000	01.77010.00-0000
01.75010.00-0000	01.75010.00-0000	01.75010.00-0000	01.75010.00-0000	01.75010.00-0000
On request				
77.84869.07-0000	77.84869.07-0000	77.84869.07-0000	77.84869.07-0000	77.84869.07-0000
On request				
ļ.	,	ļ.	ļ.	,
01.61031.00-0000	01.61031.00-0000	01.61031.00-0000	01.61031.00-0000	01.61031.00-0000
On request				
On request				
77.40093.95-7016	77.40093.95-7016	77.40093.95-7016	77.40093.95-7016	77.40093.95-7016
77.03100.07-0000	77.03100.07-0000	77.03100.07-0000	77.03100.07-0000	77.03100.07-0000
77.01370.07-0000	77.01370.07-0000	77.01370.07-0000	77.01370.07-0000	77.01370.07-0000
01.15487.37-7035	01.15487.37-7035	01.15487.37-7035	01.15487.37-7035	01.15487.37-7035
. Charles I	Constant	Charles	Constant	Cr. L. I
Standard	Standard	Standard	Standard 51 6000	Standard
00.01031.51-0000	00.01048.51-0000	00.01050.51-0000	00.01051.51-0000	00.01054.51-0000
01.64957.00-0000	01.64957.00-0000	01.64957.00-0000	01.64957.00-0000	01.64957.00-0000
01.02391.65-0000	01.02391.65-0000	01.02391.65-0000	01.02391.65-0000	01.02391.65-0000
01.02364.07-0000	01.02364.07-0000	01.02364.07-0000	01.22985.07-0000	01.22985.07-0000
01.37631.51-0000	01.37631.51-0000	01.37631.51-0000	01.21568.51-0000	01.21568.51-0000
01.01017.07-0000	01.01017.07-0000	01.01017.07-0000	01.01017.07-0000	01.01017.07-0000
01.19501.51-0000	01.19501.51-0000	01.19501.51-0000	01.19501.51-0000	01.19501.51-0000
01.39890.07-0000	01.39890.07-0000	01.39890.07-0000	01.39890.07-0000	01.39890.07-0000
01.50351.07-0000	01.50351.07-0000	01.50351.07-0000	01.50351.07-0000	01.50351.07-0000
01.21249.07-0000	01.21253.07-0000	01.21255.07-0000	01.21256.07-0000	01.21257.07-0000
01.21301.07-0000	01.21302.07-0000	01.21304.07-0000	01.21305.07-0000	01.21307.07-0000
01.37517.07-0000	01.25991.07-0000	01.25313.07-0000	01.37517.07-0000	01.37517.07-0000
01.20566.07-0000	01.20566.07-0000	01.20566.07-0000	01.20566.07-0000	01.20566.07-0000
77.69064.07-0000	77.69064.07-0000	77.69064.07-0000	77.69064.07-0000	77.69064.07-0000
01.50624.95-0000	01.50624.95-0000	01.50624.95-0000	01.50624.95-0000	01.50624.95-0000
77.00285.95-7016	77.00285.95-7016	77.00285.95-7016	77.00285.95-7016	77.00285.95-7016
01.05421.07-0000	01.05421.07-0000	01.05421.07-0000	01.05421.07-0000	01.05421.07-0000
On request				
21.15336.07-V008	21.15336.07-V008	21.15336.07-V008	21.15336.07-V008	21.15336.07-V008
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
On request				
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
60.61686.00-7016	60.61686.00-7016	60.61686.00-7016	60.61686.00-7016	60.61686.00-7016
60.70625.00-7016	60.70625.00-7016	60.70625.00-7016	60.70625.00-7016	60.70625.00-7016
60.58992.00-7016	60.58992.00-7016	60.58992.00-7016	60.58992.00-7016	60.58992.00-7016

^{*} Optimised for hand scanner produced by Symbol.

** For colour coated shopping trolleys, protective profiles and bumper rails are always fitted to protect the surface.

*** Printed on request.

*** Slip castor protection for travelator castors type 3 und type 4 on request.



07.02 Overview of accessories for Tango series

Tango series		Tangolino	Tango City	Tango City A	Tango 90 E	Tango 90EA	
	Delivery qty.	Order no.	Order no.	Order no.	Order no.	Order no.	
Promobox Plus handle system							
Promobox Plus with coin deposit system		Standard	Standard	Standard	Standard	Standard	
Promobox Plus without coin deposit system		On request	On request	On request	On request	On request	
Individual advertising insert for Promobox Plus		On request	On request	On request	On request	On request	
Magnifying glass for Promobox Plus	Unit	-	-	-	77.40093.95-7016	77.40093.95-7016	
Scanner holder* for Promobox Plus	Unit	-	-	-	77.03100.07-0000	77.03100.07-0000	
Cup holder for Promobox Plus	Unit	-	-	-	77.01370.07-0000	77.01370.07-0000	
Clipboard for Promobox Plus	Unit	-	-	-	01.15487.37-7035	01.15487.37-7035	
Round tube handles and coin de	posit syste	ms			•		
Round tube handle		-	On request	On request	On request	On request	
Individual advertising insert for round tube handle		-	On request	On request	On request	On request	
Wanzl Starbox		-	On request	On request	On request	On request	
Wanzl Box Classic		-	On request	On request	On request	On request	
Wanzl Box Classic R		-	On request	On request	On request	On request	
Comfort handles		-	On request	On request	On request	On request	
Comfort handles with Starbox		-	On request	On request	On request	On request	
Equipment for shopping trolleys		•					
Child seat/goods shelf		-	Standard	Standard	77.57480.51-0000	77.57480.51-0000	
Standard basket flap without child safety seat		Standard	-	-	Standard	Standard	
Safety belt	Unit	-	01.06108.00-0000	01.06108.00-0000	01.06108.00-0000	01.06108.00-0000	
Plastic tray	Unit	-	-	-	01.29606.07-0000	01.29606.07-0000	
Cross divider	Unit	-	-	-	-	-	
Holder on the chassis		-	-	Standard	-	Standard	
Crate holder	Unit	-	-	-	-	-	
Bottom tray	Unit	-	-	-	-	-	
A6 writing surface**	Unit	-	01.50624.95-0000	01.50624.95-0000	01.50624.95-0000	01.50624.95-0000	
Magnifying glass for handle**	Unit	-	-	-	77.00285.95-7016	77.00285.95-7016	
Front bag hook	Unit	-	01.44071.07-0000	01.44071.07-0000	01.37065.07-0000	01.37065.07-0000	
Rear bag hook	Unit	-	01.30057.07-0000	01.30057.07-0000	01.30057.07-0000	01.30057.07-0000	
Poster pocket for A4 posters	Unit	-	-	-	-	-	
Flagpole with built-in pushing handle***	Unit	01.66787.73-0000	-	-	-	-	
Property marking on the basket		On request	On request	On request	On request	On request	
Wanzl castors							
Original Wanzl castors	Set	Standard	Standard	Standard	Standard	Standard	
Wanzl castors with brake	Set	-	60.51980.00-7016	60.51980.00-7016	60.51980.00-7016	60.51980.00-7016	
Wanzl Softdrive castors	Set	-	60.80343.00-7016	60.80343.00-7016	60.80343.00-7016	60.80343.00-7016	
Slip castor protection****	Set	-	60.57636.00-7016	60.57636.00-7016	60.57636.00-7016	60.57636.00-7016	
Wanzl travelator castors				· · · · · · · · · · · · · · · · · · ·	·		
Type 1, 2, 3 or 4 travelator castors		-	On request	On request	On request	On request	



Tango 160 E	Tango 160 P	Tango 160 RC	Tango 220 E	Tango 220 P	Tango 240 E	Tango 240 P
Order no.						
Standard						
On request						
On request						
77.40093.95-7016	77.40093.95-7016	77.40093.95-7016	77.40093.95-7016	77.40093.95-7016	77.40093.95-7016	77.40093.95-7016
77.03100.07-0000	77.03100.07-0000	77.03100.07-0000	77.03100.07-0000	77.03100.07-0000	77.03100.07-0000	77.03100.07-0000
77.01370.07-0000	77.01370.07-0000	77.01370.07-0000	77.01370.07-0000	77.01370.07-0000	77.01370.07-0000	77.01370.07-0000
01.15487.37-7035	01.15487.37-7035	01.15487.37-7035	01.15487.37-7035	01.15487.37-7035	01.15487.37-7035	01.15487.37-7035
On request						
On request						
On request						
On request						
On request						
On request						
On request						
		,			,	
Standard						
-	-	-	-	-	-	-
01.06108.00-0000	01.06108.00-0000	01.06108.00-0000	01.06108.00-0000	01.06108.00-0000	01.06108.00-0000	01.06108.00-0000
01.29606.07-0000	01.29606.07-0000	01.29606.07-0000	01.29606.07-0000	01.29606.07-0000	-	-
01.29493.07-0000	01.29493.07-0000	01.29493.07-0000	01.27799.07-0000	01.27799.07-0000	01.95712.07-0000	01.95712.07-0000
-	-	-	-	-	-	-
-	00.14343.51-0000	Standard	-	77.76260.51-0000	-	77.76260.51-0000
-	01.01814.51-0000	Standard	-	01.01927.51-0000	-	01.01927.51-0000
01.50624.95-0000	01.50624.95-0000	01.50624.95-0000	01.50624.95-0000	01.50624.95-0000	01.50624.95-0000	01.50624.95-0000
77.00285.95-7016	77.00285.95-7016	77.00285.95-7016	77.00285.95-7016	77.00285.95-7016	77.00285.95-7016	77.00285.95-7016
01.44071.07-0000	01.44071.07-0000	01.44071.07-0000	01.37065.07-0000	01.37065.07-0000	-	-
01.30058.07-0000	01.30058.07-0000	01.30058.07-0000	01.30058.07-0000	01.30058.07-0000	01.30058.07-0000	01.30058.07-0000
21.22374.00-0000	21.22374.00-0000	21.22374.00-0000	21.17290.00-0000	21.17290.00-0000	=	-
-	-	-	-	-	-	-
On request						
Standard						
60.51980.00-7016	60.51980.00-7016	60.51980.00-7016	60.51980.00-7016	60.51980.00-7016	60.51980.00-7016	60.51980.00-7016
60.80343.00-7016	60.80343.00-7016	60.80343.00-7016	60.80343.00-7016	60.80343.00-7016	60.80343.00-7016	60.80343.00-7016
60.57636.00-7016	60.57636.00-7016	60.57636.00-7016	60.57636.00-7016	60.57636.00-7016	60.57636.00-7016	60.57636.00-7016
On request						
On request						

Optimised for hand scanner produced by Symbol.
 Only for Tango with round tube handle
 Unprinted flag, print on request.
 Slip castor protection for travelator castors type 3 und type 4 on request.



07.02 Overview of accessories for CS and ELT

City Shopper series		CS40	CS60			
	Delivery qty.	Order no.	Order no.			
Round tube handles and coin dep	oosit syster	ns				
Round tube handle		Standard	Standard			
Individual advertising insert for round tube handle		01.01818.00-0000	01.01818.00-0000			
Wanzl Box Classic R		On request	On request			
Equipment for shopping trolleys						
Child seat		-	Standard			
Safety belt	Unit	-	01.64957.00-0000			
Wire tray	Unit	01.01747.65-0000	01.01747.65-0000			
Small items wire basket	Unit	01.70659.51-0000	01.70659.51-0000			
Front bag hook	Unit	01.05421.07-0000	01.05421.07-0000			
Bottom tray		Standard	Standard			
Wanzl castors						
Original Wanzl castors	Set	Standard	Standard			

Round tube handles and coin deposit systems Standard Standar	ELT series		6/90	7/101	7/130	7/150	9F/185	
Name		Delivery qty.	Order no.					
Individual advertising insert for round tube handle	Round tube handles and coin dep	osit syster	ns					
Wanzel Starbox 01,77010,000000 77,84869,07,0000 77,800000 77,800000 77,800000 77,800000 77,8000000 77,800000 77,800000 77,800000 77,8000000 77,8000000 77,8000000 77,900000 77,00093,957016 77,40093,957016	Round tube handle		Standard	Standard	Standard	Standard	Standard	
Warzl Box Classic 0.175010.00-0000 01.75010.00-0000 01.75010.00-0000 01.75010.00-0000 01.75010.00-0000 01.75010.00-0000 01.75010.00-0000 01.75010.00-0000 01.75010.00-0000 01.75010.00-0000 01.75010.00-0000 01.75010.00-0000 01.75010.00-0000 01.75010.00-0000 01.75010.00-0000 07.84869.07-0000 77.84869.07-0000 77.84869.07-0000 77.84869.07-0000 77.84869.07-0000 77.84869.07-0000 77.84869.07-00000 77.94800000 </td <td>Individual advertising insert for round tube handle</td> <td></td> <td>On request</td> <td>On request</td> <td>On request</td> <td>On request</td> <td>On request</td>	Individual advertising insert for round tube handle		On request					
Wanzi Box Classic R On request	Wanzl Starbox		01.77010.00-0000	01.77010.00-0000	01.77010.00-0000	01.77010.00-0000	01.77010.00-0000	
Comfort handles - 77.84869.07.0000 <th< td=""><td>Wanzl Box Classic</td><td></td><td>01.75010.00-0000</td><td>01.75010.00-0000</td><td>01.75010.00-0000</td><td>01.75010.00-0000</td><td>01.75010.00-0000</td></th<>	Wanzl Box Classic		01.75010.00-0000	01.75010.00-0000	01.75010.00-0000	01.75010.00-0000	01.75010.00-0000	
Comfort handles with Starbox Set Standard On request On request On request On request	Wanzl Box Classic R		On request					
Promobox Plus with coin deposit system	Comfort handles		-	77.84869.07-0000	77.84869.07-0000	77.84869.07-0000	77.84869.07-0000	
Promobox Plus with cain deposit system - 01.6103.00-0000 01.61031.00-0000 01.61031.00-0000 01.61031.00-0000 Promobox Plus without cain deposit system - 0 nrequest On request On reque	Comfort handles with Starbox		-	On request	On request	On request	On request	
Promobox Plus without coin deposit system - - On request On	Promobox Plus handle system							
Individual advertising insert for Promobox Plus - On request 77.40093.95-7016 77.40090.000 11.5487.37-7035 01.15487.37-7035 01.15487.37-7035 01.15487.37-7035 01.15487.37-7035 01.15487.37-7035 01.15487.37-7035 01.15487.37-7035 01.15487.37-7035 01.15487.37-7035	Promobox Plus with coin deposit system		-	01.61030.00-0000	01.61031.00-0000	01.61021.00-0000	01.61031.00-0000	
Magnifying glass for Promobox Plus Unit - 77.4093.95-7016 77.40093.05-70000 77.03100.07-0000 77.03100.07-0000 77.03130.07-0000 77.01370.07-0000 77.01370.07-0000 77.01370.07-0000 77.01370.07-0000 77.01370.07-0000 77.01370.07-0000 77.01370.07-0000 01.15487.37-7035	Promobox Plus without coin deposit system		-	On request	On request	On request	On request	
Scanner holder* for Promobox Plus Unit - 77.03100.07-0000 01.15487.37-7035 01.15487.37-7035 01.15487.37-7035 01.15487.37-7035 01.15487.37-7035 01.15487.37-7035 01.15487.37-7035 01.15487.37-7035 01.15487.37-7035 01.15487.37-7035 01.15487.37-7035 01.15487.37-7035 01.15487.37-7035 01.15487.37-7035 01.15487.37-7035 01.15487.37-7035 01.15487.37-7035	Individual advertising insert for Promobox Plus		-	On request	On request	On request	On request	
Cup holder for Promobox Plus Unit - 77.01370.07-0000 77.01370.07-0000 77.01370.07-0000 77.01370.07-0000 77.01370.07-0000 77.01370.07-0000 77.01370.07-0000 77.01370.07-0000 77.01370.07-0000 77.01370.07-0000 01.15487.37-7035 01.0148.01 00.01013.051-0000 00.01014.01-0000 00.01014.01-0000 00.01014.01-0000 01.01014.01-0000 01.0048.51-0000 01.02391.65-0000 01.02391.65-0000 01.0	Magnifying glass for Promobox Plus	Unit	-	77.40093.95-7016	77.40093.95-7016	77.40093.95-7016	77.40093.95-7016	
Clipboard for Promobox Plus Unit - 01.15487.37-7035 01.001.00 01.001.00 01.001.001 01.001.001.000 01.001.001.000 01.001.001.000 01.001.001.000 01.001.001.000 01.001.001.000 01.001.000 01.001.000 01.001.000 01.001.000 01.001.000 01.001.000 01.001.000 01.001.000 01.001.000 01.001.000 01.001.000 01.001.000 01.001.000 01.001.000 01.001.000 <td>Scanner holder* for Promobox Plus</td> <td>Unit</td> <td>_</td> <td>77.03100.07-0000</td> <td>77.03100.07-0000</td> <td>77.03100.07-0000</td> <td>77.03100.07-0000</td>	Scanner holder* for Promobox Plus	Unit	_	77.03100.07-0000	77.03100.07-0000	77.03100.07-0000	77.03100.07-0000	
Equipment for shopping trolleys Child seat 00.02268.51-0000 00.09968.51-0000 00.03005.51-0000 00.03117.51-0000 05.2393.51-0000 Child seat/goods shelf - 00.01030.51-0000 00.01048.51-0000 00.01050.51-0000 00.01055.51-0000 00.01055.51-0000 00.01055.51-0000 00.01055.51-0000 00.01055.51-0000 00.01055.51-0000 00.01055.51-0000 00.01055.51-0000 00.01055.51-0000 00.01055.51-0000 00.01055.51-0000 00.01055.51-0000 00.01055.51-0000 00.01055.51-0000 00.01055.51-0000 00.01055.51-0000 01.02391.65-0000 01	Cup holder for Promobox Plus	Unit	-	77.01370.07-0000	77.01370.07-0000	77.01370.07-0000	77.01370.07-0000	
Child seat 0.0.02268.51-0000 00.09968.51-0000 0.0.30305.51-0000 00.03117.51-0000 00.52393.51-0000 Child seat/goods shelf - 0.0.01030.51-0000 0.0.01048.51-0000 00.01050.51-0000 00.01054.51-0000 Safety belt for child seats Unit 01.64957.00-0000 01.64957.00-0000 01.64957.00-0000 01.64957.00-0000 01.64957.00-0000 01.64957.00-0000 01.64957.00-0000 01.02391.65-0000	Clipboard for Promobox Plus	Unit	_	01.15487.37-7035	01.15487.37-7035	01.15487.37-7035	01.15487.37-7035	
Child seat/goods shelf - 00.01030.51.0000 00.01048.51-0000 00.01050.51-0000 00.01055.51-0000 Safety belt for child seats Unit 01.64957.00-0000 01.64957.00-0000 01.64957.00-0000 01.64957.00-0000 01.64957.00-0000 01.64957.00-0000 01.64957.00-0000 01.64957.00-0000 01.64957.00-0000 01.02391.65-0000 01.2358.67-0000 01.2358.07-0000 01.37631.51-0000 01.37631.51-0000 01.01017.07-0000 01.01017.07-0000 01.01017.07-0000 01.01017.07-0000 01.01017.07-0000 01.39890.0	Equipment for shopping trolleys							
Safety belt for child seats Unit 01.64957.00-0000 01.64957.00-0000 01.64957.00-0000 01.64957.00-0000 01.64957.00-0000 01.64957.00-0000 01.64957.00-0000 01.64957.00-0000 01.64957.00-0000 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.02364.07-0000 01.02364.07-0000 01.02364.07-0000 01.02364.07-0000 01.22985.07-0000 01.37631.51-0000 01.02364.07-0000 01.22985.07-0000 01.37631.51-0000 01.01017.07-0000 </td <td>Child seat</td> <td></td> <td>00.02268.51-0000</td> <td>00.09968.51-0000</td> <td>00.03005.51-0000</td> <td>00.03117.51-0000</td> <td>00.52393.51-0000</td>	Child seat		00.02268.51-0000	00.09968.51-0000	00.03005.51-0000	00.03117.51-0000	00.52393.51-0000	
Wire tray Unit 01.02358.65-0000 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.02391.65-0000 01.02364.07-0000 01.02364.07-0000 01.02364.07-0000 01.02364.07-0000 01.22985.07-0000 Cross divider Unit - 01.89230.51-0000 01.37631.51-0000 01.37631.51-0000 01.21568.51-0000 Cut flowers holder Unit 01.01017.07-0000 01.0	Child seat/goods shelf		_	00.01030.51-0000	00.01048.51-0000	00.01050.51-0000	00.01054.51-0000	
Plastic tray	Safety belt for child seats	Unit	01.64957.00-0000	01.64957.00-0000	01.64957.00-0000	01.64957.00-0000	01.64957.00-0000	
Cross divider Unit - 01.89230.51-0000 01.37631.51-0000 01.37631.51-0000 01.21568.51-0000 Cut flowers holder Unit 01.01017.07-0000 01.01017.07-0000 01.01017.07-0000 01.01017.07-0000 01.01017.07-0000 01.01017.07-0000 01.39890.07-0000 01.20560.07-0000 01.21253.07-0000 01.21253.07-0000 01.21253.07-0000 01.21253.07-0000 01.21300.07-0000 01.2	Wire tray	Unit	01.02358.65-0000	01.02358.65-0000	01.02391.65-0000	01.02391.65-0000	01.02391.65-0000	
Cut flowers holder Unit 01.01017.07-0000 01.21255.07-0000 01.21255.07-0000 01.21255.07-0000 01.21307.07-0000 01.25313.07-0000 01.25313.07-0000	Plastic tray	Unit	01.22985.07-0000	01.22985.07-0000	01.02364.07-0000	01.02364.07-0000	01.22985.07-0000	
Basket corner protectors, top 1 pair 01.39890.07-0000 01.39890.07-0000 01.39890.07-0000 01.39890.07-0000 01.39890.07-0000 01.39890.07-0000 01.39890.07-0000 01.39890.07-0000 01.39890.07-0000 01.39890.07-0000 01.50351.07-0000 01.50351.07-0000 01.50351.07-0000 01.50351.07-0000 01.50351.07-0000 01.50351.07-0000 01.50351.07-0000 01.21253.07-0000 01.21253.07-0000 01.21255.07-0000 01.21255.07-0000 01.21257.07-0000 01.21302.07-0000 01.21302.07-0000 01.21304.07-0000 01.21307.07-0000 01.21302.07-0000 01.21302.07-0000 01.21302.07-0000 01.21304.07-0000 01.21307.07-0000 01.21302.07-0000 01.21302.07-0000 01.25313.07-0000 01.25313.07-0000 01.25313.07-0000 01.25313.07-0000 01.25313.07-0000 01.25313.07-0000 01.25313.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 21.15336.07-0000 21.15336.07-0000 21.15336.07-0000 21.15336.07-0000 21.15336.07-0000 21.15336.07-0000 01.20566.07-0000 01.20566.07-00	Cross divider	Unit	_	01.89230.51-0000	01.37631.51-0000	01.37631.51-0000	01.21568.51-0000	
Basket corner protectors, bottom 1 pair 01.50351.07-0000 01.50351.07-0000 01.50351.07-0000 01.50351.07-0000 01.50351.07-0000 01.50351.07-0000 01.50351.07-0000 01.50351.07-0000 01.50351.07-0000 01.21255.07-0000 01.21255.07-0000 01.21255.07-0000 01.21255.07-0000 01.21255.07-0000 01.21304.07-0000 01.21304.07-0000 01.21304.07-0000 01.21304.07-0000 01.21304.07-0000 01.21304.07-0000 01.21304.07-0000 01.21304.07-0000 01.21304.07-0000 01.21304.07-0000 01.21304.07-0000 01.21304.07-0000 01.21304.07-0000 01.21304.07-0000 01.21304.07-0000 01.21304.07-0000 01.21304.07-0000 01.21304.07-0000 01.21304.07-0000 01.25313.07-0000 01.25313.07-0000 01.25313.07-0000 01.25313.07-0000 01.25313.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 21.15336.07-0000 21.15336.07-0000 21.15336.07-0000 21.15336.07-0000 21.15336.07-0000 21.15336.07-0000 21.15336.07-0000 21.15336.07-0000 21.15336.07-0000 21.15336.07-0000 21.15336.07-0000 21.15336.07-0000 21.15336.07-0000 21.15336.07	Cut flowers holder	Unit	01.01017.07-0000	01.01017.07-0000	01.01017.07-0000	01.01017.07-0000	01.01017.07-0000	
C-shaped basket protection profile with C-corner** Set 01.63610.07-0000 01.21248.07-0000 01.21253.07-0000 01.21255.07-0000 01.21257.07-0000 with top basket corner protectors** Set 01.40346.07-0000 01.21300.07-0000 01.21302.07-0000 01.21304.07-0000 01.21307.07-0000 on the sides** Set 01.25991.07-0000 01.25991.07-0000 01.25313.07-0000 01.25313.07-0000 01.25313.07-0000 01.25313.07-0000 01.25313.07-0000 01.25313.07-0000 01.20566.07-0000	Basket corner protectors, top	1 pair	01.39890.07-0000	01.39890.07-0000	01.39890.07-0000	01.39890.07-0000	01.39890.07-0000	
with top basket comer protectors** Set 01.40346.07-0000 01.21300.07-0000 01.21302.07-0000 01.21304.07-0000 01.21307.07-0000 on the sides** Set 01.25991.07-0000 01.37517.07-0000 01.25991.07-0000 01.25313.07-0000 01.25313.07-0000 Horizontal C-shaped basket prot. profile, rear** Unit 01.56388.07-0000 01.56162.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 252 x 195 mm poster frame with holders Unit 21.15336.07-0000 21.15336.07-0000 21.15336.07-0000 21.15336.07-0000 Stamp on basket carrier On request On request On request On request On request Wanzl castors Set Standard Standard Standard Standard On request On request On request On request Wanzl Softdrive castors Set On request On request On request On request On request	Basket corner protectors, bottom	1 pair	01.50351.07-0000	01.50351.07-0000	01.50351.07-0000	01.50351.07-0000	01.50351.07-0000	
on the sides** Set 01.25991.07-0000 01.37517.07-0000 01.25991.07-0000 01.25313.07-0000 01.25313.07-0000 Horizontal C-shaped basket prot. profile, rear** Unit 01.56388.07-0000 01.56162.07-0000 01.20566.07-0000	C-shaped basket protection profile with C-corner**	Set	01.63610.07-0000	01.21248.07-0000	01.21253.07-0000	01.21255.07-0000	01.21257.07-0000	
Horizontal C-shaped basket prot. profile, rear** Unit 01.56388.07-0000 01.56162.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 01.20566.07-0000 21.15336.07-0000 21.15336.07-0000 21.15336.07-0000 01.20566.07-0000 21.15336.07-0000 21.15336.07-0000 01.20566.07-0000 01.20566.07-0000 21.15336.07-0000 21.15336.07-0000 21.15336.07-0000 01.20566.07-0000 21.15336.07-0000 <	with top basket corner protectors**	Set	01.40346.07-0000	01.21300.07-0000	01.21302.07-0000	01.21304.07-0000	01.21307.07-0000	
252 x 195 mm poster frame with holdersUnit21.15336.07-000021.15336.07-000021.15336.07-000021.15336.07-000021.15336.07-0000Stamp on basket carrierOn requestOn requestOn requestOn requestOn requestWanzl castorsOriginal Wanzl castorsSetStandardStandardStandardStandardStandardStandardWanzl Softdrive castorsSetOn requestOn requestOn requestOn request	on the sides**	Set	01.25991.07-0000	01.37517.07-0000	01.25991.07-0000	01.25313.07-0000	01.25313.07-0000	
Stamp on basket carrier On request On request On request On request On request Wanzl castors Original Wanzl castors Set Standard Standard Standard Standard Standard On request On request On request On request On request On request On request	Horizontal C-shaped basket prot. profile, rear**	Unit	01.56388.07-0000	01.56162.07-0000	01.20566.07-0000	01.20566.07-0000	01.20566.07-0000	
Wanzl castors Original Wanzl castors Set Standard Standard Standard Standard Standard Standard Standard On request Wanzl Softdrive castors Set On request On request On request On request	252 x 195 mm poster frame with holders	Unit	21.15336.07-0000	21.15336.07-0000	21.15336.07-0000	21.15336.07-0000	21.15336.07-0000	
Original Wanzl castors Set Standard Standard Standard Standard Standard Standard Wanzl Softdrive castors Set On request On request On request On request	Stamp on basket carrier		On request					
Wanzl Softdrive castors Set On request On request On request On request On request	Wanzl castors							
	Original Wanzl castors	Set	Standard	Standard	Standard	Standard	Standard	
Slip castor protection Set On request On request On request On request On request	Wanzl Softdrive castors	Set	On request					
	Slip castor protection	Set	On request					

Optimised for hand scanner produced by Symbol.
 For colour coated shopping trolleys, protective profiles are always fitted to protect the surface.



07.03 Signage

For the safe use and operation of shopping and transport trolleys

- > Proper handling for the shopping trolley
- > Safety when shopping with children
- > Notes for using travelators





Example: Transporting people in the shopping trolley is prohibited for safety and hygiene reasons.



Prohibited for normal use

When using the travelator:



Notes for use on travelators



Prohibited for use on travelators



Notes and restrictions for using shopping transport trolleys



07.03 Safety with shopping trolleys

■ Visible **information signs** inform your customers about how to use shopping and transport trolleys properly in normal operation or on a travelator. This helps you to prevent accidents caused by improper use and handling. At the same time, the signs help to protect you against any possible liability claims.

Design: White, plastic information sign, $1000 \times 600 \text{ mm}$ format, printed with the same image on both sides



Sign for ban on children in shopping trolleys on the travelator Order no. 00.58354.07-DE00



Sign for ban on shopping trolleys for wheelchair users on the travelator Order no. 00.58919.07-DE00



Sign for ban on shopping trolleys with baby seats on the travelator Order no. 99.07577.00-DE00



Sign for ban on shopping trolleys with BabySafe holder on the travelator Order no. 01.88075.07-DE00



Sign on max. load for shopping trolley on the travelator 130 kg Order no. 01.88010.07-DE00



Sign on max. load for Fun Mobil on the travelator 120 kg Order no. 01.88081.07-DE00



Sign on ban on transporting people on the side of the trolley EL series Order no. 01.88021.07-DE00 DRC series Order no. 01.88078.07-DE00



Sign on ban on children in the shopping trolley basket Order no. 01.88012.07-DE00



Sign on ban on children sitting in the shopping trolley basket Order no. 01.88074.07-DE00



Sign for no heavy loads at the front of the basket Order no. 01.88013.07-DE00



07.03 Safety with travelator shopping trolleys

Design: White plastic information sign, 1000 x 600 mm format, printed on both sides (A and B have same design, see illustration for designs for D-I)





Shopping trolley notice sign

A Shopping trolley, general Order no. 01.88002.07-EN00 **B** Shopping trolley on travelator, general Order no. 01.88003.07-EN00

When using the travelator:





Shopping trolley notice sign

Entering/leaving the travelator, bottom

Order no. 01.88005.07-EN00




When using the travelator:





Shopping trolley notice sign

Entering/leaving the travelator, top Order no. 01.88007.07-ENE00



07.03 Safety for babies in the shopping trolley

Design: White plastic wall sign, 1000 x 600 mm format, printed on one side









Information sign for Trend baby seat

For standard shopping trolleys Order no. 01.35145.07-0000a For travelator shopping trolleys Order no. 01.35144.07-0000a Information sign for BabySafe

car seat holder

3 For standard shopping trolleys Order no. 01.35148.07-0000a 4 For travelator shopping trolleys Order no. 01.35149.07-0000a



07.04 Advertisement

Your shopping trolleys, shopping baskets and trolley shelters are effective locations for advertisements.

- > High advertising value directly at POS
- > Support for advertising campaigns
- > Advertising space to rent





vector, solid colours 4 colours

Screen print* Screen print*



Digital print*

vector, in 4 colours





vector, solid colours



vector, in 1 colour



Print quality for advertising inserts (round tube handle) and advertis-** Print quality on plastic products (e.g. shopping baskets)



07.04 Print templates

■ Use these ideal spots on your shopping trolleys, shopping baskets and trolley shelters to **promote cost-effective advertisements**. This gives you lots of added value for little added cost. Right in your customer's line of sight and at the ideal point at the POS.

Wanzl is happy to help you find the perfect design to fit your templates, needs and wishes.

Fade resistance for external use:
Offset print max. 6 months
Digital print around. 3 years
Screen print approx. 6 years
Stamped print approx. 4 years

Advertising handle

Advertising insert with self adhesive plastic film, with screen or digital print.



Promobox Plus

Advertising insert preferably with plastic film, with screen or digital print. Offset prints on paper are also available if you wish to replace advertising inserts on a regular basis.



Poster frame

Posters, preferably with plastic film, screen, digital or offset print. Prints on thick paper are available for internal use.



Poster pocket

Posters on plastic film or on thick paper for internal use. Screen, digital or offset print.



Flags

Print design based on your templates, requirements and wishes, screen print on both sides.



Shopping baskets

Print design based on your templates, requirements and wishes, on corresponding advertising space in screen or stamped print.



Sides of trolley shelters

Direct print on the sides, in screen or digital print.

Optional logo with self adhesive film text or printed adhesive film.



Interchangeable folding frame with protective film

Posters, paper or plastic film, screen, digital or offset print.



Print process

Screen, digital, offset, embossed or stamped print, depending on the product, area of use, design and required durability and fade resistance. See left hand page for sample prints.

Data required

Vector data from Illustrator®, Corel Draw® or high-resolution image data as tif or jpg. Layout data from Indesign®, QuarkXPress® or Corel Draw®.

Layout templates

If you wish to create the print template yourself and **deliver it to us in a print ready form** we will happily provide you with the information needed for the design and digital dimensional drawings on request.




07.05 Foundations for trolley shelters

For the stable assembly of Wanzl trolley shelters


- > You will receive your foundation plan with your order confirmation
- > The foundation plan contains all relevant information for building work
- > Foundations help to counterbalance loads caused by wind and snowfall








Specified concrete standard according to EN 206/1 and DIN 10454-2



Provide a power supply for interior lighting or roller shutter if necessary



Warning: Shelters for multi-storey car parks require special concrete foundations



07.05 Foundations for trolley shelters

■ Strong and secure anchoring in the car park floor is needed to ensure the stability of Wanzl trolley shelters. Correctly proportioned and properly installed foundations guarantee stability in wind and storms, and even in heavy snowfall. Shopping trolleys are reliably protected at all times, avoiding risks to customers' vehicles.

Standard foundations

We recommend **plinth style foundations** with four concrete plinths for a standard base. The top of the concrete plinths sit flush with the surface of the car park. The trolley shelter is secured straight on top.

The shelter can also be installed on lower foundations. Long spindle feet are available for this design on request.

Bedieneraeite operator position of the frequency of the stope of the business of the power supply on the left side behind

**Siconenachia!*

**Siconenachia!*

**Siconenachia!*

**Siconenachia!*

**Infehrt*

**Siconenachia!*

**S

Sample foundation plan

Simple installation

The erected trolley shelter is aligned on the foundation plinths and secured using rods and securing bolts after marking and drilling.




Align the trolley shelter, mark drillin position




Drill holes for dowels, 14 mm diameter



Insert dowels so they are flush with the top



Position the trolley shelter, insert the securing bolts



Tighten the securing

Stability

If the foundations are designed according to our specifications and the shelter is installed correctly, the trolley shelter is guaranteed to withstand:

Wind force
 Snow force
 Up to max. 0.7 kN/m²
 Up to max. 0.75 kN/m²

Foundation design

Dimensions: Depending on product specific foundation plan

Concrete standard: Minimum concrete standard according to EN 206/1 and

DIN 10454-2

Corrosion protection: Protects reinforcements against chlorides and de-icing agents

in the event of frost by using reinforced concrete with moderate water saturation of type D1F2F3 (LP) $25/30 \, F3 \, s \, 11 \, F2/30 \, F3 \, s \, 11 \, F2/30 \, F3 \, s \, 11 \, F2/30 \, F3 \, s \, 11 \, F3/30 \, F3 \, s \, 11 \, F3/30 \,$

M2/MS25

Dimensional tolerance: According to DIN 18202 (high buildings)

Top of foundations: Corresponds to top of the secured surface of the car park

Full base foundations may come in useful when using guide bars or additional equipment (station for trolleys with baby seats or BabySafe car seat holders). We would be happy to provide you with further information.

wanzi

VISIT US AT www.wanzl.com











GERMANY Wanzl GmbH & Co. KGaA

Rudolf-Wanzl-Straße 4 89340 Leipheim

Phone +49(0)8221/729-0 info@wanzl.com www.wanzl.com

GREAT BRITAIN Wanzl Ltd.

Europa House

Heathcote Lane Warwick CV34 6SP

Phone +44(0)1926/451951

enquiries@wanzl.co.uk www.wanzl.com

AUSTRALIA Wanzl Australia Pty Ltd

37A Miles Street VIC 3170 Mulgrave

Phone +61(0)3/98082299

info.au@wanzl.com www.wanzl.com





